

Research Report
KTC-00-18

**REVISION OF THE RAINFALL-INTENSITY DURATION CURVES
FOR THE COMMONWEALTH OF KENTUCKY**

By

Bernadette S. Dupont
Transportation Engineer II

and

David L. Allen
Transportation Engineer V

Kentucky Transportation Center
College of Engineering
University of Kentucky
Lexington, Kentucky

In cooperation with

Kentucky Transportation Cabinet
Commonwealth of Kentucky

and

The Federal Highway Administration
U.S. Department of Transportation

The contents of this report reflect the views of the authors who are responsible for the facts and accuracy of the data presented herein. The contents do not necessarily reflect the official views or policies of the University of Kentucky, or the Kentucky Transportation Cabinet. The inclusion of manufacturer names and trade names is for identification purposes, and is not to be considered an endorsement.

March 2000

1. Report No. KTC-00-18	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle Revision of the Rainfall Intensity Duration Curves for the Commonwealth of Kentucky		5. Report Date June, 1999	
		6. Performing Organization Code	
7. Author(s): Bernadette Dupont and David Allen		8. Performing Organization Report No. KTC-00-18	
9. Performing Organization Name and Address Kentucky Transportation Center College of Engineering University of Kentucky Lexington, KY 40506-0043		10. Work Unit No. (TRAIS)	
		11. Contract or Grant No. KYSPR 98-178	
12. Sponsoring Agency Name and Address Kentucky Transportation Cabinet State Office Building Frankfort, KY 40622		13. Type of Report and Period Covered Final	
		14. Sponsoring Agency Code	
15. Supplementary Notes Prepared in cooperation with the Federal Highway Administration, U.S. Department of Transportation. Study Title: Revision of the Rainfall Intensity Duration Curves for the Commonwealth of Kentucky.			
16. Abstract The purpose of this study was to revise and update the existing Rainfall Intensity-Duration-Frequency (IDF) Curves for the Commonwealth of Kentucky. The nine curves that currently govern Kentucky are based on data from First-Order Weather Stations in and around Kentucky. However, the new curves only utilize data from within the State. The data was gathered from both First Order and Co-operative Weather Stations. In accordance with Bulletin 71, the new curves reflect the climatological zones located within the state, thus producing only four IDF curves.			
17. Key Words Rainfall-Intensity-Duration-Frequency (IDF) Curves, Climatological Areas, Bulletin 71, Theissan Polygons		18. Distribution Statement Unlimited with the approval of the Kentucky Transportation Cabinet	
19. Security Classif. (of this report)	20. Security Classif. (of this page)	21. No. of Pages	22. Price

TABLE OF CONTENTS

EXECUTIVE SUMMARY	iii
1. INTRODUCTION	1
1.1 Background	2
2. DETERMINE AREAS OF INFLUENCE	3
2.1 Thiessen Polygons.....	3
2.2 Climatological Areas	8
3. DATA COLLECTION	13
4. DATA ANALYSIS	14
5. DEVELOPMENT OF RAINFALL INTENSITY DURATION FREQUENCY CURVES	15
5.1 Gumbel Theory of Distribution	15
5.2 Resulting Curves.....	20
5.2.1 First Set of Curves – First Order Stations Only	20
5.2.2 Second Set of Curves – Similar Climatological Areas.....	30
6. FINAL RESULTS	35
6.1 Linear Regression.....	35
6.2 Bluegrass Climatological Area Results	37
6.3 Central Climatological Area Results	39
6.4 Eastern Area Results	41
6.5 Western Area Results.....	43
7. SUMMARY	45
REFERENCES.....	46

LIST OF FIGURES

Figure 1: 1968 Rainfall Intensity-Duration-Frequency Curve for Louisville, Ky	1
Figure 2: Thiessen Polygons used to Determine Areas of Influence in 1968.....	7
Figure 3: Thiessen Polygons used to Determine Areas of Influence in 1985.....	7
Figure 4: Thiessen Polygons used to Determine Areas of Influence in 1998.....	8
Figure 5: Climatological Areas Within Kentucky	9
Figure 6: Rainfall Distribution Map shows Midwest Climatological Areas.	10
Figure 7: Physiographic Map of Kentucky	11
Figure 8: Climatological Areas of Influence Superimposed on Physiographic Map of Kentucky	11
Figure 9: IDF Curve for Bristol Area	21
Figure 10: IDF Curve for Cairo Area.....	22
Figure 11: IDF Curve for Cincinnati Area	23
Figure 12: IDF Curve for Evansville Area	24
Figure 13: IDF Curve for Huntington Area	25
Figure 14: IDF Curve for Knoxville Area	26
Figure 15: IDF Curve for Lexington Area	27
Figure 16: IDF Curve for Louisville Area	28
Figure 17: IDF Curve for Nashville Area.....	29
Figure 18: IDF Curve for Bluegrass Area	31
Figure 19: IDF Curve for Central Area	32
Figure 20: IDF Curve for Eastern Area	33
Figure 21: IDF Curve for Western Area.....	34
Figure 22: IDF Curves for the Bluegrass Climatological Area after Linear Regression.....	38
Figure 23: IDF Curves for the Central Climatological Area after Linear Regression.....	40
Figure 24: IDF Curves for the Eastern Climatological Area after Linear Regression.....	42
Figure 25: IDF Curves for the Western Climatological Area after Linear Regression.....	44

LIST OF TABLES

Table 1: Locations of First Order Weather Stations.....	5
Table 2: Counties within Thiessen Polygons.....	6
Table 3: Counties within Climatological Areas of Influence	9
Table 4: Values for Reduced Variate, y , and the Corresponding Return Periods	17
Table 5: Values of K for the Extreme-Value Distribution.	18
Table 6: Values for Reduced Mean, y_n , Reduced Standard Deviation, σ_n , Corresponding to Various Return periods.....	19
Table 7: Coefficients Used in Equation 7 for Bristol Area	21
Table 8: IDF Curve Values Used For Bristol Area	21
Table 9: Coefficients Used in Equation 7 for Cairo Area.....	22
Table 10: IDF Curve Values Used For Cairo Area	22
Table 11: Coefficients Used in Equation 7 for Cincinnati Area	23
Table 12: IDF Curve Values Used For Cincinnati Area	23
Table 13: Coefficients Used in Equation 7 for Evansville Area	24
Table 14: IDF Curve Values Used For Evansville Area	24
Table 15: Coefficients Used in Equation 7 for Huntington Area	25
Table 16: IDF Curve Values Used For Huntington Area	25
Table 17: Coefficients Used In Equation 7 for Knoxville Area.....	26
Table 18: IDF Curve Values Used For Knoxville Area.....	26
Table 19: Coefficients Used In Equation 7 for Lexington Area.....	27
Table 20: IDF Curve Values Used For Lexington Area.....	27
Table 21: Coefficients Used In Equation 7 for Louisville Area	28
Table 22: IDF Curve Values Used For Louisville Area	28
Table 23: Coefficients Used In Equation 7 for Nashville Area.....	29
Table 24: IDF Curve Values Used For Nashville Area.....	29
Table 25: Coefficients Used In Equation 7 for Bluegrass Area.....	31
Table 26: IDF Curve Values Used For Bluegrass Area	31
Table 27: Coefficients Used In Equation 7 for Central Area.....	32
Table 28: IDF Curve Values Used For Central Area.....	32
Table 29: Coefficients Used In Equation 7 for Eastern Area	33
Table 30: IDF Curve Values Used For Eastern Area	33
Table 31: Coefficients Used In Equation 7 for Western Area.....	34
Table 32: IDF Curve Values Used For Western Area.....	34
Table 33: Coefficients to be used with Final Curves.....	36
Table 34: Values for the Bluegrass Climatological Area.	37
Table 35: Values for the Central Climatological Area.....	39
Table 36: Values for the Eastern Climatological Area.	41
Table 37: Values for the Western Climatological Area.....	43

EXECUTIVE SUMMARY

The purpose of this study was to revise and update the already existing Rainfall Intensity-Duration-Frequency Curves for the Commonwealth of Kentucky. There were basically four steps in the process: determine the Areas of Influence; gather data from those areas; analyze the data; and produce the curves.

During the course of this project, it was determined that two major revisions in the procedures were necessary. The first revision was to change the way the Areas of Influence were determined; and the second revision was to utilize some data that was generated mathematically. As a result, there are now only four curves that represent the state instead of nine.

The first procedural change was in the way Areas of Influence were determined. Historically the Areas of Influence were determined using Thiessen polygons. The focal points for these polygons were First Order Weather Stations. However, only three out of the nine First Order Stations used to generate the curves were located within Kentucky. Changing the way the Areas of Influence were determined improved the accuracy of the curves. In accordance with Bulletin 71, r Areas of Influence were established based on the four climatological zones within Kentucky. This new procedure made use of data taken from Cooperative Weather Stations as well as First Order Stations. Thus, only data within the Commonwealth of Kentucky was used to establish the curves.

The second procedural change was in the amount of data, and the way the data was collected. Previously, data was solicited from the State Climatologist, Glen Conner. He supplied data for 5-, 10-, 15-, 20-, 30-, 45-, 60-, 80-, 100-, and 120-minute time intervals. However, First Order Stations no longer collect data for all those time periods, now they only collect hourly data. Some Cooperative Climate Stations do collect data for multiple time intervals, but they are few and far between. As a result, some of the data for short rainfall durations had to be generated mathematically using linear regression.


Three sets of curves were developed and included in this report: the nine traditional curves based on First Order Weather Station locations, the four curves based on climatological areas, and the four curves after linear regression was applied. Th two sets of curves were compared and the Study Advisory Committee recommended that the curves based on Climatological Areas be used. It is further recommended that Climatological Areas be used in the future when developing Rainfall Intensity-Duration Frequency Curves.

Funding for this project came from the Kentucky Transportation Cabinet under Research Study KYSPR 98-178, entitled "Revision of Rainfall Intensity-Duration Curves for Kentucky".

1. INTRODUCTION

Rainfall Intensity-Duration Frequency Curves (IDF Curves) are graphical representations of the amount of water that falls within a given period of time. These curves are used to help predict when an area will be flooded, or to pinpoint when a certain rainfall rate or a specific volume of flow will recur in the future.

In Kentucky, rainfall IDF curves are used in conjunction with the Rational Method¹ to calculate runoff from a particular watershed. The information from the curves is then used in hydraulic design to size culverts and pipes. Figure 1 below, shows an example of a Rainfall Intensity-Duration Curve.



¹The Rational Method determines design flow and is used when high accuracy of runoff rate is not required and the drainage area is less than 300 acres.

1.1 BACKGROUND

Engineers must often consider storm run-off when building a new structure. Rainfall Intensity-Duration-Frequency Curves are used to aid the engineer when creating the design. Engineers have been using IDF curves in the United States since 1935.

David Yarnell developed the first "intensity-frequency maps" for the United States in 1935. Yarnell studied 30 years of rainfall intensity-frequency (18). In 1955, the U.S. Weather Bureau (USWB) and the Soil Conservation Service (SCS) defined the depth-area-duration-frequency regime in the United States.

"In 1961 the U.S. Weather Bureau published the Rainfall Frequency Atlas of the United States, commonly known as Hershfield's Technical Paper No. 40 (TP-40). This document contains rainfall depth maps of the United States for the 1-, 2-, 5-, 10-, 25-, and 100-year recurrence interval storms for durations of 1-, 2-, 3-, 6-, 12-, and 24-hours for areas east of the 105° meridian. For storm durations of less than 1 hour the TP-40 information was superseded by NOAA's technical Memorandum "NEW HYDRO -35." The IDF curves currently in use in Kentucky are governed by Technical Paper 40 (TP-40).

However, TP-40 wasn't always accurate. "One of the problems with TP-40 is that its 100-year, 24-hour values were exceeded too frequently in certain regions of the Midwest (13, p. 1). To combat this problem, the National Oceanic and Atmosphere Administration's Midwestern Climate Center has produced a new study that applies to nine states across the Midwest (Illinois, Indiana, Iowa, Kentucky, Michigan, Minnesota, Missouri, Ohio, and Wisconsin) and it is referred to as Bulletin 71. Bulletin 71 has a much larger, longer sample of precipitation data that was available for previous U.S. studies (13, p. 1). It is a "combination of appropriate statistical techniques, guided by available meteorological and climatological knowledge of atmospheric processes (13, p.2)"

E.M. West and W. H. Sammons generated the first curves for the Commonwealth of Kentucky in 1955 (Kentucky Department of Highways, Division of Research, Report No. 108, "A Study of Runoff from Small Drainage Areas and the Opening in Attendant Drainage Structures"). They were updated in 1968 by K.D. Clark (Kentucky Department of Highways, Division of Research, Report No. 250, "Application of Stanford Watershed Model Concepts to Predict Flood Peaks for Small Drainage Areas") and again in 1985 by Jessie Mays. The curves have not been updated since that time.

As a result, the Kentucky Transportation Cabinet (KyTC) approved Research Study KYSPR 98-178, entitled "Revision of Rainfall Intensity-Duration Curves for Kentucky" in 1998. The objective of this research study was to revise and update the rainfall-intensity-duration-frequency curves for Kentucky to include weather data from 1984 through the present.

To update the curves, four basic steps must be followed: determine the Areas of Influence; gather data from those areas; analyze the data; and produce the curves.

2. DETERMINE AREAS OF INFLUENCE

An "Area of Influence" must be determined before a rainfall intensity-duration curve can be developed. Rainfall data is gathered from many different stations throughout the Commonwealth. "Kentucky has an area of 40,395 square miles" (8), therefore a great number of weather stations are required to produce an accurate picture. The rainfall data that is gathered from those stations must be sorted into specific groups to be of use. Establishment of these areas or the "Areas of Influence", allows the researcher to group the data together for analysis. Curves are then developed to provide a graphical representation of the amount of water that falls within a given period of time on that particular area.

Traditionally an Area of Influence is determined by using Thiessen Polygons. However, Bulletin 71 introduced a new method to create the Area of Influence, use of similar Climatological Zones. Those methods are described in the following paragraphs.

2.1 THIESSEN POLYGONS

In the past, two things defined Areas of Influence for IDF curves: the location of the First Order Weather Station and the Thiessen Polygon that is drawn around the First Order Weather Station. First Order Weather Stations provide hourly and daily rainfall data. These stations are certified by the National Weather Service (NWS) and by the Federal Aviation Association's (FAA) Weather Office.

Glen Conner, State Climatologist for the Commonwealth of Kentucky, explained how the sites for First Order Weather Stations were chosen. "Selection of sites was based on need. Aircraft have the greatest need for weather information. First Order Weather Stations were selected dependent upon whether or not a city had a large airport." Kentucky has only three cities with First Order Weather Stations: Hebron (Greater Cincinnati Airport), Lexington (Bluegrass Airport) and Louisville (Stanford Field). However, these three did not geographically represent the entire state.

Therefore, six other stations were selected. All six were close to the State lines, but were, nonetheless, outside Kentucky. There are four in Tennessee, one in West Virginia, and one in either Illinois or Missouri depending on the time period. Table 1 lists the locations of the First Order Stations used to develop the curves in 1968, 1985, and 1997.

Table 1. Locations of First Order Weather Stations.

Location	1968	1985	1997
Cairo, IL	X	X	X
Hebron, KY	X	X	X
	(referred to as: Cincinnati, OH)	(referred to as: Covington, KY)	(referred to as: Hebron, KY)
Evansville, IN	X	X	X
Knoxville, TN	X	X	X
Lexington, KY	X	X	X
Louisville, KY	X	X	X
Nashville, TN	X	X	X
Parkersburg, WV	X	X	X
			(changed to: Huntington, WV)
Wytheville, VA	X	X	X
		(changed to: Bristol, TN)	(changed to: Bristol, TN)

Once the First Order Stations were established the next step towards creating the Areas of Influence was to set up Thiessen Polygons. This method was developed by A. H. Thiessen in 1911 and is still a popular method for determining an Area of Influence. Thiessen Polygons are established by drawing a series of lines around each First Order Station. The steps are as follows:


1. Draw a straight line from the center of one station to the centers of the surrounding stations.
2. Then draw perpendicular lines through the midpoints of the lines connecting the stations. These bisecting lines are the lines that create the polygon.
3. When two lines intersect, both lines stop, establishing the ending point for one side of the polygon.

The Thiessen Polygons were named according to the First Order Station that was used to create them. Table 2 lists the counties that fall into each Thiessen Polygon. Some counties are divided into two different polygons. The same data was used in both polygons to determine peak flow for that Area of Influence.


Table 2. Counties within Thiessen Polygons.

BRISTOL REGION			
<input type="checkbox"/> Floyd	<input type="checkbox"/> Knott	<input type="checkbox"/> Letcher	<input type="checkbox"/> Pike
<input type="checkbox"/> Harlan	<input type="checkbox"/> Leslie	<input type="checkbox"/> Perry	
CAIRO REGION			
<input type="checkbox"/> Ballard	<input type="checkbox"/> Crittenden	<input type="checkbox"/> Hickman	<input type="checkbox"/> Marshall
<input type="checkbox"/> Calloway	<input type="checkbox"/> Fulton	<input type="checkbox"/> Livingston	<input type="checkbox"/> McCracken
<input type="checkbox"/> Carlisle	<input type="checkbox"/> Graves	<input type="checkbox"/> Lyon	<input type="checkbox"/> Trigg
CINCINNATI REGION			
<input type="checkbox"/> Boone	<input type="checkbox"/> Carroll	<input type="checkbox"/> Kenton	<input type="checkbox"/> Owen
<input type="checkbox"/> Bracken	<input type="checkbox"/> Gallatin	<input type="checkbox"/> Lewis	<input type="checkbox"/> Pendleton
<input type="checkbox"/> Campbell	<input type="checkbox"/> Grant	<input type="checkbox"/> Mason	<input type="checkbox"/> Robertson
EVANSVILLE REGION			
<input type="checkbox"/> Breckinridge	<input type="checkbox"/> Daviess	<input type="checkbox"/> Hopkins	<input type="checkbox"/> Trigg
<input type="checkbox"/> Butler	<input type="checkbox"/> Edmonson	<input type="checkbox"/> McLean	<input type="checkbox"/> Union
<input type="checkbox"/> Caldwell	<input type="checkbox"/> Grayson	<input type="checkbox"/> Muhlenberg	<input type="checkbox"/> Warren
<input type="checkbox"/> Christian	<input type="checkbox"/> Hancock	<input type="checkbox"/> Ohio	<input type="checkbox"/> Webster
<input type="checkbox"/> Crittendon	<input type="checkbox"/> Henderson	<input type="checkbox"/> Todd	
HUNTINGTON REGION			
<input type="checkbox"/> Boyd	<input type="checkbox"/> Floyd	<input type="checkbox"/> Lewis	<input type="checkbox"/> Perry
<input type="checkbox"/> Breathitt	<input type="checkbox"/> Greenup	<input type="checkbox"/> Magoffin	<input type="checkbox"/> Pike
<input type="checkbox"/> Carter	<input type="checkbox"/> Johnson	<input type="checkbox"/> Martin	<input type="checkbox"/> Rowen
<input type="checkbox"/> Elliott	<input type="checkbox"/> Knott	<input type="checkbox"/> Menifee	<input type="checkbox"/> Wolfe
<input type="checkbox"/> Fleming	<input type="checkbox"/> Lawrence	<input type="checkbox"/> Morgan	
KNOXVILLE REGION			
<input type="checkbox"/> Bell	<input type="checkbox"/> Harlan	<input type="checkbox"/> McCreary	<input type="checkbox"/> Wayne
<input type="checkbox"/> Clay	<input type="checkbox"/> Knox	<input type="checkbox"/> Monroe	<input type="checkbox"/> Whitley
<input type="checkbox"/> Clinton	<input type="checkbox"/> Laurel	<input type="checkbox"/> Pulaski	
<input type="checkbox"/> Cumberland	<input type="checkbox"/> Leslie	<input type="checkbox"/> Russell	
LEXINGTON REGION			
<input type="checkbox"/> Adair	<input type="checkbox"/> Fleming	<input type="checkbox"/> Lincoln	<input type="checkbox"/> Pulaski
<input type="checkbox"/> Anderson	<input type="checkbox"/> Franklin	<input type="checkbox"/> Madison	<input type="checkbox"/> Robertson
<input type="checkbox"/> Bath	<input type="checkbox"/> Garrard	<input type="checkbox"/> Marion	<input type="checkbox"/> Rockcastle
<input type="checkbox"/> Bourbon	<input type="checkbox"/> Grant	<input type="checkbox"/> Mason	<input type="checkbox"/> Rowan
<input type="checkbox"/> Boyle	<input type="checkbox"/> Green	<input type="checkbox"/> Menifee	<input type="checkbox"/> Russell
<input type="checkbox"/> Bracken	<input type="checkbox"/> Harrison	<input type="checkbox"/> Mercer	<input type="checkbox"/> Scott
<input type="checkbox"/> Breathitt	<input type="checkbox"/> Henry	<input type="checkbox"/> Metcalfe	<input type="checkbox"/> Shelby
<input type="checkbox"/> Casey	<input type="checkbox"/> Jackson	<input type="checkbox"/> Nelson	<input type="checkbox"/> Spencer
<input type="checkbox"/> Clark	<input type="checkbox"/> Jessamine	<input type="checkbox"/> Nicholas	<input type="checkbox"/> Taylor
<input type="checkbox"/> Clay	<input type="checkbox"/> Laurel	<input type="checkbox"/> Owen	<input type="checkbox"/> Washington
<input type="checkbox"/> Cumberland	<input type="checkbox"/> Lee	<input type="checkbox"/> Owsley	<input type="checkbox"/> Wolfe
<input type="checkbox"/> Fayette	<input type="checkbox"/> Leslie	<input type="checkbox"/> Perry	<input type="checkbox"/> Woodford
LOUISVILLE REGION			
<input type="checkbox"/> Adair	<input type="checkbox"/> Grayson	<input type="checkbox"/> Larue	<input type="checkbox"/> Shelby
<input type="checkbox"/> Barren	<input type="checkbox"/> Green	<input type="checkbox"/> Marion	<input type="checkbox"/> Spencer
<input type="checkbox"/> Breckinridge	<input type="checkbox"/> Hardin	<input type="checkbox"/> Meade	<input type="checkbox"/> Taylor
<input type="checkbox"/> Bullitt	<input type="checkbox"/> Hart	<input type="checkbox"/> Metcalfe	<input type="checkbox"/> Trimble
<input type="checkbox"/> Carroll	<input type="checkbox"/> Henry	<input type="checkbox"/> Nelson	<input type="checkbox"/> Washington
<input type="checkbox"/> Edmonson	<input type="checkbox"/> Jefferson	<input type="checkbox"/> Oldham	
NASHVILLE REGION			
<input type="checkbox"/> Allen	<input type="checkbox"/> Cumberland	<input type="checkbox"/> Monroe	<input type="checkbox"/> Warren
<input type="checkbox"/> Barren	<input type="checkbox"/> Edmonson	<input type="checkbox"/> Simpson	
<input type="checkbox"/> Butler	<input type="checkbox"/> Logan	<input type="checkbox"/> Todd	
<input type="checkbox"/> Christian	<input type="checkbox"/> Metcalfe	<input type="checkbox"/> Trigg	

Figure 2 shows the original Areas of Influence established in 1968. Figure 3 shows the changes in the Thiessen Polygons that resulted when the Wytheville, VA First Order Weather Station was replaced by Bristol, TN station in 1985. Figure 4 shows the changes made in the Thiessen Polygons in 1998. Those changes resulted when two outlying First Order Stations were replaced. The Cairo, IL station was replaced by the Cape Girardeau, MO station, and the Parkersburg, WV station was replaced with the Huntington, WV station. Data is still available for Parkersville (1981-96), however, Huntington was used to update the curves as it was in closer proximity to Kentucky and had more available data (1961-96).



Changes in First Order stations were necessitated because data was no longer available at those stations or because closer First Order Stations would provide data that more closely resembled Kentucky conditions.






Figure 4. Thiessen Polygons Used to Determine Areas of Influence in 1998.

2.2 CLIMATOLOGICAL AREAS

Bulletin 71, the latest publication from the Midwestern Climate Center, suggests the use of Climatological Zones to determine the Areas of Influence. Climatological Zones are based on national climates and use of Climatological Areas instead of the traditional Thiessen Polygons produces curves that are more representative of a particular area.

Kentucky has four very distinct climate patterns. James Angel of the Midwestern Climate Center and author of the "Rainfall Frequency Atlas of the Midwest" conducted extensive research, gathered data from each state, and produced rainfall distribution maps. From this data, it became apparent that Kentucky was divided into four distinct divisions: Western, Central, Blue Grass and Eastern. Figure 5, outlines the four Climatological Areas of Influence in Kentucky.

The Western Division contains 26 counties, the Central Division has 24 counties, the Blue Grass Division has 35 counties, and the Eastern Division has 35 counties. The counties are listed in Table 3.





Figure 5. Climatological areas within Kentucky.

Table 3. Counties within Climatological Areas of Influence.

WESTERN	CENTRAL	BLUEGRASS	EASTERN
Ballard	Adair	Anderson	Bell
Caldwell	Allen	Bath	Boyd
Calloway	Barren	Boone	Breathitt
Carlisle	Breckinridge	Bourbon	Carter
Christian	Bullitt	Boyle	Clay
Crittenden	Butler	Bracken	Elliott
Daviess	Casey	Campbell	Estill
Fulton	Clinton	Carroll	Floyd
Graves	Cumberland	Clark	Greenup
Hancock	Edmonson	Fayette	Harlan
Henderson	Grayson	Fleming	Jackson
Hickman	Green	Franklin	Johnson
Hopkins	Hardin	Gallatin	Knott
Livingston	Hart	Garrard	Knox
Logan	Jefferson	Grant	Laurel
Lyon	Larue	Harrison	Lawrence
Marshall	Marion	Henry	Lee
McCracken	Meade	Jessamine	Leslie
McLean	Metcalfe	Kenton	Letcher
Muhlenberg	Monroe	Lincoln	Lewis
Ohio	Nelson	Madison	Magoffin
Simpson	Russell	Mason	Martin
Todd	Taylor	Mercer	McCreary
Trigg	Warren	Montgomery	Menifee
Union		Nicholas	Morgan
Webster		Oldham	Owsley
		Owen	Perry
		Pendleton	Pike
		Robertson	Powell
		Scott	Pulaski
		Shelby	Rockcastle
		Spencer	Rowan
		Trimble	Wayne
		Washington	Whitley
		Woodford	Wolfe

Figure 6 is an excerpt from Bulletin 71 (13, p.56). This rainfall distribution map was used to illustrate the divisions that climate imposes on Kentucky.



"Kentucky is divided into five major physiographic regions: the Mississippi Embayment or Jackson Purchase in the west, the Mississippian Plateaus or Pennyryle, the Western Coal Field, the Bluegrass, and the Eastern Coal Field." (8). The differences in geography and topography reflect the differences in climate and the amount of rainfall that each area receives. Figure 7 shows a physiographic map of Kentucky produced by the Kentucky Geological Survey.




Figure 7. Physiographic Map of Kentucky. Produced by Kentucky Geological Survey (undated).

When the Climatological Areas of Influence are superimposed on the Physiographic Diagram of Kentucky as in Figure 8, it is obvious that the two maps coincide exactly in the Bluegrass and Eastern areas. However, the Western and Central areas differ somewhat from the climatological areas.




Figure 8. Climatological Areas of Influence superimposed on Physiographic Map of Kentucky.

The *Western Area of Influence* has three separate physiographic areas within it. They include parts of the Western Kentucky Coal Field, the Pennyriple Region and the Jackson Purchase. The Western Kentucky Coal Field is south of the Ohio River and just above the Pennyriple region. The Pennyriple region "stretches from the Land Between the Lakes, in the west, across the state to the Pottsville Escarpment in the east. It is a Mississippian plateau with a large karst region that includes Mammoth Cave." (11) The Jackson Purchase is located in the extreme western part of the state. "It is bounded by three rivers, the Mississippi, the Ohio and the Tennessee (now called Kentucky Lake). This area includes the lowest elevations in the state. It is located in the Gulf Coastal Plain of the central United States and consists of alluvial deposits and loess. (12) However, this area produced little data and was therefore included in the Western Area of Influence.

The *Central Area of Influence* is made up of the Louisville portion of the Bluegrass geographical region, the Western Kentucky Coal Field area and the central part of the Pennyriple region. Jefferson County has several rainfall data sites and provides adequate data for a curve to be developed for that area alone. The Jefferson County area hosts a population of two million and has a central location.

The *Bluegrass Area of Influence* is governed by the Bluegrass region of Kentucky. It too has geographic barriers that influence the type of weather that it receives. "The Bluegrass area is bordered by the Ohio River on the west and north sides and by the Knobs, a ring of hills to the east, south, and west. This area is mostly pastureland. The underlying limestone is often visible at the surface, in road cuts, and where eroded by streams - most dramatically in the Kentucky River palisades. The Bluegrass Area includes one of Kentucky's largest cities, Lexington, and the urban area of Northern Kentucky." (9)

The *Eastern Area of Influence* is located in the geographic region referred to as the "Eastern Kentucky Coal Field". "This area is east of the Appalachian Mountains and covers the area across the Cumberland Plateau to the Pottsville Escarpment." (10)

The link between climate and physical geography is very strong. Therefore, establishing Areas of Influence based on Climatological Areas follows this logical process. Once the Areas of Influence have been established, the next step is to collect data from within those Areas of Influence.

3.0 DATA COLLECTION

Data gathering was perhaps, the most difficult part of the project. The data used to develop the 1968 and 1985 IDF curves consisted of recorded maximum annual rainfall values for short durations of 5-, 10-, 15-, 30-, 60- and 120-minutes for the nine First Order Stations. That data was supplied by Glen Conner, State Climatologist for Kentucky. However, according to Conner, data is no longer collected for such short durations.

Since 1985, data has only been collected for 15-minute, 60-minute, and 24-hour intervals. Values for shorter durations are statistically calculated from the 24-hour data. The State Climatologist, the National Weather Service, and the National Oceanic and Atmospheric Administration's (NOAA) National Climatic Data Center (NCDC) all concur that this method of data collection is more beneficial, less time consuming, and more economical. Using available data and then generating the short duration data reduces the margin of error introduced by various factors. Some of these factors include: problems with instrumentation, individual observational techniques, as well as rain gage location, exposure, and land-use changes.

In the past, only data from First Order Weather Stations was used to develop IDF Curves. However, improvements in instrumentation used for gathering rainfall data has resulted in greater accuracy at the Co-Operative (Co-Op) Weather Stations. "Cooperative Climate Stations, meet specifications of the World Meteorological Organization (WMO). Co-Op stations send in a monthly report, which includes daily temperatures, rainfall and snowfall. (5, p. 3)"

As a result, it is not necessary to go outside the state to obtain rainfall data. Combining First Order and Co-op Weather station data allows the researcher to use only data from within the state, making the resulting IDF curves more accurate and specific to the region. The rainfall data for this study was obtained from EarthInfo CD-ROM's. The data for the CD was supplied by the National Climatic Data Center and it reflects the many changes and corrections that NCDC has made to their databases over the past few years.

The 15-minute data was obtained from EarthInfo's NCDC Fifteen-minute Precipitation CD. "The data is from the NCDC TD-3260 file. Fewer stations supply fifteen-minute data and the periods of record are shorter than the hourly data. The CD has measurements dating from 1971." (4, p.1).

The 30-minute data was obtained from EarthInfo's NCDC Hourly Precipitation CD. This CD contains precipitation data from the NCDC TD-

3240 file. "Generally, periods of record begin in 1948, but some date to the beginning of the century." (4, p. 1)

The daily rainfall data was obtained from EarthInfo's NCDC Summary of the Day CD. The data was supplied from the National Climatic Data Center's TD-3200 file, as corrected by NCDC's Validated Historical Daily Data project (4, p. 1).

4. DATA ANALYSIS

Once the data was collected, it was exported and analyzed by use of a computer program. Three programs were written for each type of data. The computer programs were written in Practical Extraction and Report Language (Perl). "Perl is a language for easily manipulating text, files, processes. Perl provides a more concise and readable way to do many jobs that were formerly accomplished by programming in the C language or one of the shells. Perl also shares features with many of the UNIX utilities that a shell would invoke" (18, p. xi). The differences in the amount and the type of data required that two separate computer programs be written.

Evaluation of the data required four steps:

Step 1: The data was analyzed by computer to determine maximum or peak Rainfall for each year of data for a specific station.

Step 2: That data was then imported into an Excel spreadsheet and sorted according to county. If a county had more than one set of data, as many of them did, then the maximum value per year was selected as the representative value for the county.

Step 3: The counties were then divided into Areas of Influence. Three different Areas of Influence were used:

- a) nine First Order stations using data from First Order stations ONLY (using original nine Theissan Polygons),
- b) nine First Order stations using only First Order and Co-Op data from within the state (using the original nine Theissan Polygons),
- c) four climatological areas using only First order and Co-op data from within the state (new Climatological Zone method).

Step 4: All counties falling into a particular Area of Influence were evaluated and the maximum value for each year was extracted as the representative value for the Area.

5. DEVELOPMENT OF RAINFALL INTENSITY DURATION FREQUENCY CURVES.

Once the data has been sorted into the various Areas of Influence, curve development begins. IDF curves are used when storm information is needed to design a structure. In Kentucky, rainfall intensity-duration-frequency curves are used in conjunction with the Rational Method¹ to calculate peak runoff from a particular watershed.

Most areas have several rain gages and many years of data. Graphical representations are developed to present the rainfall data in a usable format. Each graph has six curves on it, each one representing a different storm frequency. They usually represent the 2-, 5-, 10-, 25-, 50-, and 100-year storms. Rainfall intensity is on the y-axis and is measured in inches per hour or in mm/h. Storm duration is on the x-axis and is measured in minutes. The amount of rain that is produced by a particular storm is site specific.

When a particular rainfall is referred to as a 2-hr, 100-yr storm, that means that the rain will last for two hours (duration) and will only be equaled or exceeded once every one hundred years (frequency) in that particular area. Understanding the significance of each curve, it is then a simple matter to determine the amount of rainfall (intensity) for that particular area during that time period. For example:

1. Select the 100-year IDF curve,
2. find the 2-hr mark on the x-axis (120 minute),
3. determine where the curve and the graph line intersect, then follow it straight across to the y-axis to determine the amount of rain.

Although using the curves is quite simple, the development of the curves is much more involved.

5.1 GUMBEL THEORY OF DISTRIBUTION

There are several methods that can be used to generate Rainfall-Intensity Duration Frequency Curves (IDF Curves). Of primary concern to the Kentucky Transportation Cabinet is maximum flood peaks, so the Gumbel Type I distribution methodology was selected to perform the flood-probability analysis. The Gumbel theory of distribution is relatively simple and uses only extreme events (maximum values or peak rainfalls). It is the "first asymptotic distribution of extreme values (16, p. 361)." "Using only peak rainfall data to represent each year, reduces the probability of error to less than 0.5 percent. (16, p. 248)". The Gumbel Method calculates the 2-, 5-, 10-, 25-, 50-, and 100-year return intervals for each duration period and requires several calculations (16, p. 251-252).

Step 1: Define the frequency factor, or K value, that correlates with the number of years of available data. The K values are calculated values and are derived from the following equation.

$$p = 1 - e^{-y} \quad (1)$$

p = probability of a given flow being equaled or exceeded
 e = base of napierian logarithms
 y = reduced variate

The reduced variate, y, is a function of probability and should be used with a particular time period. The calculated y-values are found in Table 4.

$$y = a (X - X_r) \quad (2)$$

y = reduced variate
 a = dispersion parameter
 X = extreme data values
 X_r = mode of the distribution

Values for the parameters **a** and **X_r** are based on the least-squares analysis. "Gumbel's solution minimizes the squares of the deviations measured perpendicular to the derived line of expected extremes (16, p. 251)."

$$a = \sigma_n / \sigma_x \quad (3)$$

$$X_r = X - \sigma_x (y_n / \sigma_n) \quad (4)$$

a = dispersion parameter
 σ_n = reduced standard deviation
 σ_x = standard deviation
 X = arithmetic mean
 y_n = reduced variate

Table 4. Values for reduced variate, y , and the corresponding return periods. (16)

Return Period (years)	Reduced Variate (y)	Return Period (years)	Reduced Variate (y)	Return Period (years)	Reduced Variate (y)	Return Period (years)	Reduced Variate (y)
1.5	-0.09405	56	4.01636	55	5.04015	1000	6.90725
2	0.36651	57	4.03421	60	5.10288	50	6.95606
3	0.90272	58	4.05176	65	5.11785	1100	7.00261
4	1.27189	59	4.06900	70	5.13281	50	7.04704
5	1.49994	60	4.08594	175	5.16188	1200	7.08972
6	1.70199	61	4.10261	80	5.19014	50	7.13050
7	1.86983	62	4.11901	85	5.21762	1300	7.16979
8	2.01342	63	4.13514	90	5.24434	50	7.20755
9	2.13890	64	4.15101	95	5.27037	1400	7.24387
10	2.25037	65	4.16664	200	5.29581	50	7.27891
11	2.35062	66	4.18202	10	5.34473	1500	7.31286
12	2.44171	67	4.19717	20	5.39134	50	7.34565
13	2.52520	68	4.21210	30	5.43591	1600	7.37748
14	2.60223	69	4.22680	40	5.47855	50	7.40820
15	2.67375	70	4.24130	250	5.51946	1700	7.43817
16	2.74049	71	4.25559	60	5.55874	50	7.46715
17	2.80305	72	4.26967	70	5.59657	1800	7.49522
18	2.86193	73	4.28356	80	5.63301	50	7.52275
19	2.91752	74	4.29726	90	5.66814	1900	7.54942
20	2.97020	75	4.31078	300	5.70213	50	7.57541
21	3.02022	76	4.32411	10	5.73496	2000	7.60065
22	3.06787	77	4.33727	20	5.76676	2100	7.64948
23	3.11335	78	4.35026	30	5.79757	2200	7.69615
24	3.15685	79	4.36308	40	5.82746	2300	7.74047
25	3.19853	80	4.37574	350	5.85652	2400	7.78300
26	3.23855	81	4.38823	60	5.88470	2500	7.82385
27	3.27702	82	4.40059	70	5.91215	2600	7.86320
28	3.31407	83	4.41278	80	5.93884	2700	7.90075
29	3.34980	84	4.42483	90	5.96487	2800	7.93740
30	3.38429	85	4.43673	400	5.99021	2900	7.97248
31	3.41763	86	4.44849	20	6.03904	3000	8.00640
32	3.44989	87	4.46012	40	6.08565	3200	8.07084
33	3.48115	88	4.47161	60	6.13015	3400	8.13159
34	3.51146	89	4.48297	80	6.17277	3600	8.18858
35	3.54089	90	4.49421	500	6.21361	3800	8.24262
36	3.56946	91	4.50532	20	6.25286	4000	8.29393
37	3.59725	92	4.51633	40	6.29062	4200	8.34284
38	3.62427	93	4.52719	60	6.32705	4400	8.38932
39	3.65051	94	4.53794	80	6.36219	4600	8.43387
40	3.67625	95	4.54859	600	6.39608	4800	8.47659
41	3.70126	96	4.55911	25	6.43695	5000	8.51709
42	3.72564	97	4.56954	50	6.47618	5500	8.61273
43	3.74945	98	4.57983	75	6.51396	6000	8.69964
44	3.77272	99	4.59004	700	6.55035	6500	8.78027
45	3.79544	100	4.60012	25	6.58549	7000	8.85379
46	3.81767	5	4.64916	50	6.61944	7500	8.92345
47	3.83941	10	4.69589	75	6.65224	8000	8.99274
48	3.86068	15	4.74056	800	6.68399	8500	9.04884
49	3.88152	20	4.78330	25	6.71480	9000	9.10540
50	3.90193	125	4.82431	50	6.74463	9500	9.15977
51	3.92193	30	4.86369	75	6.77363	10,000	9.21029
52	3.94154	35	4.90153	900	6.80185	15,000	9.61785
53	3.96078	40	4.93805	25	6.82924	20,000	9.90346
54	3.97964	45	4.97325	50	6.85598	25,000	10.12661
55	3.99817	150	5.00726	75	6.88197	50,000	10.81977

The calculated frequency factors, or K values, have been condensed and can be obtained from Table 5. In this study interpolation was used to calculate between values to arrive at a specific value for a particular number of years.

Table 5. Values of K for the Extreme-Value Distribution. (16, p. 346)

Return Period (years)	Probability	Reduced variate y	Record Length 20 yr.	Record Length 30 yr.	Record Length 40 yr.	Record Length 50 yr.	Record Length 100 yr.	Record Length 200 yr.	Record Length Infinity
2	0.50	0.367	-0.147	-0.152	-0.155	-0.156	-0.160	-0.162	-0.164
5	0.20	1.500	0.919	0.866	0.838	0.820	0.779	0.755	0.719
10	0.10	2.250	1.62	1.54	1.50	1.47	1.40	1.36	1.30
25	0.04	3.200	2.45	2.33	2.265	2.22	2.13	2.07	1.99
50	0.02	3.902	3.18	3.03	2.94	2.89	2.77	2.70	2.59
100	0.01	4.600	3.84	3.65	3.55	3.49	3.35	3.27	3.14

Step 2: Use the available data to calculate the mean and the standard deviation. The following statistical formulas produce those values.

$$\text{Mean: } \bar{X} = \Sigma X/n \quad (1)$$

$$\text{Standard Deviation: } \sigma_n = \frac{\sqrt{\Sigma X^2 - \bar{X}^2 \Sigma X}}{n - 1} \quad (2)$$

NOTE: Microsoft Excel's Add-In, Data Analysis, provides these Descriptive Statistics.

Step 3: The calculated values for the mean and the standard deviation, as well as the K value are then used in the following equation to produce the magnitude of a particular flood.

$$X = \bar{X} + \sigma_x / \sigma_n (y - y_n) \quad (4)$$

This formula simplifies to the more generalized form:

$$X = \bar{X} + K\sigma_x \quad (5)$$

$$\therefore K = (y - y_n) / \sigma_n \quad (6)$$

Where:

X = Flood of specific probability y_n = expected mean of reduced extremes
y = reduced variate σ_x = standard deviation of the series
 \bar{X} = mean of the flood series σ_n = reduced standard deviation
K = frequency factor defined by a specific distribution, a function of the probability level of X

The theoretical values for the expected means standard deviations are based on sample size and can be found in Table 6.

NOTE: All answers should be rounded to three significant digits.

Table 6. Values for reduced mean, y_n , reduced standard deviation, σ_n , corresponding to various return periods. (1, p. 152.)

N (yr.)	Reduced Mean y_n									
	0	1	2	3	4	5	6	7	8	9
10	0.4952	0.4996	0.5035	0.5070	0.5100	0.5128	0.5157	0.5181	0.5202	0.5220
20	0.5236	0.5252	0.5268	0.5283	0.5296	0.5309	0.5320	0.5332	0.5343	0.5353
30	0.5362	0.5371	0.5380	0.5388	0.5396	0.5402	0.5410	0.5418	0.5424	0.5430
40	0.5436	0.5442	0.5448	0.5453	0.5458	0.5463	0.5468	0.5473	0.5477	0.5481
50	0.5485	0.5489	0.5493	0.5497	0.5501	0.5504	0.5508	0.5511	0.5515	0.5518
60	0.5521	0.5524	0.5527	0.5530	0.5533	0.5535	0.5538	0.5540	0.5543	0.5545
70	0.5548	0.5550	0.5552	0.5555	0.5557	0.5559	0.5561	0.5563	0.5565	0.5567
80	0.5569	0.5570	0.5572	0.5574	0.5576	0.5578	0.5580	0.5581	0.5583	0.5585
90	0.5586	0.5587	0.5589	0.5591	0.5592	0.5593	0.5595	0.5596	0.5598	0.5599
100	0.5600									
N (yr.)	Reduced Standard Deviation σ_n									
	0	1	2	3	4	5	6	7	8	9
10	0.9496	0.9676	0.9833	0.9971	1.0095	1.0206	1.0316	1.0411	1.0493	1.0565
20	1.0628	1.0696	1.0754	1.0811	1.0864	1.0915	1.0961	1.1004	1.1047	1.1086
30	1.1124	1.1159	1.1193	1.1226	1.1255	1.1285	1.1313	1.1339	1.1363	1.1388
40	1.1413	1.1436	1.1458	1.1480	1.1499	1.1519	1.1538	1.1557	1.1574	1.1590
50	1.1607	1.1623	1.1638	1.1658	1.1667	1.1681	1.1696	1.1708	1.1751	1.1734
60	1.1747	1.1759	1.1770	1.1782	1.1793	1.1803	1.1814	1.1824	1.1834	1.1844
70	1.1854	1.1863	1.1873	1.1881	1.1890	1.8980	1.1906	1.1915	1.1923	1.1930
80	1.1938	1.1945	1.1953	1.1959	1.1967	1.1973	1.1980	1.1987	1.1994	1.2001
90	1.2007	1.2013	1.2020	1.2026	1.2032	1.2038	1.2044	1.2049	1.2055	1.2060
100	1.2065									

Step 4: Double-Mass Diagrams, "provide a means of detecting breaks in the consistency of precipitation records and, by referring to the station history, those breaks resulting from physical changes in the environment of the gauge can be identified.(1, p. 160)"

In the past, the Double-Mass Diagram has been used to check for consistency, therefore, Double-Mass Diagrams were developed to check the consistency of the First Order Weather Stations. However, according to J.P.

Bruce, author of Introduction to Hydrometeorology, this method of analysis is not suitable for the adjustment of daily or storm precipitation. (1, p. 160)"

5.2 RESULTING CURVES

Two sets of curves were developed based on the two methods for determining the Areas of Influence: Theissan Polygons and Similar Climatological Areas. Both sets of curves were plotted on semilog paper. To provide a table of values to be used in conjunction with the curves the following power function equation was used.

$$I_{RI} = A_o * T_c^{(A_1 + A_2 * \text{LOG}_e(T_c))} \quad (7)$$

5.2.1 First Set of Curves - First Order Stations Only

The first set of curves that were developed are similar to the curves that the State currently uses. These curves were developed based on Areas of Influence determined by Theissan Polygons. The Theissan Polygons were developed around First Order Weather Stations. Only three of the First Order Stations are located within Kentucky. Data from those stations were checked using the Double Mass Diagram Method. Tables 7-24 provide a list of the coefficients used in Equation 7 and the actual values produced for each return period and time of concentration. Figures 9-17 provide the graphs of the curves for each of the nine Areas of Influence.

Table 7. Coefficients Used In Equation 7 For Bristol Area.

Return Interval	A ₀	A ₁	A ₂
2	33.67773	-0.883138	0.008029
5	25.35387	-0.617308	-0.018838
10	23.19608	-0.505112	-0.030187
25	21.90784	-0.402367	-0.040585
50	21.50471	-0.344413	-0.046452
100	21.38051	-0.297495	-0.051203

Table 8. IDF Curve Values Used For Bristol Area.

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.036197	1.476474	1.767976	2.136286	2.40952	2.68073
1440	0.083653	0.105115	0.119324	0.137277	0.150595	0.163815

Figure 9. IDF Curve for Bristol Area.




Table 9. Coefficients Used In Equation 7 For Cairo Area.

Return Interval	A_0	A_1	A_2
2	19.0321	-0.599823	-0.011112
5	74.69713	-1.053149	0.031284
10	134.0309	-1.236132	0.048487
25	232.2889	-1.400274	0.063961
50	319.9492	-1.491598	0.072588
100	417.736	-1.56493	0.079525

Table 10. IDF Curve Values Used For Cairo Area.

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.355212	1.692028	1.91503	2.196791	2.405817	2.613295
1440	0.13483	0.184351	0.217138	0.258564	0.289296	0.319801

Figure 10. IDF Curve for Cairo Area.




Table 11. Coefficients Used In Equation 7 For Cincinnati Area.

Return Interval	A ₀	A ₁	A ₂
2	129.2053	-1.431498	0.065328
5	160.1754	-1.394745	0.06092
10	190.8523	-1.39927	0.060806
25	221.8911	-1.390168	0.059527
50	244.9198	-1.384973	0.058796
100	267.7791	-1.380735	0.0582

Table 12. IDF Curve Values Used For Cincinnati Area.

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.100191	1.472486	1.718979	2.030419	2.261463	2.490796
1440	0.123194	0.158037	0.181106	0.210253	0.231876	0.253339

Figure 11. IDF Curve for Cincinnati Area.




Table 13. Coefficients Used In Equation 7 For Evansville Area.

Return Interval	A ₀	A ₁	A ₂
2	137.1378	-1.401048	0.058185
5	183.3746	-1.378498	0.054825
10	213.9496	-1.369067	0.05342
25	252.5583	-1.360486	0.052143
50	281.19	-1.355672	0.051426
100	309.6036	-1.35179	0.050848

Table 14. IDF Curve Values Used For Evansville Area.

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.173518	1.626695	1.926739	2.30584	2.58708	2.866236
1440	0.111836	0.147506	0.171122	0.200961	0.223097	0.245069

Figure 12. IDF Curve for Evansville Area.




Table 15. Coefficients Used In Equation 7 For Huntington Area.

Return Interval	A ₀	A ₁	A ₂
2	283.9637	-1.671855	0.078241
5	394.4177	-1.646155	0.072402
10	495.8392	-1.657456	0.071833
25	599.2254	-1.650562	0.069765
50	675.1657	-1.646119	0.068537
100	750.0877	-1.642231	0.06751

Table 16. IDF Curve Values Used For Huntington Area.

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.122205	1.570204	1.866818	2.241588	2.519613	2.795579
1440	0.093333	0.114761	0.128947	0.146872	0.16017	0.173369

Figure 13. IDF Curve for Huntington Area.




Table 17. Coefficients Used In Equation 7 For Knoxville Area.

Return Interval	A ₀	A ₁	A ₂
2	154.7002	-1.488847	0.067409
5	218.9205	-1.492442	0.066538
10	261.334	-1.493566	0.066138
25	314.8533	-1.494399	0.065755
50	354.5233	-1.494788	0.065533
100	393.8795	-1.495062	0.06535

Table 18. IDF Curve Values Used For Knoxville Area.

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.078594	1.482254	1.749513	2.087191	2.337701	2.586354
1440	0.108513	0.142865	0.165609	0.194346	0.215665	0.236825

Figure 14. IDF Curve for Knoxville Area.




Table 19. Coefficients Used In Equation 7 For Lexington Area.

Return Interval	A ₀	A ₁	A ₂
2	176.6497	-1.492869	0.065739
5	398.4551	-1.704175	0.084027
10	575.5811	-1.790704	0.091503
25	823.2727	-1.868603	0.098227
50	1019.936	-1.911986	0.101969
100	1223.487	-1.946817	0.104971

Table 20. IDF Curve Values Used For Lexington Area.

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.178077	1.52	1.746383	2.032415	2.24461	2.455234
1440	0.110167	0.140597	0.160744	0.1862	0.205084	0.223829

Figure 15. IDF Curve for Lexington Area.




Table 21. Coefficients Used In Equation 7 For Louisville Area.

Return Interval	A ₀	A ₁	A ₂
2	222.5488	-1.58724117	0.074312
5	414.144	-1.72080199	0.087237
10	552.7436	-1.77510646	0.092498
25	736.0492	-1.8237498	0.097214
50	1019.936	-1.91198645	0.101969
100	1223.487	-1.94681715	0.104971

Table 22. IDF Curve Values Used For Louisville Area.

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.164365	1.55748	1.817756	2.146613	2.390578	2.632735
1440	0.109953	0.153451	0.182251	0.21864	0.245635	0.27243

Figure 16. IDF Curve for Louisville Area.





Table 23. Coefficients Used In Equation 7 For Nashville Area.

Return Interval	A ₀	A ₁	A ₂
2	134.2828	-1.347742	0.052868
5	310.6287	-1.560134	0.07154
10	450.1371	-1.644154	0.078926
25	643.4977	-1.718388	0.085452
50	795.8918	-1.759164	0.089036
100	952.7959	-1.791612	0.091889

Table 24. IDF Curve Values Used For Nashville Area.

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.307455	1.733509	2.015593	2.372004	2.636411	2.898858
1440	0.121807	0.161425	0.187655	0.220797	0.245383	0.269788

Figure 17. IDF Curve for Nashville Area.



5.2.2 Second Set of Curves – Similar Climatological Areas

The second set of curves are quite different from the first set of curves as their Areas of Influence are based on similar Climatological Zones. The data used to develop these curves comes only from within the state. The data used for these curves includes three First Order Stations and all the Co-Op Stations within the state. Tables 25-32 provide a list of the coefficients used in Equation 7 and the actual values produced for each return period and time of concentration. Figures 18-21 provide the graphs of the curves for each of the four areas of influence.

Table 25. Coefficients Used in Equation 7 for Bluegrass Area.

Return Interval	A ₀	A ₁	A ₂
2	22.5285	-0.535569	-0.017977
5	46.05686	-0.75234	0.00283
10	65.53465	-0.853478	0.012559
25	93.84447	-0.951794	0.022029
50	117.1154	-1.009844	0.027626
100	141.8439	-1.058296	0.032301

Table 26. IDF Curve Values Used For Bluegrass Area.

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.860075	2.218824	2.456347	2.756454	2.979092	3.20008
1440	0.177133	0.224973	0.256647	0.296667	0.326357	0.355826

Figure 18. IDF Curve for Bluegrass Area.




Table 27. Coefficients Used in Equation 7 for Central Area.

Return Interval	A ₀	A ₁	A ₂
2	17.05755	-0.427042	-0.025626
5	36.32168	-0.653919	-0.003323
10	52.2187	-0.755906	0.006715
25	75.15205	-0.85279	0.016258
50	93.85382	-0.908976	0.021794
100	113.595	-0.955303	0.026361

Table 28. IDF Curve Values used For Central Area.

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.931984	2.361613	2.646066	3.005468	3.272093	3.536744
1440	0.197042	0.26214	0.305241	0.359698	0.400098	0.440198

Figure 19. IDF Curve for Central Area.




Table 29. Coefficients Used In Equation 7 for Eastern Area.

Return Interval	A_0	A_1	A_2
2	22.63798	-0.502789	-0.0232
5	53.12095	-0.778279	0.002854
10	80.55144	-0.906891	0.015055
25	122.6957	-1.032104	0.026958
50	158.8146	-1.106164	0.034009
100	198.3127	-1.16807	0.039909

Table 30. IDF Curve Values Used for Eastern Area.

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.958386	2.302201	2.529836	2.817451	3.030821	3.24261
1440	0.171384	0.215141	0.244111	0.280716	0.307871	0.334825

Figure 20. IDF Cuve for Eastern Area.





Table 31. Coefficients used in Equation 7 for Western Area.

Return Interval	A ₀	A ₁	A ₂
2	17.05755	-0.427042	-0.025626
5	36.32168	-0.653919	-0.003323
10	52.2187	-0.755906	0.006715
25	75.15205	-0.85279	0.016258
50	93.85382	-0.908976	0.021794
100	113.595	-0.955303	0.026361

Table 32. IDF Curve Values Used for Western Area.

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.931984	2.361613	2.646066	3.005468	3.272093	3.536744
1440	0.197042	0.26214	0.305241	0.359698	0.400098	0.440198

Figure 21. IDF Curve for Western Area.



6. FINAL RESULTS

At the Interim Meeting with the Study Advisory Committee it was decided to use IDF Curves determined by Similar Climatological Areas as the governing curves in Kentucky. However, the selected set of curves were extremely steep for short duration periods. As a result, linear regression had to be applied to the curves to produce usable values.

6.1 LINEAR REGRESSION

Using only 15-minute, hourly, and daily rainfall data produces Rainfall Intensity-Duration-Frequency (IDF) curves that are extremely steep and values for short periods of time are extremely inflated. Lagrangian interpolation seemed to be the natural choice as the available data was not evenly spaced. However, this method produced negative values because the difference between the 60-minute values and the 1440-minute values was so vast. To flatten out the IDF curve the existing points were plotted on a log log graph and then linear regression was applied to approximate the values for the shorter time periods.

Linear Regression is a statistical tool used to predict unknown values using actual values. A Linear Regression trendline uses the least squares method to plot a straight line. In order to implement this statistical method, both the independent variable, rainfall duration (15-, 60-, 1440-minute), and the dependant variable, rainfall intensity, are mathematically manipulated. The natural log of the rainfall durations, is calculated and then squared, thus creating two sets of values. The natural log is also calculated for the rainfall intensity, thus creating a third set of values. Those three sets of values are then used in Microsoft Excel's Data Analysis Tool Package, Linear Regression program, to calculate the three coefficients for the following equation.

$$\text{Intensity of Rainfall} = e^{C1 + C2*\ln(\text{duration}) + C3*(\ln(\text{duration}))^2} \quad (7)$$

Once the numerical coefficients are determined, rainfall intensity for any duration can be determined. Points can then be calculated for the 5-, 10-, 15-, 20-, 30-, 80-, 100-, 120-minute intervals by plugging those values into the equation. Table 33 lists the coefficients for each area and each return period within that area.

TABLE 33. Coefficients to be used with Final Curves.

BLUEGRASS AREA						
	RETURN					
	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
C ₁	3.11478	3.82988	4.18258	4.54164	4.76316	4.95473
C ₂	-0.5356	-0.7523	-0.8535	-0.9518	-1.0098	-1.0583
C ₃	-0.018	0.00283	0.01256	0.02203	0.02763	0.0323
CENTRAL AREA						
	RETURN					
	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
C ₁	2.83668	3.59261	3.95563	4.31933	4.5415	4.73248
C ₂	-0.4271	-0.654	-0.756	-0.8527	-0.9089	-0.9552
C ₃	-0.0256	-0.0033	0.00672	0.01625	0.02179	0.02636
EASTERN AREA						
	RETURN					
	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
C ₁	3.12008	3.97246	4.38902	4.80983	5.06778	5.28974
C ₂	-0.503	-0.7782	-0.9069	-1.0322	-1.1062	-1.168
C ₃	-0.0232	0.00285	0.01506	0.02696	0.03401	0.0399
WESTERN AREA						
	RETURN					
	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
C ₁	3.70048	4.20285	4.45448	4.71303	4.87478	5.01583
C ₂	-0.7765	-0.8911	-0.9434	-0.9931	-1.0222	-1.0461
C ₃	0.00682	0.01773	0.02271	0.02745	0.03022	0.03251

There is a different equation for each return period within a particular area. The resulting six equations per area can be used for discharge calculations. For convenience, values have been calculated for the Bluegrass, Central, Eastern and Western Areas of the Commonwealth and are included in Tables 34-37. The Rainfall Intensity Duration Frequency Curves for each area follow and are listed as Figures 22-25. These graphs are similar in nature to the graphs generated in previous years, pitting Rainfall Intensity against Time of Concentration.

6.2 BLUEGRASS CLIMATOLOGICAL AREA RESULTS

Listed below are the six equations for the Bluegrass Climatological Area. The values generated from those equations are listed in Table 34. Figure 22 shows the graph of the IDF curves for the Bluegrass Area.

$$2 \text{ Year Return Period: } I = e^{3.114781 - 0.53557 \ln(\text{duration}) - 0.01798 (\ln(\text{duration}))^2} \quad (8)$$

$$5 \text{ Year Return Period: } I = e^{3.829877 - 0.75234 \ln(\text{duration}) + 0.00283 (\ln(\text{duration}))^2} \quad (9)$$

$$10 \text{ Year Return Period: } I = e^{4.182579 - 0.85348 \ln(\text{duration}) + 0.012559 (\ln(\text{duration}))^2} \quad (10)$$

$$25 \text{ Year Return Period: } I = e^{4.541639 - 0.95179 \ln(\text{duration}) + 0.022029 (\ln(\text{duration}))^2} \quad (11)$$

$$50 \text{ Year Return Period: } I = e^{4.76316 - 1.00984 \ln(\text{duration}) + 0.027626 (\ln(\text{duration}))^2} \quad (12)$$

$$100 \text{ Year Return Period: } I = e^{4.954727 - 1.0583 \ln(\text{duration}) + 0.032301 (\ln(\text{duration}))^2} \quad (13)$$

Table 34. Values for the Bluegrass Climatological Area.

VALUES FOR BLUEGRASS CLIMATOLOGICAL AREA						
	RETURN PERIOD					
Tc	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
5	9.081599	13.8234	17.14128	21.47405	24.76514	28.08213
10	5.967187	8.269335	9.815452	11.7852	13.25502	14.71939
15	4.630192	6.130374	7.123627	8.37859	9.309595	10.2337
20	3.853673	4.960292	5.688769	6.606221	7.285324	7.958457
30	2.960164	3.683108	4.157908	4.755152	5.196883	5.634521
60	1.860075	2.218824	2.456347	2.756454	2.979092	3.20008
80	1.526086	1.799382	1.981332	2.211891	2.383261	2.553559
100	1.306231	1.529955	1.679518	1.869438	2.010797	2.151388
120	1.148796	1.340331	1.468741	1.632037	1.753693	1.874754
1440	0.177133	0.224973	0.256647	0.296667	0.326357	0.355826




Figure 22. Graph of the IDF Curves for the Bluegrass Climatological Area after Linear Regression.

6.3 CENTRAL CLIMATOLOGICAL AREA RESULTS

Listed below are the six equations for the Central Climatological Area. The values generated from those equations are listed in Table 35. Figure 23 shows the graph of the IDF curves for the Central Area.

$$2 \text{ Year Return Period: } I = e^{2.83668 - 0.42708 \ln(\text{duration}) - 0.02562 (\ln(\text{duration}))^2} \quad (8)$$

$$5 \text{ Year Return Period: } I = e^{3.592611 - 0.65399 \ln(\text{duration}) + 0.00332 (\ln(\text{duration}))^2} \quad (9)$$

$$10 \text{ Year Return Period: } I = e^{3.955634 - 0.75598 \ln(\text{duration}) + 0.006722 (\ln(\text{duration}))^2} \quad (10)$$

$$25 \text{ Year Return Period: } I = e^{4.319334 - 0.85272 \ln(\text{duration}) + 0.016252 (\ln(\text{duration}))^2} \quad (11)$$

$$50 \text{ Year Return Period: } I = e^{4.541499 - 0.90888 \ln(\text{duration}) + 0.021786 (\ln(\text{duration}))^2} \quad (12)$$

$$100 \text{ Year Return Period: } I = e^{4.732482 - 0.95524 \ln(\text{duration}) + 0.026356 (\ln(\text{duration}))^2} \quad (13)$$

Table 35. Values for the Central Climatological Area.

VALUES FOR CENTRAL CLIMATOLOGICAL AREA						
	RETURN PERIOD					
Tc	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
5	8.028175	12.57184	15.74217	19.86636	22.99183	26.13687
10	5.570311	7.918115	9.493096	11.4964	12.99057	14.47886
15	4.447	6.033	7.083	8.409	9.393	10.37
20	3.770936	4.971198	5.761773	6.757524	7.495055	8.226471
30	2.967439	3.78062	4.315254	4.988124	5.486169	5.979872
60	1.931984	2.361613	2.646066	3.005468	3.272093	3.536744
80	1.605128	1.940831	2.164053	2.446724	2.656703	2.865287
100	1.386134	1.666177	1.852935	2.089787	2.265884	2.4409
120	1.227248	1.470519	1.633052	1.83937	1.992847	2.145428
1440	0.197042	0.26214	0.305241	0.359698	0.400098	0.440198




Figure 23. Graph of the IDF Curves for the Central Climatological Area after Linear Regression.

6.4 EASTERN AREA RESULTS

Listed below are the six equations for the Eastern Climatological Area. The values generated from those equations are listed in Table 36. Figure 24 shows the graph of the IDF curves for the Eastern Area.

$$2 \text{ Year Return Period: } I = e^{3.120085 - 0.50296 \ln(\text{duration}) - 0.02318 (\ln(\text{duration}))^2} \quad (8)$$

$$5 \text{ Year Return Period: } I = e^{3.972464 - 0.77824 \ln(\text{duration}) + 0.00285 (\ln(\text{duration}))^2} \quad (9)$$

$$10 \text{ Year Return Period: } I = e^{4.389025 - 0.90694 \ln(\text{duration}) + 0.01506 (\ln(\text{duration}))^2} \quad (10)$$

$$25 \text{ Year Return Period: } I = e^{4.809834 - 1.03215 \ln(\text{duration}) + 0.026962 (\ln(\text{duration}))^2} \quad (11)$$

$$50 \text{ Year Return Period: } I = e^{5.067777 - 1.10618 \ln(\text{duration}) + 0.03401 (\ln(\text{duration}))^2} \quad (12)$$

$$100 \text{ Year Return Period: } I = e^{5.289735 - 1.16803 \ln(\text{duration}) + 0.039905 (\ln(\text{duration}))^2} \quad (13)$$

Table 36. Values for the Eastern Climatological Area.

VALUES FOR EASTERN CLIMATOLOGICAL AREA						
Tc	RETURN PERIOD					
	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
5	9.49288	15.29186	19.46017	24.99031	29.24026	33.55655
10	6.29054	8.985526	10.81098	13.14663	14.89497	16.64023
15	4.894	6.592	7.717	9.138	10.192	11.238
20	4.076641	5.294392	6.093523	7.097564	7.839552	8.574213
30	3.130537	3.890322	4.386601	5.008733	5.467809	5.921959
60	1.958386	2.302201	2.529836	2.817451	3.030821	3.24261
80	1.601421	1.85323	2.021758	2.23591	2.395374	2.554013
100	1.366377	1.566724	1.701977	1.874612	2.003525	2.131987
120	1.198126	1.366124	1.480271	1.626435	1.735802	1.844917
1440	0.171384	0.215141	0.244111	0.280716	0.307871	0.334825




Figure 24. Graph of the IDF Curves for the Eastern Climatological Area after Linear Regression.

6.4 WESTERN AREA RESULTS

Listed below are the six equations for the Western Climatological Area. The values generated from those equations are listed in Table 37. Figure 25 shows the graph of the IDF curves for the Western Area.

$$2 \text{ Year Return Period: } I = e^{3.114781 - 0.53557 \ln(\text{duration}) - 0.01798 (\ln(\text{duration}))^2} \quad (8)$$

$$5 \text{ Year Return Period: } I = e^{3.829877 - 0.75234 \ln(\text{duration}) + 0.00283 (\ln(\text{duration}))^2} \quad (9)$$

$$10 \text{ Year Return Period: } I = e^{4.182579 - 0.85348 \ln(\text{duration}) + 0.012559 (\ln(\text{duration}))^2} \quad (10)$$

$$25 \text{ Year Return Period: } I = e^{4.541639 - 0.95179 \ln(\text{duration}) + 0.022029 (\ln(\text{duration}))^2} \quad (11)$$

$$50 \text{ Year Return Period: } I = e^{4.76316 - 1.00984 \ln(\text{duration}) + 0.0827626 (\ln(\text{duration}))^2} \quad (12)$$

$$100 \text{ Year Return Period: } I = e^{4.954727 - 1.0583 \ln(\text{duration}) + 0.032301 (\ln(\text{duration}))^2} \quad (13)$$

Table 37. Values for the Western Climatological Area.

VALUES FOR WESTERN CLIMATOLOGICAL AREA						
	RETURN PERIOD					
Tc	2-Yr	5-Yr	10-Yr	25-Yr	50-Yr	100-Yr
5	11.80371	16.68652	19.98435	24.18632	27.32927	30.45981
10	7.019428	9.440484	11.05198	13.09002	14.60553	16.11028
15	5.195	6.819	7.895	9.253	10.261	11.261
20	4.201765	5.432762	6.246946	7.273886	8.035617	8.79113
30	3.121626	3.963462	4.519846	5.221677	5.74208	6.258269
60	1.888091	2.343293	2.644677	3.025472	3.307967	3.588371
80	1.535438	1.89351	2.130861	2.431007	2.653749	2.87492
100	1.308949	1.608239	1.806796	2.058032	2.244525	2.429747
120	1.149508	1.409213	1.581608	1.799832	1.961849	2.122787
1440	0.20479	0.261841	0.299613	0.347338	0.382743	0.417886




Figure 25. Graph of the IDF Curves for the Western Climatological Area after Linear Regression.

7.0 SUMMARY

The purpose of this study was to revise and update the already existing Rainfall Intensity Duration Frequency Curves (IDF) for the Commonwealth of Kentucky. When constructing an engineering project that must consider storm run-off, the Kentucky Transportation Cabinet uses the IDF Curves as an aid when designing drainage structures. The curves allow the engineer to design safe and economical flood control measures.

During the course of this project, it was determined that two major revisions in the procedures were necessary. The first revision was to change the way the Areas of Influence were determined. Areas determined by Thiessen Polygons were replaced with Areas determined by similar Climatological Areas. This change is in accordance with Bulletin 71 put out by the NOAA. Only data within the Commonwealth of Kentucky was used. This new procedure made use of data taken from Cooperative Weather Stations as well as First Order Stations. Thus, the data used to generate the curves was all local data and there were only four Areas of Influence established.

The second procedural change was in the amount of data and the way the data was collected. Previously, the State Climatologist supplied data for 5-, 10-, 15-, 20-, 30-, 45-, 60-, 80-, 100-, and 120-minute time intervals. However, First Order Stations no longer collect data for all those time periods; now they only collect hourly data. Some Cooperative Climate Stations do collect data for multiple time intervals, but they are few and far between. Once the data was collected analysis began. However, due to limited funding on this project, only the data from the First Order Weather stations was checked for consistency using the Double -Mass Diagram method.

Data was analyzed using the Gumbel Distribution Equation and then because there was limited data for short rainfall durations, some data had to be generated mathematically using Linear Interpolation.

These procedures produced the necessary values to generate four sets of curves. They are included in this report along with the curve equations. This is a vast change from the previous nine curves based on First-Order Weather Stations.

Funding for this project came from the Kentucky Transportation Cabinet under Research Study KYSPR 98-178, entitled "Revision of Rainfall Intensity-Duration Curves for Kentucky".

REFERENCES

1. Bruce, J. P., Clark, R. H. Introduction to Hydrometeorology. Pergamon Press, Toronto, Canada, 1966.
2. Clark, K. D. Kentucky Department of Highways, Division of Research, Report No. 250, "Application of Stanford Watershed Model Concepts to Predict Flood Peaks for Small Drainage Areas", 1968.
3. Dewberry, Sidney and Davis. Land Development Handbook: Planning, Engineering, and Surveying. McGraw-Hill Company, 1996.
4. EarthInfo CD² Reference Manual. EarthInfo, Inc. Boulder, CO. 1996
5. Frederick, Ralph H., Myers, Vance A., Auciello, Eugene P. "Five- to 60-Minute Precipitation Frequency for the Eastern and Central United States", NOAA Technical Memorandum NWS HYDRO-35, Silver Spring, MD 6/77.
6. <http://bader.engr.ucf.edu/research/leaglin/chap1.htm>
7. <http://www.wagwx.ca.ukky.edu/agwx/usr/weather/webdoc1.htm>
8. <http://www.uky.edu/KentuckyAtlas>
9. <http://www.uky.edu/KentuckyAtlas/phys-bluegrass.html>
10. <http://www.uky.edu/KentuckyAtlas/phys-eastern.html>
11. <http://www.uky.edu/KentuckyAtlas/phys-mississippi-embayment.html>
12. <http://www.uky.edu/KentuckyAtlas/phys-western-coal-field.html>
13. Huff, Floyd A. and James R. Angel. "Rainfall Frequency Atlas of the Midwest" Bulletin 71, Midwestern Climate Center Research Report 92-03, 1993.
14. Kenney Engineering, Inc. "Drainage Design Criteria and Procedures Manual", Lexington-Fayette Urban County Government, 1/85.
15. Kreyszig, Erwin. Advanced Engineering Mathematics, fourth edition. John Wiley & Sons. 1979.
16. Linsley, Jr. Ray K., Kohler, Max A., Paulhus, Joseph L. H. Hydrology for Engineers, 1st Ed., 1958, 2nd Ed. 1975, 3rd Ed. 1982, McGraw-Hill, 1975.

17. Mays, Jessie. Study KYP-56, "Updated Rainfall Intensity Duration Curves. 1985.
18. Wall, Larry and Randal L. Schwartz. Programming Perl. O'Reilly & Associates, Inc. Sebastopol, CA. 1991.
19. West, E. M. , Sammons, W. H. , Research Report No. 2, "A Survey of Runoff from Small Drainage Areas and the Opening in Attendant Drainage Structures.", , Kentucky Department of Highways. July 1955.

APPENDICES

APPENDIX A: Complete Set of NCDC Hourly Precipitation for Addison
Dam

Station: Addison Dam 45
Station ID: 31
Covering Dates: 8/1/58- 8/31/71
Years of Data: 24
Percentage of Coverage: 96%

31,2,in,08/01/1948,0.00,.....,0.00,,
31,2,in,08/04/1948,.....,0.04,0.01,.....,0.05,,
31,2,in,08/11/1948,.....,0.55,0.05,.....,0.42,0.03,1.05,,
31,2,in,08/18/1948,.....,0.01,0.10,0.01,.....,0.12,,
31,2,in,08/29/1948,.....,0.01,0.01,.....,0.13,0.02,.....,0.17,,
31,2,in,09/01/1948,0.00,.....,0.00,,
31,2,in,09/03/1948,.....,0.59,0.20,0.06,.....,0.85,,
31,2,in,09/04/1948,.....,0.01,0.01,.....,0.02,,
31,2,in,09/05/1948,.....,0.01,0.01,0.15,0.03,.....,0.01,0.01,0.09,0.03,.....,0.50,0.05,0.14,.....,1.03,,
31,2,in,09/06/1948,.....,0.01,0.08,0.09,.....,0.03,0.06,0.01,.....,0.28,,
31,2,in,09/28/1948,.....,0.01,0.01,0.01,.....,0.02,0.06,0.19,0.03,.....,0.01,0.33,,
31,2,in,09/29/1948,.....,0.01,0.01,.....,0.07,.....,0.09,,
31,2,in,10/01/1948,0.00,.....,0.00,,
31,2,in,10/07/1948,.....,0.20,0.04,.....,0.24,,
31,2,in,10/11/1948,.....,0.01,0.08,0.02,.....,0.11,,
31,2,in,10/16/1948,.....,0.06,0.01,.....,0.02,0.02,.....,0.01,0.01,0.03,0.16,,
31,2,in,10/17/1948,.....,0.04,0.34,0.10,0.02,0.07,0.11,0.02,0.02,0.04,0.02,0.01,.....,0.79,,
31,2,in,10/22/1948,.....,0.02,0.02,.....,0.04,,
31,2,in,10/30/1948,.....,0.05,0.18,0.23,,
31,2,in,10/31/1948,0.03,.....,0.06,0.01,.....,0.03,.....,0.08,0.14,.....,0.01,0.36,,
31,2,in,11/01/1948,0.00,.....,0.01,.....,0.01,,
31,2,in,11/02/1948,.....,0.01,0.03,0.05,0.09,0.05,0.05,0.12,0.11,0.01,.....,0.04,0.08,0.06,0.02,0.04,0.76,,
31,2,in,11/03/1948,0.10,0.04,0.01,0.14,0.17,0.01,0.01,.....,0.48,,
31,2,in,11/05/1948,.....,0.67,0.21,0.17,0.42,0.52,0.33,0.01,0.60,0.10,0.02,0.05,0.03,0.01,.....,0.01,.....,3.15,,
31,2,in,11/07/1948,.....,0.02,.....,0.02,,
31,2,in,11/09/1948,.....,0.02,0.02,0.01,0.02,.....,0.05,0.07,0.10,0.14,0.14,0.11,0.11,0.79,,
31,2,in,11/10/1948,0.06,0.01,0.01,.....,0.01,.....,0.09,,
31,2,in,11/16/1948,.....,0.15,0.08,0.12,0.29,0.17,0.09,.....,0.90,,
31,2,in,11/18/1948,.....,0.01,0.09,0.17,0.30,0.36,0.37,0.16,0.23,0.28,1.97,,
31,2,in,11/19/1948,0.40,0.91,0.07,0.02,.....,0.01,0.01,0.01,.....,1.43,,
31,2,in,11/26/1948,0.01,.....,0.09,.....,0.10,0.01,.....,0.02,0.02,.....,0.04,0.07,0.06,0.02,0.03,0.03,.....,0.50,,
31,2,in,11/28/1948,.....,0.02,0.02,0.09,0.11,0.04,.....,0.01,.....,0.01,0.05,0.04,0.02,0.02,0.43,,
31,2,in,12/01/1948,0.00,.....,0.00,,
31,2,in,12/05/1948,.....,0.07,0.06,0.11,0.03,0.03,.....,0.01,0.04,.....,0.35,,
31,2,in,12/13/1948,.....,0.01,0.01,,
31,2,in,12/14/1948,.....,0.01,0.01,0.01,0.01,.....,0.21,0.06,0.01,0.04,0.03,0.13,0.03,0.04,0.08,0.67,,
31,2,in,12/15/1948,0.22,0.09,0.02,0.02,0.01,0.10,0.12,0.06,0.06,0.04,.....,0.74,,
31,2,in,12/16/1948,.....,0.04,0.15,0.04,.....,0.03,.....,0.26,,
31,2,in,12/18/1948,.....,0.01,0.07,0.07,0.11,0.01,0.27,,
31,2,in,12/19/1948,0.01,.....,0.01,,
31,2,in,12/24/1948,.....,0.01,0.02,0.03,,
31,2,in,12/25/1948,0.01,.....,0.01,,
31,2,in,12/28/1948,.....,0.07,0.02,.....,0.19,0.17,0.45,,
31,2,in,12/29/1948,0.13,0.14,0.09,.....,0.02,.....,0.01,.....,0.39,,
31,2,in,01/01/1949,0.00,.....,0.00,,
31,2,in,01/03/1949,0.09,0.02,0.02,.....,0.01,0.01,.....,0.01,0.01,.....,0.17,,
31,2,in,01/04/1949,0.18,0.01,0.01,.....,0.03,0.27,0.40,0.18,0.01,0.07,0.07,0.05,.....,0.01,1.29,,
31,2,in,01/05/1949,0.19,0.02,0.02,0.01,0.02,0.02,0.05,0.01,.....,0.34,,
31,2,in,01/16/1949,.....,0.01,0.02,.....,0.01,0.02,.....,0.01,0.03,0.08,0.03,0.01,0.04,0.13,0.10,0.06,0.02,0.04,.....,0.01,0.62,,
31,2,in,01/17/1949,0.01,.....,0.01,,
31,2,in,01/18/1949,.....,0.03,.....,0.05,0.02,0.03,0.10,0.01,.....,0.05,0.45,0.50,0.05,.....,1.29,,
31,2,in,01/21/1949,.....,0.04,0.10,0.09,0.06,0.09,0.07,0.05,0.06,0.08,0.07,.....,0.71,,
31,2,in,01/23/1949,.....,0.16,0.14,0.15,0.16,0.04,.....,0.05,0.13,0.15,0.26,0.07,0.02,0.04,1.37,,

31,2,in,01/24/1949,0.03,,,,,0.02,0.04,0.01,0.01,0.03,0.04,0.03,0.02,0.04,0.06,0.02,0.04,0.01,0.03,0.03,0.14,0.13,0.02,0.02,0.01,0.78,
31,2,in,01/25/1949,,,,,0.01,0.02,0.01,0.02,0.01,0.01,0.01,0.01,,,,,0.01,,,,,0.01,0.06,0.06,0.03,0.02,0.04,0.32,,
31,2,in,01/26/1949,0.12,0.08,0.03,0.01,,,,,0.24,,
31,2,in,01/27/1949,,,,,0.05,0.04,0.13,0.05,0.03,0.21,0.14,0.07,0.07,0.30,0.24,0.04,,,,,0.01,0.05,0.01,,,,,0.03,,,,,1.47,,
31,2,in,01/30/1949,,,,,0.00,I,
31,2,in,01/31/1949,,,,,0.35,A,,,,,0.35,I,
31,2,in,02/01/1949,0.00,,,,,0.00,
31,2,in,02/03/1949,,,,,0.02,0.12,0.10,0.23,0.03,0.01,0.51,,
31,2,in,02/04/1949,0.01,,,,,0.01,
31,2,in,02/06/1949,,,,,0.02,,,,,0.02,
31,2,in,02/13/1949,,,,,0.01,0.02,0.04,0.01,0.07,0.08,0.11,0.01,,,,,0.04,0.03,0.04,0.08,0.11,0.10,0.21,0.96,,
31,2,in,02/14/1949,0.15,0.10,0.20,0.21,0.35,0.10,0.10,0.06,0.07,0.05,0.08,0.07,,,,,0.01,0.07,0.02,,,,,1.64,,
31,2,in,02/15/1949,,0.25,0.48,0.09,0.01,0.02,0.04,,0.01,,,,,0.07,0.03,,,,,1.00,,
31,2,in,02/19/1949,,,,,0.03,0.08,0.06,0.06,0.07,0.06,0.03,0.03,0.01,0.01,,,,,0.01,,,,,0.45,,
31,2,in,02/24/1949,,,,,0.01,0.04,,,,,0.05,,
31,2,in,02/27/1949,,,,,0.06,0.04,0.02,0.02,0.02,,,,,0.16,,
31,2,in,03/01/1949,0.00,,,,,0.00,
31,2,in,03/05/1949,,,,,0.01,,,,,0.01,
31,2,in,03/08/1949,,,,,0.02,0.03,0.05,,
31,2,in,03/09/1949,0.07,0.10,0.13,0.12,0.21,0.22,0.09,0.02,0.06,0.03,,,,,0.01,0.35,0.25,0.23,1.89,,
31,2,in,03/10/1949,0.07,0.12,0.01,0.03,0.02,0.03,0.01,0.01,,,,,0.30,,
31,2,in,03/15/1949,,0.03,,,,,0.01,,,,,0.04,,
31,2,in,03/16/1949,,,,,0.03,0.04,0.07,0.14,,
31,2,in,03/17/1949,0.06,0.04,0.01,0.01,0.01,,,,,0.13,0.10,0.11,0.31,0.12,0.19,0.16,0.03,1.28,,
31,2,in,03/18/1949,0.03,,,,,0.03,
31,2,in,03/22/1949,,,,,0.08,0.14,0.34,0.10,0.45,0.69,0.06,,,,,0.02,,,,,1.88,,
31,2,in,03/25/1949,,,,,0.03,0.03,,
31,2,in,03/26/1949,0.01,0.01,0.01,0.05,0.35,0.13,,,,,a,,,,,1.12,A,0.01,1.69,I,
31,2,in,03/27/1949,0.01,0.01,,,,,0.04,,,,,0.06,,
31,2,in,03/30/1949,,,,,0.01,0.09,0.04,0.27,0.03,0.01,,,,,0.45,,
31,2,in,03/31/1949,,,,,0.01,0.01,,,,,0.02,,
31,2,in,04/01/1949,0.00,,,,,0.00,
31,2,in,04/03/1949,,,,,0.01,,,,,0.01,0.01,,,,,0.03,,
31,2,in,04/05/1949,,,,,0.01,0.03,0.05,0.05,0.02,0.01,,,,,0.17,,
31,2,in,04/06/1949,,,,,0.01,,,,,0.01,
31,2,in,04/07/1949,,0.02,,,,,0.04,0.02,0.03,0.14,0.11,0.02,0.38,,
31,2,in,04/10/1949,,,,,0.03,,,,,0.03,
31,2,in,04/11/1949,,,,,0.05,0.07,0.04,0.06,,,,,0.14,0.11,0.02,,,,,0.01,0.50,,
31,2,in,04/12/1949,,,,,0.07,0.10,0.10,0.01,,,,,0.28,,
31,2,in,04/13/1949,0.01,,,,,0.01,0.11,0.01,,,,,0.14,,
31,2,in,04/14/1949,,,,,0.63,0.16,,,,,0.79,,
31,2,in,04/21/1949,,,,,0.02,0.01,0.02,,,,,0.05,,
31,2,in,04/22/1949,,,,,0.01,0.04,,,,,0.05,,
31,2,in,04/26/1949,,,,,0.01,0.01,0.01,0.03,,
31,2,in,04/27/1949,0.11,0.16,0.16,0.15,0.13,0.13,0.03,,0.02,,,,,0.89,,
31,2,in,05/01/1949,0.00,,,,,a,,,,,0.10,A,,,,,0.10,I,
31,2,in,05/09/1949,,,,,0.12,0.08,0.03,,0.01,,,,,0.53,0.21,,,,,0.01,0.99,,
31,2,in,05/10/1949,,0.01,0.06,0.04,0.05,,0.03,0.03,0.06,0.13,0.05,0.02,,,,,0.48,,
31,2,in,05/15/1949,,,,,0.39,,,,,0.39,,
31,2,in,05/19/1949,,,,,0.01,0.07,,0.08,,
31,2,in,05/21/1949,,,,,0.28,0.02,,,,,0.30,,
31,2,in,05/24/1949,,,,,0.02,0.04,0.03,,,,,0.09,,
31,2,in,05/25/1949,,,,,0.12,0.12,,

31,2,in,05/26/1949,0.01,0.09,0.10,,
31,2,in,06/01/1949,0.00,0.00,,
31,2,in,06/10/1949,0.17,0.48,0.06,0.01,0.10,0.03,0.16,0.01,1.02,,
31,2,in,06/11/1949,0.44,0.02,0.01,0.47,,
31,2,in,06/12/1949,0.38,0.12,0.01,0.04,0.55,,
31,2,in,06/13/1949,0.05,0.05,,
31,2,in,06/14/1949,0.01,0.11,0.12,,
31,2,in,06/15/1949,0.02,0.05,0.02,0.04,0.04,0.21,0.17,0.18,0.15,0.07,0.03,0.15,0.58,0.02,0.01,0.12,0.07,0.02,1.95,,
31,2,in,06/17/1949,0.03,0.02,0.06,0.16,0.13,0.40,,
31,2,in,06/18/1949,0.01,0.05,0.01,0.01,0.01,0.09,0.03,0.03,0.24,,
31,2,in,06/20/1949,0.01,0.14,0.01,0.16,,
31,2,in,06/21/1949,0.40,0.02,0.42,,
31,2,in,06/24/1949,0.16,0.03,0.19,,
31,2,in,06/26/1949,0.62,0.20,0.08,0.01,0.91,,
31,2,in,06/27/1949,0.01,0.01,0.04,0.06,,
31,2,in,06/29/1949,0.14,0.02,0.16,,
31,2,in,07/01/1949,0.00,0.00,,
31,2,in,07/07/1949,0.30,0.10,0.40,,
31,2,in,07/09/1949,0.13,0.01,0.02,0.16,,
31,2,in,07/13/1949,0.04,0.04,,
31,2,in,07/14/1949,0.01,0.01,0.02,,
31,2,in,07/16/1949,0.23,0.39,0.13,0.12,0.01,0.07,0.01,0.01,0.97,,
31,2,in,07/17/1949,0.02,0.01,0.07,0.10,,
31,2,in,07/20/1949,0.01,0.09,0.04,0.14,,
31,2,in,07/26/1949,0.01,0.21,0.01,0.23,,
31,2,in,08/01/1949,m,0.00,I,
31,2,in,08/20/1949,M,0.00,I,
31,2,in,08/22/1949,0.02,0.04,0.12,0.04,0.01,0.23,,
31,2,in,08/27/1949,0.16,0.16,,
31,2,in,08/28/1949,0.02,0.04,0.03,0.02,0.11,,
31,2,in,09/01/1949,0.00,0.00,,
31,2,in,09/04/1949,0.01,0.01,0.01,0.01,0.02,0.01,0.03,0.06,0.16,,
31,2,in,09/05/1949,0.01,0.03,0.65,0.28,0.13,0.04,1.14,,
31,2,in,09/12/1949,0.01,0.04,0.03,0.02,0.10,,
31,2,in,09/13/1949,0.01,0.01,0.02,0.01,0.05,,
31,2,in,09/15/1949,0.01,0.22,0.17,0.05,0.45,,
31,2,in,09/17/1949,0.11,0.10,0.16,0.01,0.38,,
31,2,in,09/18/1949,0.09,0.01,0.10,,
31,2,in,09/28/1949,0.11,0.11,,
31,2,in,09/29/1949,0.01,0.02,0.02,0.05,,
31,2,in,10/01/1949,0.00,0.00,,
31,2,in,10/03/1949,0.03,0.01,0.07,0.07,0.13,0.20,0.01,0.01,0.09,0.19,0.15,0.05,1.01,,
31,2,in,10/04/1949,0.01,0.03,0.01,0.03,0.10,0.07,0.13,0.37,0.12,0.27,0.21,0.33,0.22,0.04,0.03,0.01,0.02,0.07,0.01,0.02,2.10,,
31,2,in,10/05/1949,0.02,0.01,0.04,0.02,0.01,0.02,0.02,0.01,0.02,0.16,0.03,0.01,0.37,,
31,2,in,10/06/1949,0.01,0.01,0.04,0.20,0.02,0.28,,
31,2,in,10/12/1949,0.02,0.01,0.04,0.01,0.01,0.09,,
31,2,in,10/21/1949,0.09,0.20,0.10,0.03,0.18,0.60,,
31,2,in,10/22/1949,0.03,0.03,,
31,2,in,10/30/1949,0.01,0.01,0.02,0.01,0.05,0.02,0.02,0.02,0.16,,
31,2,in,11/01/1949,0.00,0.00,,
31,2,in,11/02/1949,0.01,0.03,0.04,,
31,2,in,11/12/1949,0.04,0.18,0.14,0.36,,
31,2,in,11/13/1949,0.12,0.14,0.26,,

.31,2,in,11/17/1949,.....,0.01,0.02,.....,0.03,,
.31,2,in,11/24/1949,.....,0.08,0.01,.....,0.01,0.06,.....,0.03,0.19,,
.31,2,in,11/25/1949,0.04,.....,0.03,.....,0.07,,
.31,2,in,11/28/1949,.....,0.05,0.05,0.23,0.02,.....,0.12,0.01,.....,0.48,,
.31,2,in,12/01/1949,0.00,.....,0.00,,
.31,2,in,12/04/1949,.....,0.01,0.06,0.06,0.01,.....,0.14,,
.31,2,in,12/06/1949,.....,0.01,0.05,0.16,0.11,0.02,.....,0.35,,
.31,2,in,12/09/1949,.....,0.05,0.11,0.16,,
.31,2,in,12/10/1949,0.09,0.05,0.03,0.07,0.05,0.15,0.11,0.04,0.08,0.01,.....,0.01,0.03,0.03,0.08,0.03,0.17,1.03,,
.31,2,in,12/11/1949,0.10,0.06,0.07,0.10,0.05,0.04,0.07,0.18,0.20,0.16,0.09,.....,0.05,.....,0.17,0.01,0.02,1.37,,
.31,2,in,12/12/1949,0.25,0.05,.....,0.01,0.02,0.02,0.06,0.04,0.05,0.08,0.23,0.08,0.09,0.04,0.03,0.03,0.02,.....,0.03,0.01,0.06,0.02,0.01,1.23,,
.31,2,in,12/13/1949,0.01,.....,0.01,.....,0.02,,
.31,2,in,12/17/1949,.....,0.01,0.01,0.05,0.07,,
.31,2,in,12/18/1949,0.19,0.10,0.13,0.07,0.04,.....,0.53,,
.31,2,in,12/22/1949,.....,0.06,0.09,0.06,.....,0.21,,
.31,2,in,12/26/1949,.....,0.01,0.06,.....,0.13,0.36,0.15,0.05,0.04,0.04,.....,0.84,,
.31,2,in,12/27/1949,.....,0.01,.....,0.01,,
.31,2,in,01/01/1950,0.00,.....,0.04,0.07,0.06,0.06,0.03,0.03,0.05,0.02,.....,0.36,,
.31,2,in,01/02/1950,.....,0.02,0.01,0.01,0.01,0.02,0.20,0.09,0.08,0.01,.....,0.02,.....,0.06,0.01,0.04,0.06,0.01,0.65,,
.31,2,in,01/03/1950,0.01,.....,0.07,0.02,0.12,0.28,0.15,0.03,0.02,.....,0.11,0.09,0.06,0.96,,
.31,2,in,01/04/1950,0.04,0.07,0.14,0.39,0.24,0.10,0.10,0.13,0.09,0.08,0.12,0.07,0.02,0.02,0.03,0.03,0.04,.....,1.71,,
.31,2,in,01/05/1950,0.01,.....,0.01,.....,0.01,.....,0.01,.....,0.04,0.16,0.05,0.02,0.32,,
.31,2,in,01/06/1950,0.11,0.23,0.18,0.23,0.08,0.04,0.07,.....,0.02,.....,0.01,0.02,.....,0.99,,
.31,2,in,01/09/1950,.....,0.05,.....,0.03,0.06,0.02,0.16,,
.31,2,in,01/10/1950,.....,0.09,0.01,.....,0.61,0.16,0.03,0.05,0.03,.....,0.02,.....,1.00,,
.31,2,in,01/12/1950,.....,0.03,0.04,0.19,0.30,0.18,0.14,0.11,0.07,0.14,0.25,0.15,0.05,0.05,0.03,0.03,0.02,0.01,0.03,0.03,0.02,0.04,0.06,0.07,,
.31,2,in,01/13/1950,0.16,0.04,0.01,0.02,.....,0.01,0.01,.....,0.01,.....,0.09,0.23,0.05,0.04,0.07,0.10,0.01,.....,0.85,,
.31,2,in,01/15/1950,.....,0.02,0.49,0.05,.....,0.02,.....,0.40,0.38,0.10,0.04,.....,1.50,,
.31,2,in,01/17/1950,.....,0.02,.....,0.02,,
.31,2,in,01/18/1950,0.03,0.06,0.01,0.01,.....,0.11,,
.31,2,in,01/22/1950,.....,0.02,.....,0.02,,
.31,2,in,01/23/1950,.....,0.02,0.03,0.04,0.01,.....,0.10,,
.31,2,in,01/24/1950,.....,0.07,0.02,.....,0.09,,
.31,2,in,01/26/1950,.....,0.10,0.02,0.13,0.03,0.01,0.09,0.24,0.21,0.14,0.10,0.04,0.02,0.04,.....,0.01,.....,1.18,,
.31,2,in,01/29/1950,.....,0.03,.....,0.42,0.03,.....,0.48,,
.31,2,in,01/30/1950,.....,0.12,0.15,0.08,0.15,0.18,0.10,0.05,0.02,0.85,,
.31,2,in,01/31/1950,0.04,0.02,0.02,0.01,0.01,0.02,.....,0.02,0.03,0.02,0.05,0.04,0.03,0.08,0.06,0.04,0.06,0.55,,
.31,2,in,02/01/1950,0.09,0.04,0.02,0.03,.....,0.01,.....,0.03,.....,0.02,.....,0.24,,
.31,2,in,02/06/1950,0.05,0.07,0.04,.....,0.16,,
.31,2,in,02/08/1950,.....,0.02,0.10,0.13,0.01,0.01,.....,0.17,0.01,.....,0.34,0.79,,
.31,2,in,02/09/1950,0.09,.....,0.09,,
.31,2,in,02/12/1950,.....,0.06,0.26,0.10,.....,0.26,0.09,0.02,.....,0.04,.....,0.14,0.10,0.01,0.02,.....,1.10,,
.31,2,in,02/13/1950,0.01,.....,0.02,0.03,0.01,0.01,.....,0.01,0.04,0.11,0.15,0.08,0.07,0.10,0.19,0.09,0.14,0.10,1.16,,
.31,2,in,02/14/1950,0.10,0.12,0.09,0.05,0.10,0.07,.....,0.03,0.02,0.03,.....,0.61,,
.31,2,in,02/18/1950,.....,0.03,0.06,0.01,.....,0.10,,
.31,2,in,02/21/1950,.....,0.02,0.03,0.02,.....,0.01,0.04,0.01,0.01,0.02,0.01,.....,0.10,0.27,,
.31,2,in,02/22/1950,0.25,0.13,0.13,0.04,0.04,0.01,.....,0.60,,
.31,2,in,02/28/1950,.....,0.10,.....,0.04,0.02,.....,0.01,.....,0.01,.....,0.18,,
.31,2,in,03/01/1950,0.00,.....,0.00,,
.31,2,in,03/07/1950,.....,0.01,0.04,.....,0.06,0.45,0.10,.....,0.66,,
.31,2,in,03/11/1950,.....,0.08,.....,0.08,0.21,0.15,0.10,.....,0.01,.....,0.01,0.64,,
.31,2,in,03/12/1950,0.02,0.01,.....,0.01,0.05,0.13,0.06,0.05,0.01,.....,0.34,,
.31,2,in,03/13/1950,0.02,.....,0.01,.....,0.03,,

.31,2,in,03/16/1950,...,0.02,...,0.01,...,0.03,,
.31,2,in,03/19/1950,...,0.01,0.01,,
.31,2,in,03/20/1950,0.05,...,0.02,0.07,0.15,0.11,0.09,0.03,0.01,...,0.01,...,0.54,,
.31,2,in,03/27/1950,...,0.35,0.10,0.44,0.21,0.09,0.07,0.04,...,0.01,0.01,0.05,,
.31,2,in,03/31/1950,...,0.03,0.01,0.01,0.05,,
.31,2,in,04/01/1950,0.00,...,0.00,,
.31,2,in,04/02/1950,...,0.02,0.08,0.10,0.19,0.16,0.19,0.15,0.10,0.07,...,0.14,1.20,,
.31,2,in,04/03/1950,0.10,0.20,0.30,0.32,0.38,0.02,0.01,0.17,0.02,...,0.41,0.22,...,2.15,,
.31,2,in,04/04/1950,...,0.02,...,0.02,0.06,0.12,0.03,...,0.25,,
.31,2,in,04/09/1950,...,0.02,0.03,...,0.05,,
.31,2,in,04/11/1950,...,0.04,0.08,0.12,,
.31,2,in,04/12/1950,0.01,...,0.01,,
.31,2,in,04/19/1950,...,0.04,0.03,...,0.07,,
.31,2,in,04/23/1950,...,0.40,0.03,0.05,...,0.48,,
.31,2,in,04/24/1950,...,0.07,,
.31,2,in,04/25/1950,...,0.05,...,0.01,0.04,0.01,0.02,...,0.07,,
.31,2,in,04/29/1950,...,0.10,0.04,0.14,,
.31,2,in,04/30/1950,0.02,0.02,0.03,0.05,0.01,0.01,...,0.14,,
.31,2,in,05/01/1950,0.00,...,0.01,0.01,...,0.02,,
.31,2,in,05/02/1950,...,0.03,0.14,0.21,0.10,0.01,0.14,...,0.63,,
.31,2,in,05/07/1950,...,0.03,0.01,0.01,...,0.05,,
.31,2,in,05/10/1950,...,0.77,0.25,0.26,0.12,0.03,0.01,0.02,0.01,0.02,0.01,...,1.50,,
.31,2,in,05/11/1950,...,0.15,0.21,0.06,...,0.18,0.04,0.01,0.65,,
.31,2,in,05/12/1950,0.01,0.03,0.01,0.05,0.13,0.07,0.04,0.01,0.02,0.03,...,0.40,,
.31,2,in,05/17/1950,...,0.10,0.01,...,0.01,0.12,,
.31,2,in,05/18/1950,...,0.01,0.01,...,0.02,,
.31,2,in,05/21/1950,...,0.01,0.03,1.35,0.05,0.99,0.17,0.01,...,0.01,2.62,,
.31,2,in,05/22/1950,...,0.01,0.01,0.01,...,0.03,,
.31,2,in,05/25/1950,...,0.03,0.02,...,0.44,...,0.49,,
.31,2,in,05/27/1950,...,1.49,0.22,0.12,0.01,...,0.05,0.01,...,1.90,,
.31,2,in,05/30/1950,...,0.16,0.04,0.08,0.06,0.02,0.03,0.01,...,0.40,,
.31,2,in,06/01/1950,0.00,...,0.00,,
.31,2,in,06/03/1950,...,0.10,0.05,0.12,0.04,0.15,0.12,0.06,0.08,0.30,0.72,0.07,0.04,0.11,0.06,0.05,0.03,0.03,0.01,...,2.14,,
.31,2,in,06/10/1950,...,0.06,0.07,0.01,...,0.06,...,0.20,,
.31,2,in,06/13/1950,...,0.13,0.05,0.01,...,0.19,,
.31,2,in,06/14/1950,...,0.72,0.02,0.01,...,0.75,,
.31,2,in,06/15/1950,...,0.02,...,0.02,...,0.04,,
.31,2,in,06/18/1950,...,0.17,0.04,0.02,...,0.23,,
.31,2,in,06/20/1950,...,0.06,0.10,0.02,...,0.27,0.05,0.01,...,0.01,0.01,0.53,,
.31,2,in,06/21/1950,...,0.15,...,0.15,,
.31,2,in,07/01/1950,0.00,...,0.00,,
.31,2,in,07/04/1950,...,0.26,0.11,0.01,0.01,0.01,...,0.24,0.64,,
.31,2,in,07/05/1950,0.01,...,0.07,0.02,0.01,...,0.11,,
.31,2,in,07/13/1950,...,0.07,...,0.07,,
.31,2,in,07/16/1950,...,0.20,0.08,0.13,0.02,...,0.43,,
.31,2,in,07/17/1950,...,0.03,...,0.03,,
.31,2,in,07/18/1950,...,0.04,0.01,...,0.01,...,0.03,0.53,0.01,0.71,0.01,1.35,,
.31,2,in,07/19/1950,...,0.01,0.01,0.01,...,0.23,...,0.26,,
.31,2,in,07/20/1950,...,0.10,0.01,0.02,...,0.13,,
.31,2,in,07/24/1950,...,0.05,0.05,,
.31,2,in,07/25/1950,0.04,0.03,0.08,0.28,0.18,0.06,0.01,...,0.68,,
.31,2,in,07/31/1950,...,0.13,0.16,0.50,0.64,1.44,0.44,0.09,0.06,0.03,0.01,...,0.01,0.08,0.91,1.35,...,5.85,,
.31,2,in,08/01/1950,0.00,...,0.01,...,0.07,0.21,0.04,...,0.05,...,0.38,,

.31,2,in,08/08/1950,0.01,0.01,0.02,,
.31,2,in,08/09/1950,0.01,0.01,0.01,0.03,,
.31,2,in,08/18/1950,0.08,0.01,0.01,0.01,0.06,0.01,0.01,0.19,,
.31,2,in,08/24/1950,0.01,0.05,0.06,,
.31,2,in,08/28/1950,0.04,0.01,0.02,0.08,0.06,0.01,0.22,,
.31,2,in,08/29/1950,0.01,0.04,0.01,0.06,,
.31,2,in,08/30/1950,0.09,0.02,0.03,0.14,,
.31,2,in,08/31/1950,0.16,0.10,0.05,0.06,0.17,0.24,0.33,0.40,0.05,0.04,0.01,1.61,,
.31,2,in,09/01/1950,0.00,0.00,,
.31,2,in,09/02/1950,0.07,0.03,0.01,1.35,0.31,0.06,0.02,0.06,0.07,0.06,0.04,0.09,0.23,1.67,0.83,0.03,0.05,4.98,,
.31,2,in,09/03/1950,0.01,0.01,0.03,0.01,0.01,0.07,,
.31,2,in,09/07/1950,0.02,0.01,0.01,0.01,0.06,0.03,0.10,0.20,0.06,0.49,,
.31,2,in,09/08/1950,0.01,0.09,0.01,0.11,,
.31,2,in,09/09/1950,0.01,0.01,0.01,0.10,0.41,0.03,0.04,0.01,0.06,0.03,0.01,0.72,,
.31,2,in,09/10/1950,0.01,0.03,0.05,0.01,0.01,0.01,0.01,0.01,0.01,0.16,,
.31,2,in,09/11/1950,0.01,0.01,0.15,0.01,0.18,,
.31,2,in,09/20/1950,0.57,0.72,0.06,0.04,0.51,0.50,0.03,0.01,2.44,,
.31,2,in,09/21/1950,0.16,0.11,0.04,0.31,,
.31,2,in,09/27/1950,0.01,0.01,0.01,0.01,0.04,,
.31,2,in,10/01/1950,0.00,0.00,,
.31,2,in,10/08/1950,0.05,0.40,0.15,0.60,,
.31,2,in,10/09/1950,0.01,0.04,0.01,0.02,0.08,,
.31,2,in,10/22/1950,0.01,0.06,0.04,0.12,0.01,0.01,0.01,0.01,0.03,0.30,,
.31,2,in,11/01/1950,0.00,0.00,,
.31,2,in,11/02/1950,0.02,0.14,0.01,0.01,0.18,,
.31,2,in,11/03/1950,0.02,0.02,0.04,0.03,0.02,0.04,0.07,0.04,0.09,0.02,0.01,0.40,,
.31,2,in,11/04/1950,0.07,0.03,0.02,0.01,0.02,0.15,,
.31,2,in,11/07/1950,0.07,0.07,,
.31,2,in,11/08/1950,0.12,0.03,0.01,0.01,0.01,0.01,0.19,,
.31,2,in,11/09/1950,0.13,0.21,0.10,0.11,0.12,0.06,0.03,0.76,,
.31,2,in,11/15/1950,0.02,0.01,0.03,,
.31,2,in,11/16/1950,0.07,0.17,0.12,0.01,0.01,0.38,,
.31,2,in,11/19/1950,0.05,0.14,0.07,0.04,0.07,0.01,0.05,0.05,0.12,0.60,,
.31,2,in,11/20/1950,0.10,0.19,0.52,0.12,0.03,0.96,,
.31,2,in,11/23/1950,a,0.19,A,0.19,I,
.31,2,in,12/01/1950,0.00,0.04,0.04,,
.31,2,in,12/02/1950,0.01,0.14,0.15,,
.31,2,in,12/03/1950,0.19,0.16,0.20,0.14,0.06,0.01,0.76,,
.31,2,in,12/06/1950,0.01,0.04,0.02,0.01,0.04,0.04,0.10,0.11,0.10,0.08,0.05,0.05,0.05,0.05,0.07,0.12,0.08,0.07,0.03,0.09,0.03,0.01,0.03,0.
.31,2,in,12/07/1950,0.08,0.01,0.01,0.10,,
.31,2,in,12/11/1950,a,0.06,A,0.06,I,
.31,2,in,01/01/1951,0.00,0.00,,
.31,2,in,01/02/1951,0.01,0.08,0.10,0.01,0.08,0.05,0.01,0.06,0.02,0.07,0.11,0.02,0.62,,
.31,2,in,01/03/1951,0.04,0.24,0.19,0.17,0.06,0.01,0.33,0.09,0.07,0.02,0.16,0.12,0.26,0.09,0.03,1.88,,
.31,2,in,01/06/1951,0.01,0.04,0.04,0.02,0.01,0.03,0.02,0.17,,
.31,2,in,01/07/1951,0.02,0.01,0.01,0.01,0.02,0.02,0.09,,
.31,2,in,01/13/1951,a,0.57,A,0.01,0.04,0.01,0.01,0.02,0.38,1.04,I,
.31,2,in,01/14/1951,0.24,0.07,0.28,0.28,0.21,0.21,0.12,0.09,0.07,0.03,0.03,0.03,0.14,0.09,0.07,0.01,0.01,0.03,0.03,0.05,0.01,0.02,0.03,
.31,2,in,01/15/1951,0.01,0.01,0.01,0.01,0.02,0.01,0.01,0.01,0.06,0.03,0.02,0.01,0.21,,
.31,2,in,01/23/1951,0.01,0.07,0.05,0.04,0.04,0.01,0.01,0.23,,
.31,2,in,01/27/1951,0.03,0.14,0.02,0.19,,
.31,2,in,01/28/1951,0.04,0.03,0.03,0.02,0.10,0.02,0.03,0.27,,
.31,2,in,01/30/1951,0.01,0.02,0.04,0.02,0.09,,

.31,2,in,01/31/1951,0.01,,0.01,,0.01,,0.01,,0.01,,0.01,,0.02,,0.15,,0.17,,0.10,,0.03,,0.02,,0.03,,0.04,,0.05,,0.01,,0.03,,0.04,,0.75,,
.31,2,in,02/01/1951,0.03,,0.02,,0.04,,0.07,,0.05,,0.03,,0.01,,0.01,,0.02,,0.28,,
.31,2,in,02/04/1951,,0.01,,0.01,,0.02,,
.31,2,in,02/06/1951,,0.01,,0.22,,0.15,,0.11,,0.04,,0.07,,0.14,,0.05,,0.01,,0.80,,
.31,2,in,02/08/1951,,0.01,,0.01,,0.05,,0.03,,0.10,,
.31,2,in,02/09/1951,0.01,,0.01,,0.01,,0.01,,0.01,,0.05,,
.31,2,in,02/13/1951,,0.01,,0.01,,0.02,,
.31,2,in,02/14/1951,0.02,,0.02,,0.01,,0.02,,0.01,,0.01,,0.09,,
.31,2,in,02/15/1951,,0.04,,0.04,,
.31,2,in,02/16/1951,0.10,,0.02,,0.04,,0.07,,0.02,,0.01,,0.01,,0.01,,0.28,,
.31,2,in,02/18/1951,,0.01,,0.08,,0.11,,0.01,,0.21,,
.31,2,in,02/20/1951,,0.16,,0.31,,0.05,,0.12,,0.26,,0.07,,0.97,,
.31,2,in,02/21/1951,0.07,,0.02,,0.01,,0.01,,0.01,,0.12,,
.31,2,in,02/26/1951,,0.01,,0.08,,0.01,,0.01,,0.11,,
.31,2,in,02/28/1951,,0.05,,0.05,,0.04,,0.01,,0.01,,0.02,,0.18,,
.31,2,in,03/01/1951,0.00,,0.00,,
.31,2,in,03/03/1951,,0.01,,0.03,,0.03,,0.05,,0.07,,0.05,,0.04,,0.04,,0.02,,0.34,,
.31,2,in,03/10/1951,,0.04,,0.01,,0.01,,0.02,,0.01,,0.03,,0.04,,0.05,,0.04,,0.06,,0.31,,
.31,2,in,03/11/1951,0.04,,0.08,,0.07,,0.06,,0.12,,0.06,,0.08,,0.03,,0.05,,0.04,,0.05,,0.07,,0.05,,0.01,,0.02,,0.02,,0.04,,0.03,,0.01,,0.93,,
.31,2,in,03/12/1951,0.01,,0.01,,0.01,,0.01,,0.01,,a,,0.04,,I,,
.31,2,in,03/13/1951,,0.55,A,,0.01,,0.56,I,,
.31,2,in,03/14/1951,0.01,,0.01,,0.02,,0.01,,0.02,,0.02,,0.01,,0.03,,0.03,,0.19,,
.31,2,in,03/15/1951,,0.04,,0.01,,0.05,,
.31,2,in,03/17/1951,,0.01,,0.03,,0.10,,0.25,,0.23,,0.23,,0.01,,0.24,,0.07,,0.08,,0.03,,0.12,,1.40,,
.31,2,in,03/18/1951,0.35,,0.08,,0.01,,0.01,,0.01,,0.46,,
.31,2,in,03/19/1951,,0.01,,0.09,,0.04,,0.09,,0.04,,0.08,,0.01,,0.04,,0.03,,0.01,,0.44,,
.31,2,in,03/21/1951,,0.01,,0.01,,0.02,,
.31,2,in,03/23/1951,,0.36,,0.09,,0.01,,0.46,,
.31,2,in,03/25/1951,,0.01,,0.01,,0.02,,
.31,2,in,03/27/1951,,0.02,,0.01,,0.03,,0.01,,0.07,,0.09,,0.06,,0.29,,
.31,2,in,03/28/1951,0.02,,0.04,,0.07,,0.03,,0.01,,0.17,,
.31,2,in,03/29/1951,,0.01,,0.01,,0.08,,0.02,,0.01,,0.06,,0.19,,
.31,2,in,03/30/1951,,0.03,,0.02,,0.05,,
.31,2,in,04/01/1951,0.05,,0.05,,0.08,,0.01,,0.01,,0.01,,0.21,,
.31,2,in,04/02/1951,0.04,,0.01,,0.01,,0.01,,0.07,,
.31,2,in,04/06/1951,,0.01,,0.03,,0.01,,0.05,,
.31,2,in,04/07/1951,0.01,,0.02,,0.07,,0.07,,0.01,,0.01,,0.01,,0.05,,0.04,,0.04,,0.04,,0.07,,0.03,,0.10,,0.08,,0.04,,0.14,,0.01,,0.01,,0.85,,
.31,2,in,04/09/1951,,0.08,,0.01,,0.09,,
.31,2,in,04/11/1951,,0.03,,0.07,,0.06,,0.08,,0.15,,0.01,,0.40,,
.31,2,in,04/12/1951,,0.01,,0.03,,0.01,,0.01,,0.01,,0.02,,0.01,,0.04,,0.02,,0.16,,
.31,2,in,04/13/1951,0.02,,0.01,,0.01,,0.03,,0.05,,0.01,,0.01,,0.01,,0.02,,0.02,,0.03,,0.02,,0.02,,0.01,,0.01,,0.28,,
.31,2,in,04/14/1951,,0.02,,0.01,,0.01,,0.04,,
.31,2,in,04/18/1951,,0.04,,0.03,,0.02,,0.09,,
.31,2,in,04/19/1951,0.01,,0.01,,
.31,2,in,04/21/1951,,0.01,,0.24,,0.18,,0.20,,0.12,,0.05,,0.05,,0.20,,0.02,,0.01,,0.03,,1.11,,
.31,2,in,04/22/1951,0.21,,0.03,,0.03,,0.01,,0.01,,0.04,,0.33,,
.31,2,in,04/26/1951,,0.11,,0.01,,0.12,,
.31,2,in,05/01/1951,0.00,,0.00,,
.31,2,in,05/02/1951,,0.05,,0.05,,
.31,2,in,05/03/1951,0.05,,0.01,,0.02,,0.08,,
.31,2,in,05/04/1951,,0.05,,0.01,,0.01,,0.07,,
.31,2,in,05/05/1951,,0.02,,0.03,,0.05,,
.31,2,in,05/06/1951,,0.03,,0.03,,0.06,,

31,2,in,05/10/1951	0.13	0.01	0.12	0.03	0.29	
31,2,in,05/20/1951	0.06	0.01		0.07		
31,2,in,05/22/1951	0.28	0.09	0.04	0.02	0.05	0.02,0.50
31,2,in,05/23/1951	0.02	0.01	0.05	0.02		0.10
31,2,in,05/26/1951	0.02	0.05				0.07
31,2,in,05/27/1951			0.03		0.03	
31,2,in,05/28/1951	0.01	0.01			0.02	
31,2,in,06/01/1951	0.00				0.00	
31,2,in,06/02/1951			0.03	0.42	0.01	0.40,0.86
31,2,in,06/03/1951			0.01	0.01	0.01	0.03
31,2,in,06/04/1951	0.01	0.02	0.05	0.04	0.01	0.13
31,2,in,06/07/1951			0.64	0.03	0.01	0.68
31,2,in,06/08/1951	0.18	0.06				0.24
31,2,in,06/09/1951		0.02	0.04	0.01		0.07
31,2,in,06/12/1951			0.09	0.01	0.02	0.02,0.03,0.01,0.01,0.19
31,2,in,06/13/1951	0.01	0.01	0.01	0.01	0.17	0.06,0.27
31,2,in,06/17/1951				0.01		0.01
31,2,in,06/18/1951	0.01	0.01	0.01			0.03
31,2,in,06/19/1951			0.05	0.20		0.25
31,2,in,06/22/1951		0.23	0.01			0.24
31,2,in,06/23/1951			0.01	0.10	0.74	0.05,0.07,0.01,0.01,0.99
31,2,in,06/24/1951		0.01	0.01	0.01		0.03
31,2,in,06/25/1951	0.04	0.02				0.01,0.07
31,2,in,06/26/1951	0.16	0.42	0.01	0.01	0.06	0.01,0.38,0.27,0.06,0.06,1.32
31,2,in,06/28/1951						0.06,0.06
31,2,in,06/29/1951	0.07	0.45	0.01	0.01		0.67,0.17,0.01,0.01,1.40
31,2,in,06/30/1951	0.01		0.01		0.01	0.06,0.35,0.08,0.01,0.01,0.01,0.11,0.12,0.78
31,2,in,07/01/1951	0.01	0.01	0.01	0.01		0.04
31,2,in,07/03/1951			0.16	0.01		0.17
31,2,in,07/09/1951		0.05		0.08	0.01	0.01,0.01,0.01,0.17
31,2,in,07/10/1951	0.01	0.01	0.01		0.68	0.04,0.01,0.76
31,2,in,07/11/1951	0.01	0.01	0.01	0.01	0.03	0.06,0.13
31,2,in,07/13/1951		0.09	0.02			0.11
31,2,in,07/23/1951			0.11	0.01	0.01	0.01,0.14
31,2,in,07/24/1951		0.01	0.01	0.14	0.05	0.21
31,2,in,07/28/1951				0.05		0.05
31,2,in,08/01/1951	0.00					0.00
31,2,in,08/03/1951			0.17	0.01		0.18
31,2,in,08/09/1951		0.98	0.01			0.99
31,2,in,08/27/1951	0.33	0.29	0.22	0.02	0.01	0.11,0.14,0.05,1.17
31,2,in,08/29/1951	0.01	0.02	0.02	0.03	0.17	0.11,0.23,0.01,0.14,0.68,0.06,0.01,1.49
31,2,in,09/01/1951	0.00					0.00
31,2,in,09/02/1951	0.02	0.01				0.03
31,2,in,09/05/1951				0.02	0.03	0.01,0.06
31,2,in,09/06/1951	0.01					0.01
31,2,in,09/10/1951		0.29	0.17	0.01		0.50
31,2,in,09/13/1951	0.09	0.05	0.02	0.01	0.03	0.19,0.01,0.27,0.09,0.04,0.01,0.01,1.82
31,2,in,09/21/1951					0.18	0.01,0.19
31,2,in,09/22/1951	0.01	0.21	0.01	0.07	0.03	0.28,0.01,0.11,0.73
31,2,in,09/24/1951		0.54	0.11	0.50	0.42	0.06,0.07,0.02,0.01,0.02,0.01,0.01,1.77
31,2,in,09/25/1951	0.01	0.04	0.09	0.01		0.15
31,2,in,10/01/1951	0.00					0.00
31,2,in,10/06/1951				0.03	0.02	0.01,0.01,0.07

31.2, in, 10/07/1951, 0.10, 0.02, 0.05, 0.02, 0.19,,
31.2, in, 10/23/1951, 0.09, 0.02, 0.09, 0.01, 0.03, 0.03, 0.01, 0.03, 0.01, 0.12, 0.17, 0.01, 0.62,,
31.2, in, 10/24/1951, 0.01, 0.01,,
31.2, in, 10/31/1951, 0.03, 0.06, 0.07, 0.05, 0.02, 0.04, 0.11, 0.10, 0.01, 0.01, 0.02, 0.02, 0.54,,
31.2, in, 11/01/1951, 0.00, 0.00,,
31.2, in, 11/03/1951, 0.01, 0.01, 0.01, 0.03,,
31.2, in, 11/07/1951, 0.02, 0.01, 0.04, 0.16, 0.14, 0.13, 0.18, 0.03, 0.09, 0.19, 0.11, 0.10, 0.14, 1.34,,
31.2, in, 11/12/1951, 0.01, 0.01,,
31.2, in, 11/13/1951, 0.04, 0.05, 0.07, 0.18, 0.08, 0.02, 0.04, 0.02, 0.02, 0.52, 0.07, 1.11,,
31.2, in, 11/14/1951, 0.01,,
31.2, in, 11/15/1951, 0.05, 0.08, 0.13,,
31.2, in, 11/16/1951, 0.02, 0.02, 0.04,,
31.2, in, 11/22/1951, 0.01, 0.05, 0.06,,
31.2, in, 11/23/1951, 0.07, 0.08, 0.18, 0.22, 0.08, 0.04, 0.03, 0.01, 0.02, 0.15, 0.02, 0.02, 0.11, 0.03, 0.12, 0.03, 0.08, 0.15, 1.45,,
31.2, in, 11/24/1951, 0.08, 0.06, 0.05, 0.01, 0.20,,
31.2, in, 11/25/1951, 0.02, 0.02, 0.03, 0.10, 0.08, 0.05, 0.02, 0.03, 0.09, 0.02, 0.03, 0.07, 0.03, 0.59,,
31.2, in, 11/26/1951, 0.02, 0.02,,
31.2, in, 12/01/1951, 0.00, 0.00,,
31.2, in, 12/03/1951, 0.01, 0.01, 0.02, 0.01, 0.05, 0.17, 0.27, 0.46, 0.15, 1.15,,
31.2, in, 12/04/1951, 0.12, 0.17, 0.16, 0.06, 0.01, 0.52,,
31.2, in, 12/05/1951, 0.02, 0.02, 0.08, 0.12,,
31.2, in, 12/07/1951, 0.40, 0.35, 0.19, 0.01, 0.09, 1.04,,
31.2, in, 12/08/1951, 0.01, 0.01, 0.01, 0.01, 0.01, 0.09, 0.06, 0.02, 0.03, 0.01, 0.01, 0.03, 0.12, 0.02, 0.05, 0.02, 0.51,,
31.2, in, 12/09/1951, 0.01, 0.01,,
31.2, in, 12/14/1951, 0.05, 0.05, 0.07, 0.13, 0.02, 0.13, 0.20, 0.25, 0.16, 0.09, 1.15,,
31.2, in, 12/17/1951, 0.02, 0.05, 0.03, 0.05, 0.15,,
31.2, in, 12/18/1951, 0.06, 0.04, 0.08, 0.04, 0.06, 0.01, 0.29,,
31.2, in, 12/20/1951, 0.05, 0.15, 0.19, 0.06, 0.04, 0.11, 0.17, 0.10, 0.08, 0.15, 0.14, 0.09, 0.01, 0.02, 0.01, 1.37,,
31.2, in, 12/21/1951, 0.01, 0.01, 0.01, 0.03,,
31.2, in, 12/25/1951, 0.01, 0.01, 0.02, 0.01, 0.04, 0.11, 0.15, 0.12, 0.11, 0.12, 0.05, 0.05, 0.80,,
31.2, in, 01/01/1952, 0.00, 0.05, 0.10, 0.05, 0.07, 0.21, 0.18, 0.20, 0.20, 0.04, 1.10,,
31.2, in, 01/02/1952, 0.03, 0.08, 0.15, 0.10, 0.04, 0.08, 0.08, 0.01, 0.01, 0.03, 0.06, 0.03, 0.11, 0.06, 0.02, 0.05, 0.03, 0.02, 0.04, 0.03, 1.06,,
31.2, in, 01/03/1952, 0.01, 0.01,,
31.2, in, 01/04/1952, 0.02, 0.11, 0.16, 0.20, 0.11, 0.12, 0.13, 0.28, 0.35, 0.25, 0.04, 0.03, 0.03, 0.01, 1.84,,
31.2, in, 01/15/1952, 0.02, 0.02,,
31.2, in, 01/16/1952, 0.02, 0.01, 0.03,,
31.2, in, 01/17/1952, 0.12, 0.12,,
31.2, in, 01/19/1952, 0.02, 0.01, 0.01, 0.07, 0.11,,
31.2, in, 01/20/1952, 0.02, 0.01, 0.03,,
31.2, in, 01/21/1952, 0.02, 0.02,,
31.2, in, 01/22/1952, 0.04, 0.01, 0.02, 0.01, 0.01, 0.10, 0.01, 0.20,,
31.2, in, 01/25/1952, 0.01, 0.01, 0.01, 0.03,,
31.2, in, 01/26/1952, 0.01, 0.01, 0.01, 0.01, 0.10, 0.02, 0.04, 0.01, 0.21,,
31.2, in, 01/27/1952, 0.01, 0.01, 0.02,,
31.2, in, 02/01/1952, 0.00, 0.12, 0.21, 0.05, 0.05, 0.02, 0.03, 0.05, 0.01, 0.01, 0.06, 0.71,,
31.2, in, 02/02/1952, 0.03, 0.04, 0.04, 0.02, 0.04, 0.01, a, 0.15, a, 0.04, 0.02, 0.07, 0.01, 0.47, I,
31.2, in, 02/03/1952, 0.01, 0.02, 0.03, 0.01, 0.03, 0.04, 0.07, 0.07, 0.16, 0.07, 0.10, 0.08, 0.08, 0.01, 0.04, 0.82,,
31.2, in, 02/04/1952, 0.04, 0.04,,
31.2, in, 02/13/1952, a, 0.50, a, 0.50, I,
31.2, in, 02/16/1952, 0.05, 0.05, 0.02, 0.03, 0.02, 0.01, 0.18,,
31.2, in, 02/17/1952, 0.02, 0.02, 0.03, 0.07,,
31.2, in, 02/19/1952, 0.02, 0.02, 0.02, 0.08,,
31.2, in, 02/20/1952, 0.18, 0.16, 0.17, 0.03, 0.05, 0.59,,

31.2, in, 02/29/1952, 0.03, 0.17, 0.03, 0.23,
 31.2, in, 03/01/1952, 0.00, 0.00,
 31.2, in, 03/02/1952, 0.03, 0.04, 0.02, 0.01, 0.07, 0.01, 0.02, 0.02, 0.22,
 31.2, in, 03/03/1952, 0.01, 0.02, 0.10, 0.13, 0.14, 0.03, 0.43,
 31.2, in, 03/10/1952, 0.08, 0.04, 0.01, 0.15, 0.32, 0.20, 0.15, 0.17, 0.21, 0.33, 0.61, 0.37, 0.23, 0.09, 0.01, 0.03, 3.00,
 31.2, in, 03/11/1952, 0.10, 0.10, 0.06, 0.06, 0.03, 0.35,
 31.2, in, 03/13/1952, 0.05, 0.01, 0.01, 0.01, 0.08,
 31.2, in, 03/18/1952, 0.05, 0.07, 0.06, 0.09, 0.08, 0.05, 0.02, 0.01, 0.02, 0.03, 0.02, 0.04, 0.01, 0.55,
 31.2, in, 03/19/1952, 0.02, 0.01, 0.01, 0.01, 0.05,
 31.2, in, 03/21/1952, 0.02, 0.13, 0.27, 1.05, 0.38, 1.85,
 31.2, in, 03/22/1952, 0.10, 0.15, 0.16, 0.03, 0.01, 0.03, 0.09, 0.05, 0.01, 0.63,
 31.2, in, 03/31/1952, 0.08, 0.02, 0.10,
 31.2, in, 04/01/1952, 0.00, 0.00,
 31.2, in, 04/03/1952, 0.01, 0.01,
 31.2, in, 04/04/1952, 0.01, 0.01, 0.04, 0.05, 0.05, 0.03, 0.01, 0.06, 0.05, 0.03, 0.02, 0.20, 0.06, 0.01, 0.01, 0.04, 0.03, 0.71,
 31.2, in, 04/05/1952, 0.03, 0.02, 0.05,
 31.2, in, 04/06/1952, 0.01, 0.02, 0.01, 0.04,
 31.2, in, 04/10/1952, 0.04, 0.19, 0.15, 0.01, 0.03, 0.01, 0.43,
 31.2, in, 04/12/1952, 0.02, 0.07, 0.05, 0.05, 0.08, 0.02, 0.01, 0.30,
 31.2, in, 04/13/1952, 0.01, 0.01, 0.01, 0.06, 0.01, 0.06, 0.02, 0.18,
 31.2, in, 04/14/1952, 0.02, 0.03, 0.05,
 31.2, in, 04/23/1952, 0.02, 0.03, 0.01, 0.13, 0.01, 0.06, 0.26,
 31.2, in, 05/01/1952, 0.00, 0.00,
 31.2, in, 05/06/1952, 0.09, 0.14, 0.01, 0.01, 0.25,
 31.2, in, 05/08/1952, 0.05, 0.03, 0.08,
 31.2, in, 05/09/1952, 0.04, 0.01, 0.02, 0.07,
 31.2, in, 05/10/1952, 0.01, 0.01, 0.01, 0.04, 0.19, 0.07, 0.04, 0.04, 0.03, 0.01, 0.02, 0.47,
 31.2, in, 05/12/1952, 0.06, 0.06,
 31.2, in, 05/13/1952, 0.03, 0.03,
 31.2, in, 05/18/1952, 0.01, 0.01, 0.02, 0.01, 0.29, 0.25, 0.01, 0.01, 0.02, 0.63,
 31.2, in, 05/19/1952, 0.28, 0.02, 0.02, 0.01, 0.33,
 31.2, in, 05/20/1952, 0.04, 0.02, 0.13, 0.04, 0.03, 0.02, 0.28,
 31.2, in, 05/24/1952, 0.02, 0.08, 0.10,
 31.2, in, 05/25/1952, 0.02, 0.01, 0.01, 0.05, 0.16, 0.02, 0.27,
 31.2, in, 06/01/1952, 0.00, 0.00,
 31.2, in, 06/03/1952, 0.01, a, 0.21, A, 0.05, 0.27, I,
 31.2, in, 06/10/1952, 0.01, 0.01, 0.02, 0.10, 0.13, 0.05, 0.05, 0.01, 0.38,
 31.2, in, 06/13/1952, a, 0.47, A, 0.47, I,
 31.2, in, 06/17/1952, 0.06, 0.06,
 31.2, in, 06/20/1952, 0.15, 0.01, 0.01, 0.17,
 31.2, in, 06/21/1952, 0.02, 0.01, 0.03, 0.34, 0.01, 0.07, 0.48,
 31.2, in, 06/22/1952, 0.76, 0.75, 0.92, 0.02, 0.10, 0.03, 0.01, 0.01, 0.01, 2.61,
 31.2, in, 06/23/1952, 0.01, 0.05, 0.02, 0.01, 0.01, 0.10,
 31.2, in, 06/30/1952, 0.03, 0.11, 0.01, 0.15,
 31.2, in, 07/01/1952, 0.00, 0.00,
 31.2, in, 07/13/1952, 0.01, 0.01,
 31.2, in, 07/14/1952, 0.01, 0.01, 0.05, 0.07,
 31.2, in, 07/16/1952, 0.54, 0.54,
 31.2, in, 07/17/1952, 0.02, 0.01, 0.03,
 31.2, in, 07/30/1952, 0.04, 0.01, 0.02, 0.04, 0.11,
 31.2, in, 08/01/1952, 0.00, 0.00,
 31.2, in, 08/04/1952, 0.04, 0.01, 0.05,
 31.2, in, 08/09/1952, 0.03, 0.01, 0.04,

.31,2,in,08/11/1952,.....,0.10,,0.08,,0.01,,.....,0.21,,0.05,,0.01,,0.04,,0.37,,0.87,,
.31,2,in,08/12/1952,0.26,,0.14,,0.12,,0.01,,.....,.....,0.53,,
.31,2,in,08/16/1952,.....,0.11,,.....,.....,0.11,,
.31,2,in,08/30/1952,.....,0.25,,0.35,,.....,0.15,,0.02,,.....,0.77,,
.31,2,in,09/01/1952,0.00,,.....,.....,0.05,,.....,0.07,,0.59,,0.12,,0.83,,
.31,2,in,09/02/1952,0.06,,0.01,,0.02,,0.08,,0.09,,0.01,,0.01,,0.09,,0.02,,0.02,,.....,0.41,,
.31,2,in,09/13/1952,.....,.....,0.02,,0.03,,.....,0.05,,
.31,2,in,09/14/1952,0.02,,0.03,,0.02,,0.03,,.....,0.04,,.....,0.01,,0.05,,.....,0.20,,
.31,2,in,09/17/1952,.....,0.05,,.....,.....,0.05,,
.31,2,in,09/18/1952,.....,.....,0.19,,0.08,,0.27,,
.31,2,in,09/19/1952,0.03,,.....,.....,0.03,,
.31,2,in,10/01/1952,0.00,,.....,.....,0.00,,
.31,2,in,10/05/1952,.....,0.01,,0.04,,0.13,,0.07,,0.10,,0.10,,0.10,,0.02,,.....,0.02,,0.59,,
.31,2,in,10/06/1952,0.05,,0.08,,0.07,,0.07,,0.11,,0.06,,0.05,,.....,0.49,,
.31,2,in,10/09/1952,.....,.....,0.04,,0.06,,0.02,,0.13,,0.12,,0.08,,0.45,,
.31,2,in,10/10/1952,0.09,,0.06,,0.06,,0.14,,0.13,,.....,0.48,,
.31,2,in,11/01/1952,0.00,,.....,.....,0.00,,
.31,2,in,11/09/1952,.....,0.06,,0.14,,0.04,,0.06,,.....,0.01,,0.02,,0.02,,0.03,,0.38,,
.31,2,in,11/18/1952,.....,.....,0.02,,0.12,,0.13,,0.08,,0.03,,0.02,,0.02,,0.05,,0.08,,0.01,,0.01,,0.03,,0.17,,0.25,,1.02,,
.31,2,in,11/19/1952,0.12,,0.06,,0.05,,0.02,,0.03,,.....,0.28,,
.31,2,in,11/22/1952,.....,0.01,,0.01,,.....,0.02,,
.31,2,in,11/25/1952,.....,0.06,,0.04,,0.05,,.....,0.15,,
.31,2,in,11/29/1952,.....,0.02,,0.03,,.....,0.05,,0.02,,.....,0.12,,
.31,2,in,12/01/1952,0.00,,.....,0.04,,0.06,,0.05,,0.10,,0.03,,0.05,,0.07,,0.03,,0.43,,
.31,2,in,12/02/1952,0.02,,0.03,,0.04,,0.01,,0.01,,0.01,,.....,0.12,,
.31,2,in,12/04/1952,.....,0.18,,0.30,,0.17,,0.09,,0.21,,0.03,,0.12,,0.08,,.....,0.01,,0.10,,0.25,,0.10,,0.10,,0.10,,0.05,,0.05,,2.04,,
.31,2,in,12/05/1952,0.05,,0.02,,0.01,,0.01,,0.01,,.....,0.10,,
.31,2,in,12/09/1952,.....,0.01,,0.05,,.....,0.55,,0.10,,.....,0.02,,0.13,,0.55,,0.05,,.....,0.09,,0.16,,0.05,,.....,1.76,,
.31,2,in,12/20/1952,0.05,,0.04,,0.05,,0.03,,.....,0.01,,0.01,,0.02,,0.01,,.....,0.22,,
.31,2,in,12/21/1952,.....,0.01,,0.01,,0.02,,.....,0.04,,
.31,2,in,12/23/1952,0.02,,.....,0.02,,0.02,,.....,0.06,,
.31,2,in,12/30/1952,.....,.....,0.03,,0.03,,
.31,2,in,12/31/1952,0.05,,0.07,,0.07,,0.12,,0.11,,0.10,,.....,0.52,,
.31,2,in,01/01/1953,0.00,,.....,.....,0.00,,
.31,2,in,01/02/1953,.....,0.01,,0.08,,0.07,,0.04,,0.04,,.....,0.06,,.....,0.02,,0.02,,0.02,,0.01,,0.37,,
.31,2,in,01/03/1953,0.01,,0.01,,0.02,,0.01,,.....,0.01,,0.01,,.....,0.01,,0.08,,
.31,2,in,01/04/1953,.....,0.01,,0.02,,0.02,,.....,0.05,,
.31,2,in,01/06/1953,.....,0.05,,0.05,,0.05,,0.04,,0.01,,.....,0.20,,
.31,2,in,01/07/1953,.....,0.04,,.....,0.04,,0.06,,0.08,,0.04,,0.01,,0.02,,0.03,,.....,0.02,,.....,0.08,,0.01,,.....,0.01,,0.02,,0.06,,0.52,,
.31,2,in,01/08/1953,0.08,,0.07,,.....,0.02,,.....,0.17,,
.31,2,in,01/10/1953,.....,0.05,,0.03,,0.06,,0.06,,.....,0.02,,0.01,,.....,0.05,,0.02,,.....,0.30,,
.31,2,in,01/15/1953,.....,.....,0.10,,0.10,,0.20,,
.31,2,in,01/16/1953,0.07,,0.03,,0.06,,0.08,,0.01,,.....,0.25,,
.31,2,in,01/17/1953,.....,0.02,,0.04,,0.05,,0.05,,0.02,,0.02,,0.03,,0.12,,0.10,,0.16,,0.08,,0.03,,.....,0.72,,
.31,2,in,01/23/1953,.....,0.07,,0.08,,.....,0.01,,.....,0.07,,0.20,,0.06,,0.01,,.....,0.02,,0.52,,
.31,2,in,01/24/1953,.....,0.01,,.....,0.01,,0.01,,.....,0.01,,0.05,,.....,0.09,,
.31,2,in,01/27/1953,.....,.....,0.18,,0.11,,0.03,,0.13,,0.06,,0.01,,0.52,,
.31,2,in,01/31/1953,.....,0.02,,0.01,,.....,0.03,,
.31,2,in,02/01/1953,0.00,,.....,.....,0.00,,
.31,2,in,02/05/1953,.....,.....,0.06,,0.10,,0.16,,
.31,2,in,02/06/1953,0.02,,.....,.....,0.02,,
.31,2,in,02/10/1953,.....,.....,0.02,,0.03,,0.05,,
.31,2,in,02/11/1953,0.02,,0.01,,0.02,,0.05,,0.02,,0.01,,.....,0.03,,0.05,,0.01,,.....,0.22,,

31,2,in,02/15/1953,0.03,0.03,
31,2,in,02/20/1953,0.30,0.12,0.04,0.22,0.01,0.01,0.32,0.04,0.01,1.07,,
31,2,in,02/27/1953,0.01,0.01,0.02,
31,2,in,03/01/1953,0.00,0.01,0.04,0.02,0.03,0.02,0.15,0.10,0.13,0.10,0.02,0.03,0.65,,
31,2,in,03/02/1953,0.03,0.02,0.05,
31,2,in,03/03/1953,0.03,0.12,0.22,0.18,0.20,0.07,0.23,0.22,0.16,0.02,0.07,0.02,0.01,0.05,0.05,0.05,1.70,,
31,2,in,03/04/1953,0.03,0.02,0.05,
31,2,in,03/07/1953,0.05,0.06,0.01,0.12,,
31,2,in,03/12/1953,0.14,0.08,0.03,0.02,0.04,0.01,0.02,0.01,0.35,,
31,2,in,03/14/1953,0.12,0.08,0.02,0.30,0.02,0.54,,
31,2,in,03/15/1953,0.44,0.04,0.48,,
31,2,in,03/17/1953,0.07,0.05,0.11,0.05,0.28,,
31,2,in,03/18/1953,0.04,0.10,0.02,0.01,0.03,0.03,0.23,,
31,2,in,03/22/1953,0.01,0.10,0.02,0.02,0.03,0.15,0.03,0.08,0.06,0.50,,
31,2,in,03/30/1953,0.02,0.03,0.05,,
31,2,in,03/31/1953,0.02,0.01,0.03,0.02,0.02,0.10,,
31,2,in,04/01/1953,0.11,0.09,0.02,0.01,0.23,,
31,2,in,04/03/1953,0.02,0.02,,
31,2,in,04/05/1953,0.02,0.02,,
31,2,in,04/06/1953,0.03,0.03,0.04,0.03,0.08,0.07,a,0.20,A,0.04,0.03,0.01,0.02,0.06,0.04,0.02,0.01,0.01,0.72,I,
31,2,in,04/08/1953,0.22,0.22,,
31,2,in,04/09/1953,0.06,0.06,,
31,2,in,04/11/1953,0.05,0.05,,
31,2,in,04/12/1953,0.06,0.19,0.02,0.01,0.02,0.30,,
31,2,in,04/15/1953,0.46,0.46,,
31,2,in,04/17/1953,0.03,0.03,,
31,2,in,04/18/1953,0.04,0.26,0.04,0.05,0.05,a,0.48,A,0.06,0.06,0.06,0.02,1.12,I,
31,2,in,04/24/1953,0.09,0.03,0.01,0.20,0.01,0.01,0.02,0.01,0.02,0.40,,
31,2,in,04/25/1953,0.02,0.01,0.01,0.01,0.03,0.08,,
31,2,in,04/26/1953,0.04,0.04,,
31,2,in,04/29/1953,0.07,0.05,0.12,,
31,2,in,04/30/1953,0.10,0.08,0.07,0.25,,
31,2,in,05/01/1953,0.00,0.00,,
31,2,in,05/04/1953,0.08,0.09,0.08,0.02,0.16,0.07,0.03,0.02,0.08,0.63,,
31,2,in,05/05/1953,0.01,0.03,0.01,0.02,0.07,,
31,2,in,05/07/1953,0.01,0.01,0.02,0.02,0.34,0.40,,
31,2,in,05/12/1953,0.02,0.02,0.01,0.05,,
31,2,in,05/13/1953,0.05,0.07,0.10,0.02,0.03,0.27,,
31,2,in,05/14/1953,0.70,0.20,0.03,0.01,0.94,,
31,2,in,05/15/1953,0.06,0.06,,
31,2,in,05/16/1953,0.03,0.01,0.07,0.07,0.05,0.13,0.07,0.03,0.05,0.01,0.02,0.09,0.01,0.64,,
31,2,in,05/17/1953,0.12,0.06,0.06,0.03,0.17,0.11,0.21,0.06,0.05,0.15,0.05,0.23,1.30,,
31,2,in,05/18/1953,0.12,0.11,0.01,0.01,0.25,,
31,2,in,06/01/1953,0.00,0.00,,
31,2,in,06/10/1953,0.07,0.07,,
31,2,in,06/13/1953,0.13,0.03,0.02,0.18,,
31,2,in,06/14/1953,0.01,0.03,0.01,0.05,,
31,2,in,06/16/1953,0.13,0.25,0.01,0.01,0.40,,
31,2,in,06/26/1953,0.34,0.21,0.55,,
31,2,in,07/01/1953,0.00,0.00,,
31,2,in,07/04/1953,0.14,0.14,,
31,2,in,07/06/1953,0.21,0.09,0.59,0.89,,
31,2,in,07/16/1953,0.34,0.34,,

.31,2,in,07/17/1953,0.08,,0.01,,0.02,,0.18,,0.09,,0.11,,0.07,,...0.27,,0.03,,...0.01,,0.08,,...0.23,,0.01,,0.02,,...1.21,,
.31,2,in,07/18/1953,0.01,,0.02,,...0.03,,
.31,2,in,07/21/1953,0.03,,0.03,,...0.06,,
.31,2,in,07/22/1953,0.01,,0.01,,...0.01,,0.10,,0.02,,...0.07,,...0.22,,
.31,2,in,08/01/1953,0.00,,...0.05,,...0.05,,
.31,2,in,08/02/1953,0.11,,0.06,,0.13,,...0.30,,
.31,2,in,08/04/1953,0.29,,...0.29,,
.31,2,in,08/07/1953,0.34,,0.01,,0.35,,
.31,2,in,08/08/1953,0.12,,0.36,,0.02,,...0.50,,
.31,2,in,09/01/1953,0.00,,...0.00,,
.31,2,in,09/19/1953,0.05,,0.05,,a,,...0.13,A,,...0.23,I,
.31,2,in,10/01/1953,0.00,,...0.00,,
.31,2,in,10/26/1953,0.48,A,,...0.00,I,
.31,2,in,10/27/1953,0.48,A,,...0.48,I,
.31,2,in,10/28/1953,m,,...M,,...0.00,I,
.31,2,in,11/01/1953,0.00,,...0.00,,
.31,2,in,11/20/1953,0.05,,...0.05,,
.31,2,in,11/22/1953,a,,...0.95,A,,...0.95,I,
.31,2,in,11/23/1953,0.07,,...0.07,,
.31,2,in,11/24/1953,0.03,,0.08,,0.08,,0.04,,0.03,,0.01,,0.01,,0.02,,0.10,,0.03,,...0.43,,
.31,2,in,12/01/1953,0.00,,...0.00,,
.31,2,in,12/05/1953,1.46,A,,...0.00,I,
.31,2,in,12/06/1953,0.05,,0.02,,0.04,,0.03,,0.02,,0.03,,...0.02,,...1.46,I,
.31,2,in,12/09/1953,0.02,,...0.00,I,
.31,2,in,12/13/1953,0.47,A,,...0.47,I,
.31,2,in,12/14/1953,0.02,,0.02,,
.31,2,in,12/20/1953,0.05,,0.01,,0.01,,0.01,,...0.01,,0.01,,0.14,,
.31,2,in,12/21/1953,0.01,,0.02,,0.02,,...0.05,,
.31,2,in,12/22/1953,0.02,,0.01,,0.06,,0.07,,0.08,,0.05,,0.01,,0.04,,0.02,,...0.36,,
.31,2,in,12/28/1953,0.00,,...0.00,,
.31,2,in,01/01/1954,0.06,,0.06,,
.31,2,in,01/04/1954,0.60,A,,...0.00,I,
.31,2,in,01/09/1954,0.01,,0.02,,0.04,,0.01,,0.07,,0.11,,0.09,,0.09,,0.16,,0.12,,0.06,,0.04,,0.05,,0.07,,0.04,,...0.01,,...0.99,,
.31,2,in,01/10/1954,0.01,,0.01,,0.01,,0.01,,...0.01,,0.01,,0.01,,0.03,,0.06,,0.05,,0.03,,0.10,,0.08,,0.03,,0.06,,0.02,,0.01,,...0.54,,
.31,2,in,01/14/1954,0.13,,...0.23,,0.29,,0.11,,0.07,,0.04,,0.13,,0.05,,0.01,,...0.07,,0.19,,0.09,,...1.41,,
.31,2,in,01/15/1954,0.01,,0.01,,0.01,,0.01,,...0.01,,0.01,,0.01,,0.01,,...0.01,,0.01,,0.01,,0.07,,
.31,2,in,01/19/1954,0.01,,0.01,,...0.02,,
.31,2,in,01/20/1954,0.05,,0.06,,0.11,,0.16,,0.08,,0.06,,...0.01,,0.01,,...0.03,,0.17,,0.07,,0.01,,0.82,,
.31,2,in,01/24/1954,0.00,,...0.00,,
.31,2,in,01/25/1954,0.03,,0.09,,0.12,,0.08,,0.03,,...0.02,,...0.37,,
.31,2,in,01/26/1954,0.12,,0.38,,0.20,,0.07,,0.06,,0.02,,...0.05,,0.22,,...0.01,,0.01,,...1.14,,
.31,2,in,02/01/1954,0.03,,0.02,,0.02,,0.01,,0.12,,...0.32,,
.31,2,in,02/03/1954,0.09,,0.06,,0.06,,...0.04,,...0.25,,
.31,2,in,02/16/1954,0.03,,0.31,,0.25,,0.30,,0.20,,1.09,,
.31,2,in,02/19/1954,0.02,,...0.02,,
.31,2,in,02/20/1954,0.00,,...0.00,,
.31,2,in,02/23/1954,0.10,,0.20,,0.01,,0.31,,
.31,2,in,02/27/1954,0.02,,...0.02,,
.31,2,in,02/28/1954,0.08,,0.22,,0.05,,0.03,,0.02,,...0.40,,
.31,2,in,03/01/1954,0.08,,0.22,,0.05,,0.03,,0.02,,...0.40,,
.31,2,in,03/02/1954,0.08,,0.22,,0.05,,0.03,,0.02,,...0.40,,
.31,2,in,03/03/1954,0.08,,0.22,,0.05,,0.03,,0.02,,...0.40,,
.31,2,in,03/19/1954,0.08,,0.22,,0.05,,0.03,,0.02,,...0.40,,

.31,2,in,03/22/1954,.....,0.03,,0.01,,0.01,,.....,0.05,,
.31,2,in,03/23/1954,0.03,,.....,0.01,,.....,0.04,,
.31,2,in,03/24/1954,.....,0.04,,.....,0.04,,
.31,2,in,03/25/1954,.....,0.02,,0.30,,0.05,,0.18,,0.02,,.....,0.04,,
.31,2,in,03/29/1954,.....,0.19,,0.03,,0.22,,.....,0.57,,
.31,2,in,04/01/1954,0.00,,.....,0.05,,.....,0.00,,
.31,2,in,04/04/1954,.....,0.05,,.....,0.05,,
.31,2,in,04/05/1954,.....,0.08,,.....,0.08,,
.31,2,in,04/06/1954,.....,0.01,,0.01,,0.01,,0.10,,0.29,,0.22,,0.16,,0.02,,0.01,,.....,0.83,,
.31,2,in,04/07/1954,.....,0.03,,0.02,,0.05,,.....,0.08,,
.31,2,in,04/08/1954,0.05,,.....,0.01,,0.02,,.....,0.09,,
.31,2,in,04/10/1954,.....,0.01,,0.10,,0.06,,0.01,,.....,0.18,,
.31,2,in,04/11/1954,.....,0.06,,0.09,,0.04,,0.01,,.....,0.20,,
.31,2,in,04/14/1954,.....,0.01,,.....,0.05,,0.05,,0.07,,0.18,,
.31,2,in,04/15/1954,.....,0.08,,0.01,,0.03,,0.04,,0.04,,0.03,,0.10,,0.09,,0.07,,0.09,,0.04,,0.01,,.....,0.63,,
.31,2,in,04/16/1954,0.08,,0.01,,0.03,,0.04,,0.04,,0.03,,0.10,,0.09,,0.07,,0.09,,0.04,,0.01,,.....,0.10,,
.31,2,in,04/22/1954,.....,0.13,,0.01,,.....,0.25,,.....,0.14,,
.31,2,in,04/23/1954,.....,0.08,,0.01,,.....,0.25,,.....,0.09,,
.31,2,in,04/27/1954,.....,0.00,,.....,0.55,,0.19,,.....,0.74,,
.31,2,in,04/30/1954,.....,0.01,,.....,0.01,,0.07,,0.02,,.....,0.11,,
.31,2,in,05/01/1954,0.00,,.....,0.01,,0.01,,0.07,,0.02,,.....,0.02,,0.02,,0.02,,0.08,,0.15,,0.19,,0.48,,
.31,2,in,05/02/1954,.....,0.01,,.....,0.01,,0.07,,0.02,,.....,0.03,,0.01,,0.01,,0.01,,.....,0.51,,
.31,2,in,05/03/1954,.....,0.09,,0.11,,0.03,,.....,0.23,,
.31,2,in,05/06/1954,.....,0.03,,0.04,,.....,0.56,,.....,0.56,,
.31,2,in,05/07/1954,.....,0.06,,.....,0.04,,0.01,,0.03,,0.02,,.....,0.25,,0.13,,.....,0.08,,
.31,2,in,05/13/1954,.....,0.03,,0.04,,.....,0.56,,.....,0.56,,
.31,2,in,05/19/1954,.....,0.09,,0.11,,0.03,,.....,0.23,,
.31,2,in,05/26/1954,.....,0.03,,0.04,,.....,0.56,,.....,0.56,,
.31,2,in,05/27/1954,.....,0.06,,.....,0.04,,0.01,,0.03,,0.02,,.....,0.25,,0.13,,.....,0.08,,
.31,2,in,05/28/1954,.....,0.03,,0.04,,.....,0.56,,.....,0.56,,
.31,2,in,06/01/1954,0.00,,.....,0.04,,0.56,,.....,0.60,,
.31,2,in,06/03/1954,0.40,,0.15,,0.10,,.....,0.65,,
.31,2,in,06/08/1954,.....,0.10,,0.12,,0.01,,.....,0.03,,0.07,,0.03,,.....,0.36,,
.31,2,in,06/16/1954,.....,0.15,,0.35,,0.48,,0.01,,.....,0.99,,
.31,2,in,06/30/1954,.....,0.40,,.....,0.40,,
.31,2,in,07/01/1954,0.00,,.....,0.02,,0.04,,0.11,,0.05,,.....,0.22,,
.31,2,in,07/04/1954,.....,0.30,,0.15,,.....,0.45,,
.31,2,in,07/07/1954,.....,0.05,,0.01,,.....,0.33,,0.02,,.....,0.35,,
.31,2,in,07/08/1954,.....,0.15,,.....,0.06,,.....,0.21,,
.31,2,in,07/15/1954,0.15,,.....,0.06,,.....,0.21,,
.31,2,in,07/21/1954,.....,0.08,,0.01,,.....,0.01,,0.05,,.....,0.15,,
.31,2,in,07/22/1954,.....,0.02,,0.01,,.....,0.03,,
.31,2,in,07/31/1954,.....,0.03,,.....,0.03,,
.31,2,in,08/01/1954,0.00,,.....,0.27,,0.07,,.....,0.34,,
.31,2,in,08/02/1954,.....,0.02,,0.09,,0.75,,0.22,,.....,0.07,,0.18,,1.33,,
.31,2,in,08/03/1954,.....,0.18,,.....,0.02,,.....,0.20,,
.31,2,in,08/04/1954,.....,0.02,,0.15,,.....,0.43,,.....,0.60,,
.31,2,in,08/08/1954,.....,0.15,,.....,0.15,,
.31,2,in,08/12/1954,.....,0.02,,0.07,,0.06,,.....,0.15,,
.31,2,in,08/17/1954,.....,0.05,,0.02,,0.01,,.....,0.08,,
.31,2,in,08/22/1954,.....,0.04,,.....,0.04,,
.31,2,in,08/28/1954,.....,0.35,A,.....,0.35,I,
.31,2,in,09/01/1954,0.00,,.....,0.00,,

31,2,in,09/06/1954,.....,0.35,.....,0.08,.....,0.07,0.02,0.52,,
31,2,in,09/07/1954,.....,0.03,.....,0.05,0.03,.....,0.11,,
31,2,in,09/20/1954,.....,0.04,0.79,0.50,.....,0.02,.....,0.05,0.35,0.30,0.20,0.21,0.04,2.50,,
31,2,in,09/21/1954,.....,0.03,.....,0.05,.....,0.03,.....,0.08,,
31,2,in,09/29/1954,.....,0.01,0.03,0.05,0.01,0.03,0.14,0.01,.....,0.28,,
31,2,in,09/30/1954,0.00,.....,0.01,0.02,.....,0.03,,
31,2,in,10/01/1954,.....,0.02,.....,0.02,,
31,2,in,10/02/1954,.....,0.01,0.02,.....,0.04,0.03,0.07,,
31,2,in,10/05/1954,.....,0.01,0.02,.....,0.03,,
31,2,in,10/06/1954,.....,1.35,0.02,.....,1.37,,
31,2,in,10/11/1954,.....,0.02,0.78,0.48,0.05,0.02,0.03,0.02,.....,1.40,,
31,2,in,10/12/1954,.....,0.01,0.01,0.02,,
31,2,in,10/13/1954,.....,0.03,.....,0.06,0.04,.....,0.02,0.11,.....,0.02,.....,0.28,,
31,2,in,10/14/1954,0.07,0.02,0.02,0.01,0.07,0.03,.....,0.02,0.03,.....,0.27,,
31,2,in,10/16/1954,.....,0.02,0.03,.....,0.40,0.06,0.46,,
31,2,in,10/25/1954,0.26,0.03,.....,0.01,0.01,.....,0.01,0.02,.....,0.34,,
31,2,in,10/26/1954,.....,0.05,.....,0.05,,
31,2,in,10/27/1954,.....,0.05,0.05,0.05,.....,0.02,.....,0.01,0.18,,
31,2,in,10/28/1954,.....,0.02,.....,0.02,,
31,2,in,10/29/1954,0.00,.....,0.01,0.01,.....,0.01,0.02,.....,0.05,,
31,2,in,11/01/1954,.....,0.05,.....,0.02,0.01,0.02,.....,0.02,.....,0.12,,
31,2,in,11/04/1954,.....,0.07,0.01,.....,0.04,.....,0.01,.....,0.13,,
31,2,in,11/18/1954,.....,0.02,0.03,0.02,0.09,0.01,.....,0.17,,
31,2,in,11/19/1954,.....,0.05,0.07,0.08,.....,0.05,0.03,0.07,0.02,.....,0.03,0.20,,
31,2,in,11/23/1954,.....,0.20,,
31,2,in,11/27/1954,.....,0.05,0.04,0.09,,
31,2,in,11/30/1954,0.00,.....,0.00,,
31,2,in,12/01/1954,.....,0.01,0.01,.....,0.16,0.07,0.03,0.17,0.17,0.11,0.02,.....,0.75,,
31,2,in,12/05/1954,.....,0.03,0.02,0.05,0.05,0.06,0.06,0.03,0.05,.....,0.02,.....,0.03,0.04,0.01,0.03,.....,0.05,0.48,,
31,2,in,12/08/1954,0.01,0.03,0.02,0.02,0.03,0.01,0.04,.....,0.02,.....,0.03,0.04,0.01,0.04,0.03,0.06,0.07,0.10,0.09,0.84,,
31,2,in,12/12/1954,.....,0.02,0.01,.....,0.02,0.01,0.02,0.02,0.03,.....,0.16,,
31,2,in,12/13/1954,.....,0.02,0.01,.....,0.02,0.01,0.02,0.02,0.03,.....,0.13,,
31,2,in,12/15/1954,.....,0.02,0.01,.....,0.02,0.01,0.02,0.02,0.03,.....,0.11,,
31,2,in,12/18/1954,.....,0.02,0.08,0.10,0.13,0.12,0.04,0.09,0.04,0.03,.....,0.07,0.72,,
31,2,in,12/27/1954,0.04,0.04,.....,0.01,.....,0.04,0.25,0.15,0.07,0.02,.....,0.01,.....,0.63,,
31,2,in,12/28/1954,0.02,0.01,0.02,0.01,0.04,0.07,.....,0.03,0.03,0.02,0.05,.....,0.30,,
31,2,in,12/29/1954,0.00,.....,0.05,0.01,0.09,.....,0.15,,
31,2,in,01/01/1955,.....,0.06,.....,0.06,,
31,2,in,01/03/1955,.....,0.02,0.03,0.01,0.01,.....,0.05,0.06,0.20,0.09,0.10,0.06,0.02,0.05,0.70,,
31,2,in,01/04/1955,.....,0.03,0.02,.....,0.03,0.06,0.01,.....,0.10,,
31,2,in,01/05/1955,.....,0.03,0.04,0.02,0.01,.....,0.04,0.04,0.02,.....,0.22,,
31,2,in,01/09/1955,.....,0.01,0.04,0.01,0.01,0.03,.....,0.10,,
31,2,in,01/10/1955,.....,0.05,0.03,.....,0.02,.....,0.10,,
31,2,in,01/12/1955,.....,0.03,0.02,.....,0.01,0.07,0.09,0.08,0.03,.....,0.28,,
31,2,in,01/14/1955,.....,0.01,0.07,0.09,0.08,0.03,.....,0.05,,
31,2,in,01/19/1955,.....,0.01,0.07,0.09,0.08,0.03,.....,0.05,,
31,2,in,01/21/1955,.....,0.01,0.07,0.09,0.08,0.03,.....,0.05,,
31,2,in,01/24/1955,.....,0.01,0.07,0.09,0.08,0.03,.....,0.05,,
31,2,in,02/01/1955,0.00,.....,0.03,.....,0.01,0.13,0.08,0.05,0.10,.....,0.40,,
31,2,in,02/04/1955,.....,0.03,.....,0.01,0.13,0.08,0.05,0.10,.....,0.03,0.03,I,
31,2,in,02/05/1955,0.05,0.03,0.04,0.06,0.07,0.05,0.07,0.08,0.05,0.10,0.10,0.02,0.04,.....,0.14,0.10,0.05,0.03,0.02,0.02,0.08,.....,0.04,1.24,,
31,2,in,02/06/1955,0.02,0.02,0.02,0.05,0.04,0.03,0.08,0.05,0.03,0.03,0.03,.....,0.01,0.05,0.01,.....,0.52,,
31,2,in,02/10/1955,.....,0.03,0.02,0.04,0.01,0.01,0.01,.....,0.12,,

31,2,in,02/16/1955,0.07,0.07,0.09,0.03,0.01,0.02,0.29,
31,2,in,02/20/1955,0.03,0.05,0.09,0.10,0.03,0.08,0.02,0.10,0.04,0.06,0.07,0.12,0.06,0.10,0.14,0.10,1.19,,
31,2,in,02/21/1955,0.10,0.01,0.10,0.06,0.04,0.04,0.05,0.09,0.07,0.09,0.10,0.10,0.05,0.03,0.02,0.95,,
31,2,in,02/26/1955,0.04,0.11,0.07,0.03,0.04,0.07,0.15,0.32,0.33,0.29,0.08,0.11,0.07,0.02,0.02,0.01,0.01,0.02,0.11,1.90,,
31,2,in,02/27/1955,0.05,0.23,0.21,0.06,0.03,0.02,0.07,0.42,1.09,,
31,2,in,02/28/1955,0.01,0.24,0.01,0.26,,
31,2,in,03/01/1955,0.00,0.14,0.16,0.01,0.31,,
31,2,in,03/03/1955,0.16,0.02,0.18,,
31,2,in,03/04/1955,0.02,0.02,0.01,0.04,0.07,,
31,2,in,03/05/1955,0.23,0.08,0.02,0.33,,
31,2,in,03/15/1955,0.30,0.21,0.01,0.08,0.05,0.08,0.04,0.05,0.13,0.05,0.03,0.04,0.01,1.08,,
31,2,in,03/17/1955,0.02,0.01,0.02,0.05,,
31,2,in,03/18/1955,0.02,0.03,0.05,0.10,,
31,2,in,03/20/1955,0.03,0.04,0.10,0.16,0.27,0.26,0.02,0.02,0.03,0.34,0.05,0.06,1.38,,
31,2,in,03/21/1955,0.02,0.07,0.10,0.09,0.09,0.08,0.14,0.05,0.01,0.02,0.67,,
31,2,in,03/22/1955,0.03,0.03,,
31,2,in,04/01/1955,0.00,0.00,,
31,2,in,04/06/1955,0.04,0.03,0.03,0.01,0.11,,
31,2,in,04/10/1955,0.01,0.05,0.06,,
31,2,in,04/11/1955,0.07,0.08,0.14,0.05,0.10,0.15,0.07,0.03,0.02,0.71,,
31,2,in,04/12/1955,0.12,0.33,0.05,0.50,,
31,2,in,04/13/1955,0.05,0.18,0.11,0.34,,
31,2,in,04/20/1955,0.03,0.02,0.02,0.01,0.08,,
31,2,in,04/21/1955,0.05,0.05,,
31,2,in,04/23/1955,0.11,0.14,0.17,0.10,0.06,0.03,0.10,1.10,1.81,,
31,2,in,04/24/1955,0.18,0.02,0.07,0.02,0.08,0.37,,
31,2,in,05/01/1955,0.00,0.00,,
31,2,in,05/07/1955,0.28,0.11,0.01,0.40,,
31,2,in,05/10/1955,0.03,0.10,0.62,0.75,,
31,2,in,05/12/1955,0.04,0.01,0.03,0.06,0.01,0.03,0.02,0.05,0.06,0.09,0.05,0.04,0.05,0.01,0.55,,
31,2,in,05/13/1955,0.04,0.01,0.13,0.07,0.02,0.17,0.12,0.04,0.07,0.03,0.70,,
31,2,in,05/14/1955,0.02,0.01,0.04,0.01,0.02,0.10,,
31,2,in,05/21/1955,0.07,0.23,0.15,0.45,,
31,2,in,05/22/1955,0.25,0.09,0.05,0.18,0.10,0.01,0.05,0.17,0.05,0.22,0.03,1.20,,
31,2,in,05/24/1955,0.18,0.18,,
31,2,in,05/28/1955,0.07,0.03,0.02,0.12,,
31,2,in,06/01/1955,0.00,0.00,,
31,2,in,06/06/1955,0.15,0.06,0.04,0.25,,
31,2,in,06/07/1955,0.01,0.01,0.02,0.01,0.03,0.17,0.77,0.16,0.12,0.05,0.12,0.08,1.60,,
31,2,in,06/08/1955,0.02,0.06,0.02,0.02,0.11,0.13,0.08,0.03,0.03,0.40,,
31,2,in,06/10/1955,0.20,0.05,0.03,0.17,0.02,0.47,,
31,2,in,06/11/1955,0.08,0.08,,
31,2,in,06/12/1955,0.03,0.05,0.03,,
31,2,in,06/21/1955,0.03,0.03,,
31,2,in,06/24/1955,0.11,0.19,0.02,0.70,0.06,0.04,0.12,0.01,0.02,0.01,1.28,,
31,2,in,06/25/1955,0.01,0.01,0.29,0.06,0.37,,
31,2,in,07/01/1955,0.00,0.00,,
31,2,in,07/05/1955,0.02,0.03,0.05,,
31,2,in,07/06/1955,0.09,0.04,0.13,,
31,2,in,07/09/1955,0.55,0.55,,
31,2,in,07/14/1955,0.03,0.32,0.35,,
31,2,in,07/15/1955,0.05,0.02,0.01,0.10,0.07,0.25,,
31,2,in,07/17/1955,0.03,0.04,0.23,0.30,,

[illegible]

.31,2,in,01/24/1958,0.02,0.03,0.06,0.04,0.06,0.03,0.01,0.02,0.01,0.01,0.01,0.25,,
.31,2,in,01/31/1958,0.09,0.07,0.24,0.10,0.12,0.08,0.02,0.01,0.01,0.01,0.75,,
.31,2,in,02/01/1958,0.01,0.03,0.01,0.05,,
.31,2,in,02/05/1958,0.02,0.01,0.01,0.01,0.03,0.01,0.01,0.03,0.01,0.01,0.15,,
.31,2,in,02/06/1958,0.03,0.05,0.14,0.20,0.08,0.03,0.05,0.03,0.02,0.01,0.64,,
.31,2,in,02/07/1958,0.01,0.01,0.02,0.01,0.05,,
.31,2,in,02/14/1958,0.03,0.03,,
.31,2,in,02/15/1958,0.02,0.02,0.03,0.01,0.02,0.10,,
.31,2,in,02/27/1958,0.13,0.15,0.07,0.01,0.03,0.01,0.01,0.01,0.02,0.02,0.03,0.51,,
.31,2,in,03/01/1958,0.00,0.00,,
.31,2,in,03/06/1958,0.04,0.04,,
.31,2,in,03/07/1958,0.03,0.02,0.01,0.01,0.07,,
.31,2,in,03/08/1958,a,0.00,I,
.31,2,in,03/09/1958,0.32,A,0.32,I,
.31,2,in,03/13/1958,a,0.47,A,0.06,0.04,0.02,0.59,I,
.31,2,in,03/17/1958,0.02,0.01,0.01,0.01,0.02,0.01,0.01,0.02,0.12,,
.31,2,in,03/23/1958,0.02,0.03,0.01,0.07,0.05,0.03,0.07,0.07,0.08,0.03,0.07,0.53,,
.31,2,in,03/24/1958,0.04,0.04,0.07,0.02,0.03,0.09,0.11,0.12,0.19,0.11,0.04,0.01,0.08,0.04,0.02,0.02,0.02,0.01,0.01,1.07,,
.31,2,in,03/30/1958,0.03,0.02,0.05,0.05,0.05,0.05,0.02,0.01,0.28,,
.31,2,in,04/01/1958,0.00,0.00,,
.31,2,in,04/03/1958,0.28,0.01,0.01,0.30,,
.31,2,in,04/04/1958,0.01,0.03,0.01,0.01,0.07,,
.31,2,in,04/05/1958,0.03,0.10,0.33,0.46,,
.31,2,in,04/09/1958,0.14,0.14,,
.31,2,in,04/10/1958,0.11,0.06,0.06,0.04,0.27,,
.31,2,in,04/19/1958,0.06,0.06,,
.31,2,in,04/20/1958,0.03,0.08,0.04,0.07,0.07,0.06,0.02,0.01,0.38,,
.31,2,in,04/22/1958,0.01,0.07,0.04,0.01,0.13,,
.31,2,in,04/24/1958,0.18,0.03,0.03,0.24,,
.31,2,in,04/26/1958,0.01,0.02,0.06,0.05,0.04,0.01,0.03,0.02,0.03,0.01,0.02,0.02,0.01,0.33,,
.31,2,in,04/27/1958,0.01,0.02,0.01,0.16,0.15,0.11,0.01,0.47,,
.31,2,in,04/28/1958,0.03,0.01,0.05,0.09,,
.31,2,in,04/29/1958,0.07,0.16,0.01,0.03,0.27,,
.31,2,in,05/01/1958,0.00,0.00,,
.31,2,in,05/02/1958,0.20,0.15,0.02,0.06,0.01,0.01,0.45,,
.31,2,in,05/03/1958,0.23,0.05,0.02,0.30,,
.31,2,in,05/04/1958,0.24,0.04,0.28,,
.31,2,in,05/05/1958,0.01,0.06,0.07,,
.31,2,in,05/06/1958,0.06,0.05,0.04,0.03,0.15,0.20,0.20,0.27,0.22,0.08,0.04,0.01,0.01,0.01,0.03,1.40,,
.31,2,in,05/10/1958,0.04,0.03,0.02,0.09,0.01,0.01,0.20,,
.31,2,in,05/25/1958,0.09,0.05,0.14,,
.31,2,in,05/27/1958,0.02,0.08,0.10,,
.31,2,in,06/01/1958,0.00,a,0.10,A,0.03,0.32,0.20,0.65,I,
.31,2,in,06/10/1958,0.76,0.03,0.02,0.01,0.82,,
.31,2,in,06/11/1958,0.01,0.04,0.03,0.01,0.02,0.02,0.13,,
.31,2,in,06/13/1958,0.48,0.28,0.33,1.09,,
.31,2,in,06/14/1958,0.04,0.01,0.08,0.28,0.04,0.01,0.46,,
.31,2,in,06/15/1958,0.06,0.13,0.01,0.05,0.25,,
.31,2,in,06/17/1958,0.02,0.02,0.04,,
.31,2,in,06/19/1958,0.03,0.06,0.01,0.03,1.24,0.01,0.02,1.40,,
.31,2,in,06/25/1958,0.25,0.61,0.02,0.12,0.31,1.31,,
.31,2,in,06/26/1958,0.06,0.02,0.01,0.09,,
.31,2,in,07/01/1958,0.00,0.00,,

31,2,in,02/05/1957.....0.03,,0.03,,0.02,,0.04,,0.05,,0.01,,---,m,---,M,,,0.01,,0.02,,0.02,,,,,,0.24,I,
31,2,in,02/08/1957.....0.03,,0.10,,0.09,,0.08,,0.03,,0.01,,0.02,,,,,,0.02,,0.05,,0.20,,0.14,,0.01,,0.05,,0.01,,0.84,,
31,2,in,02/15/1957.....0.04,,,,,,0.04,,,,,,
31,2,in,02/25/1957.....0.03,,0.02,,0.09,,0.05,,0.05,,0.05,,0.29,,
31,2,in,02/26/1957,0.09,,0.04,,0.01,,,,,,0.01,,0.01,,0.10,,0.09,,0.04,,,,,,0.39,,
31,2,in,02/27/1957.....0.01,,0.06,,0.04,,0.01,,0.02,,0.03,,0.05,,0.08,,0.07,,0.10,,0.09,,0.01,,,,,,0.57,,
31,2,in,03/01/1957,0.00,,,,,,0.00,,,,,,
31,2,in,03/05/1957.....0.02,,0.04,,0.06,,
31,2,in,03/06/1957.....0.01,,0.01,,0.04,,0.01,,0.01,,0.01,,0.01,,0.01,,0.01,,,,,,0.11,,
31,2,in,03/07/1957.....0.01,,0.01,,0.01,,0.01,,,,,,0.01,,0.01,,0.05,,
31,2,in,03/11/1957.....0.01,,0.06,,0.05,,,,,,0.24,,0.05,,,,,,0.41,,
31,2,in,03/14/1957.....0.11,,0.04,,0.03,,0.18,,
31,2,in,03/21/1957.....0.03,,0.01,,0.03,,0.07,I,
31,2,in,03/22/1957.....0.01,,0.02,,0.01,,0.01,,,,,,0.05,,
31,2,in,03/25/1957,0.08,,0.05,,0.06,,0.05,,,,,,0.24,,
31,2,in,03/26/1957.....0.01,,0.03,,0.01,,0.05,,,,,,0.10,,
31,2,in,04/01/1957,0.00,,,,,,0.06,,0.09,,0.16,,0.01,,0.01,,0.02,,0.01,,,,,,0.36,,
31,2,in,04/03/1957.....0.04,,0.03,,0.05,,0.07,,0.01,,,,,,0.74,,0.01,,0.05,,0.03,,0.02,,0.02,,0.14,,0.30,,1.51,,
31,2,in,04/04/1957,0.13,,0.16,,0.33,,0.21,,0.05,,0.03,,,,,,0.91,,
31,2,in,04/05/1957.....0.02,,0.07,,0.12,,,,,,0.01,,0.04,,,,,,0.26,,
31,2,in,04/07/1957.....0.09,,0.09,,
31,2,in,04/08/1957,0.10,,0.03,,0.50,,0.12,,0.17,,0.03,,0.08,,,,,,1.03,,
31,2,in,04/16/1957.....0.05,,0.05,,0.01,,0.06,,0.03,,0.02,,0.02,,,,,,0.01,,0.05,,0.01,,0.01,,0.32,,
31,2,in,04/17/1957,0.01,,0.05,,0.02,,0.04,,0.01,,0.04,,0.01,,0.01,,,,,,0.01,,0.02,,0.01,,0.05,,,,,,0.30,,
31,2,in,04/19/1957.....0.37,,0.02,,,,,,0.39,,
31,2,in,04/21/1957.....0.10,,0.10,,,,,,0.20,,
31,2,in,04/23/1957.....0.18,,,,,,0.18,,
31,2,in,04/27/1957.....0.04,,0.01,,0.01,,,,,,0.06,,
31,2,in,04/28/1957.....0.10,,0.01,,,,,,0.11,,
31,2,in,05/01/1957,0.00,,,,,,0.00,,
31,2,in,05/13/1957.....0.31,,0.09,,0.10,,0.02,,0.07,,0.38,,0.10,,0.02,,1.09,,
31,2,in,05/14/1957,0.01,,,,,,0.01,,0.16,,0.05,,0.03,,,,,,0.26,,
31,2,in,05/17/1957.....0.23,,0.01,,0.07,,,,,,0.31,,
31,2,in,05/18/1957.....0.08,,0.06,,0.17,,0.10,,,,,,0.01,,0.01,,0.11,,0.07,,0.61,,
31,2,in,05/19/1957,0.10,,0.10,,0.02,,0.04,,0.04,,,,,,0.01,,0.01,,0.06,,0.02,,0.01,,0.01,,0.12,,0.01,,0.01,,,,,,0.04,,,,,,0.03,,,,,,0.63,,
31,2,in,05/21/1957.....0.03,,0.54,,0.22,,0.16,,0.95,,
31,2,in,05/22/1957,0.13,,0.77,,0.21,,0.05,,,,,,0.30,,0.33,,0.04,,,,,,0.01,,0.01,,,,,,0.05,,0.04,,0.04,,0.05,,0.51,,0.12,,0.06,,0.01,,0.05,,2.78,,
31,2,in,05/23/1957,0.01,,,,,,0.28,,0.02,,0.04,,0.01,,,,,,0.36,,
31,2,in,05/25/1957.....0.32,,0.05,,,,,,0.01,,0.03,,,,,,0.41,,
31,2,in,05/31/1957.....0.07,,0.04,,,,,,0.11,,
31,2,in,06/01/1957,0.00,,,,,,0.03,,0.05,,0.04,,,,,,0.12,,
31,2,in,06/05/1957.....0.30,,0.05,,,,,,0.35,,
31,2,in,06/07/1957.....0.02,,,,,,0.36,,0.01,,,,,,0.39,,
31,2,in,06/11/1957.....0.25,,0.10,,,,,,0.35,,
31,2,in,06/12/1957.....0.27,,0.01,,,,,,0.27,,0.10,,,,,,0.65,,
31,2,in,06/13/1957.....0.06,,0.04,,,,,,0.10,,
31,2,in,06/14/1957.....0.05,,,,,,0.05,,
31,2,in,06/17/1957.....0.17,,,,,,0.14,,0.22,,0.02,,0.02,,,,,,0.57,,
31,2,in,06/18/1957.....0.01,,0.18,,0.01,,,,,,0.04,,0.02,,0.02,,0.28,,
31,2,in,06/22/1957.....0.09,,,,,,0.09,,
31,2,in,06/23/1957.....0.55,,0.55,,
31,2,in,06/24/1957,1.0,,0.05,,,,,,0.14,,0.28,,0.12,,0.01,,,,,,1.61,,
31,2,in,06/28/1957.....0.08,,0.13,,0.39,,0.15,,0.01,,,,,,0.76,,

.31,2,in,07/15/1956,.....,0.01,.....,0.01,,
.31,2,in,07/16/1956,.....,0.89,0.30,0.02,.....,0.01,.....,1.22,,
.31,2,in,07/20/1956,.....,0.10,0.05,.....,0.02,.....,0.10,.....,0.27,,
.31,2,in,07/21/1956,.....,0.40,.....,0.40,.....,0.80,,
.31,2,in,07/22/1956,.....,0.05,.....,0.05,,
.31,2,in,07/23/1956,.....,0.02,0.15,0.08,0.03,0.02,0.20,0.05,.....,0.02,0.57,,
.31,2,in,07/24/1956,.....,0.01,0.31,0.14,0.12,.....,0.58,,
.31,2,in,07/26/1956,.....,0.12,.....,0.12,,
.31,2,in,07/29/1956,0.52,0.03,.....,0.55,,
.31,2,in,08/01/1956,0.00,.....,0.02,0.38,0.40,,
.31,2,in,08/14/1956,0.32,0.47,0.03,0.33,0.08,0.11,.....,1.34,,
.31,2,in,08/18/1956,.....,0.01,0.04,.....,0.05,,
.31,2,in,08/19/1956,.....,0.28,0.17,0.09,.....,0.54,,
.31,2,in,08/20/1956,.....,0.05,0.06,0.02,0.01,0.02,.....,0.16,,
.31,2,in,09/01/1956,0.00,.....,0.35,0.15,.....,0.50,,
.31,2,in,09/15/1956,.....,0.07,0.15,0.05,0.03,0.01,0.01,.....,0.33,,
.31,2,in,09/16/1956,.....,0.05,.....,0.01,0.17,0.02,0.04,0.01,.....,0.09,0.34,0.73,,
.31,2,in,10/01/1956,0.00,.....,0.00,,
.31,2,in,10/03/1956,.....,0.32,0.09,0.03,0.07,0.01,.....,0.01,0.01,0.01,0.01,0.02,0.02,0.01,0.04,0.65,,
.31,2,in,10/04/1956,0.05,0.05,0.05,0.01,.....,0.16,,
.31,2,in,10/19/1956,.....,0.09,0.01,.....,0.10,,
.31,2,in,10/20/1956,.....,0.35,0.73,.....,0.02,1.10,,
.31,2,in,10/26/1956,.....,0.10,0.04,0.06,.....,0.20,,
.31,2,in,10/31/1956,.....,0.18,0.08,0.02,.....,0.01,0.29,,
.31,2,in,11/01/1956,0.00,.....,0.00,,
.31,2,in,11/06/1956,.....,0.04,0.08,0.03,.....,0.15,,
.31,2,in,11/15/1956,.....,0.02,0.03,.....,0.01,0.01,.....,0.07,0.08,0.03,0.01,.....,0.26,,
.31,2,in,11/20/1956,.....,0.02,0.12,0.01,0.11,0.08,0.04,0.03,.....,0.03,.....,0.01,0.45,,
.31,2,in,11/21/1956,0.02,0.33,0.14,0.23,0.12,.....,0.01,0.03,.....,0.88,,
.31,2,in,11/25/1956,.....,0.01,0.02,0.01,0.02,0.04,.....,0.10,,
.31,2,in,12/01/1956,0.00,.....,0.00,,
.31,2,in,12/05/1956,.....,0.05,.....,0.05,,
.31,2,in,12/07/1956,.....,0.05,0.02,.....,0.02,0.03,0.01,.....,0.13,,
.31,2,in,12/08/1956,.....,0.01,0.02,0.14,0.03,0.11,.....,0.04,0.01,.....,0.02,0.01,0.02,0.41,,
.31,2,in,12/09/1956,0.03,0.03,0.11,0.09,0.07,0.03,0.02,.....,0.38,,
.31,2,in,12/11/1956,.....,0.05,0.10,0.08,.....,0.01,0.01,.....,0.25,,
.31,2,in,12/14/1956,.....,0.04,0.08,0.02,.....,0.04,.....,0.18,,
.31,2,in,12/20/1956,0.01,0.03,0.01,0.11,0.36,0.03,0.05,0.09,0.08,0.08,.....,0.08,0.01,0.01,.....,0.95,,
.31,2,in,12/23/1956,.....,0.03,0.03,.....,0.07,0.18,0.08,0.02,.....,0.41,,
.31,2,in,12/28/1956,.....,0.05,0.03,0.01,0.01,.....,0.10,,
.31,2,in,01/01/1957,0.00,.....,0.00,,
.31,2,in,01/04/1957,.....,0.05,0.01,0.02,0.02,0.01,0.03,0.02,0.02,0.01,.....,0.01,0.20,,
.31,2,in,01/06/1957,.....,0.01,0.01,0.03,.....,0.05,,
.31,2,in,01/09/1957,.....,0.53,0.01,0.01,0.13,0.03,0.03,0.01,0.01,.....,0.12,.....,0.88,,
.31,2,in,01/17/1957,.....,0.04,.....,0.04,,
.31,2,in,01/20/1957,.....,0.04,0.07,0.07,0.02,0.04,0.01,.....,0.01,0.01,0.01,.....,0.01,0.01,0.30,,
.31,2,in,01/22/1957,.....,0.01,0.01,.....,0.08,0.31,0.16,0.34,0.49,.....,0.03,0.04,0.03,0.29,0.11,0.03,.....,0.01,0.01,.....,1.95,,
.31,2,in,01/27/1957,.....,0.01,0.02,0.01,.....,0.04,,
.31,2,in,01/28/1957,.....,0.01,0.03,0.02,0.08,0.06,0.02,0.01,0.02,0.05,0.01,0.01,.....,0.01,.....,0.01,0.01,0.35,,
.31,2,in,01/29/1957,.....,0.01,0.01,0.01,.....,0.01,0.01,0.02,0.01,.....,0.08,,
.31,2,in,01/30/1957,.....,0.01,0.04,0.01,.....,0.06,,
.31,2,in,01/31/1957,0.01,0.01,.....,0.01,0.01,0.02,0.01,0.01,.....,0.01,.....,0.03,0.12,,
.31,2,in,02/01/1957,0.00,.....,0.01,.....,0.01,0.07,0.09,0.01,0.02,0.01,.....,0.22,,

.31,2,in,02/10/1956,0.02,0.10,0.15,0.07,0.34,,
.31,2,in,02/11/1956,0.03,0.03,,
.31,2,in,02/14/1956,0.05,0.25,0.04,0.01,0.03,0.02,0.08,0.01,0.06,0.13,0.09,0.68,1.45,,
.31,2,in,02/15/1956,0.22,0.24,0.06,0.15,0.02,0.07,0.01,0.01,0.02,0.01,0.14,,
.31,2,in,02/16/1956,0.02,0.07,0.01,0.01,0.02,0.01,0.14,,
.31,2,in,02/17/1956,0.01,0.07,0.15,0.05,0.15,0.18,0.15,0.10,0.02,0.10,0.13,0.05,0.05,0.15,1.36,,
.31,2,in,02/18/1956,0.07,0.02,0.09,0.03,0.04,0.06,0.02,0.01,0.12,0.14,0.03,0.05,0.03,0.02,0.06,0.04,1.60,,
.31,2,in,02/24/1956,0.05,0.17,0.12,0.01,0.18,0.08,0.04,0.03,0.02,0.05,0.02,0.01,0.19,,
.31,2,in,02/25/1956,0.20,0.15,0.03,0.18,0.21,,
.31,2,in,02/27/1956,0.00,0.05,0.01,0.05,0.03,0.01,0.05,0.20,,
.31,2,in,03/07/1956,0.08,0.60,0.16,0.08,0.06,0.04,0.06,0.02,0.01,0.12,0.14,0.03,0.05,0.03,0.02,0.06,0.04,1.60,,
.31,2,in,03/11/1956,0.02,0.01,0.03,0.03,0.04,0.01,0.02,0.02,0.01,0.19,,
.31,2,in,03/12/1956,0.02,0.02,0.04,,
.31,2,in,03/13/1956,0.02,0.04,0.04,0.03,0.08,0.13,0.11,0.13,0.58,,
.31,2,in,03/14/1956,0.15,0.17,0.05,0.02,0.39,,
.31,2,in,03/16/1956,0.05,0.05,0.10,0.05,0.03,0.02,0.02,0.02,0.01,0.35,,
.31,2,in,03/17/1956,0.03,0.01,0.03,0.01,0.08,,
.31,2,in,03/18/1956,0.02,0.01,0.02,0.07,0.12,,
.31,2,in,03/24/1956,0.06,0.04,0.10,,
.31,2,in,03/28/1956,0.03,0.02,0.02,0.10,0.17,,
.31,2,in,04/01/1956,0.00,0.00,,
.31,2,in,04/02/1956,0.25,0.37,0.03,0.07,0.72,,
.31,2,in,04/03/1956,0.20,0.05,0.05,0.30,,
.31,2,in,04/06/1956,0.02,0.01,0.10,0.10,0.09,0.03,0.10,0.45,,
.31,2,in,04/07/1956,0.04,0.01,0.02,0.01,0.02,0.03,0.02,0.05,,
.31,2,in,04/10/1956,0.04,0.01,0.02,0.01,0.02,0.03,0.02,0.15,,
.31,2,in,04/14/1956,0.03,0.03,0.08,0.14,0.02,0.02,0.32,,
.31,2,in,04/15/1956,0.08,0.02,0.01,0.09,0.03,0.04,0.01,0.28,,
.31,2,in,04/16/1956,0.05,0.02,0.03,0.10,,
.31,2,in,04/22/1956,0.01,0.09,0.08,0.18,,
.31,2,in,04/25/1956,0.02,0.03,0.05,0.10,,
.31,2,in,04/29/1956,0.10,0.10,0.05,0.05,0.30,,
.31,2,in,05/01/1956,0.00,0.00,,
.31,2,in,05/02/1956,0.01,0.04,0.07,0.28,0.82,0.08,0.05,0.02,1.37,,
.31,2,in,05/06/1956,0.13,0.20,0.33,,
.31,2,in,05/07/1956,0.02,0.11,0.02,0.08,0.28,0.07,0.02,0.60,,
.31,2,in,05/15/1956,0.08,0.22,0.27,0.08,0.05,0.03,0.02,0.75,,
.31,2,in,05/21/1956,0.07,0.07,,
.31,2,in,05/23/1956,0.05,0.05,,
.31,2,in,05/26/1956,0.11,0.05,0.05,0.01,0.07,0.15,0.12,0.03,0.04,0.63,,
.31,2,in,05/31/1956,0.17,A,0.17,I,0.11,,
.31,2,in,06/01/1956,0.00,0.04,0.06,0.01,0.02,0.02,,
.31,2,in,06/08/1956,0.02,0.06,0.04,0.02,0.01,0.13,,
.31,2,in,06/18/1956,0.07,0.05,0.12,,
.31,2,in,06/21/1956,0.01,0.01,0.01,,
.31,2,in,06/22/1956,0.01,0.13,0.02,0.16,,
.31,2,in,06/30/1956,0.05,0.05,,
.31,2,in,07/01/1956,0.00,0.00,,
.31,2,in,07/05/1956,0.60,0.03,0.63,,
.31,2,in,07/12/1956,0.03,0.02,0.05,,
.31,2,in,07/13/1956,0.01,(1.02),0.10,0.02,0.03,0.10,1.28,,

31,2,in,07/18/1955,0.65,0.65,,
31,2,in,07/24/1955,0.03,0.08,0.02,0.13,,
31,2,in,07/28/1955,0.18,0.02,0.20,,
31,2,in,08/01/1955,0.00,0.00,,
31,2,in,08/09/1955,1.02,0.01,1.03,,
31,2,in,08/10/1955,0.27,0.08,0.01,0.01,0.37,,
31,2,in,08/16/1955,0.03,0.29,0.02,0.01,0.35,,
31,2,in,08/22/1955,0.03,0.07,0.10,,
31,2,in,08/30/1955,0.12,0.06,0.02,0.20,,
31,2,in,09/01/1955,0.00,0.00,,
31,2,in,09/10/1955,0.02,0.03,0.05,,
31,2,in,09/11/1955,0.25,0.25,,
31,2,in,09/22/1955,0.32,0.01,0.02,0.35,,
31,2,in,09/23/1955,0.38,0.02,0.39,0.01,0.05,0.23,0.01,0.01,0.01,0.04,1.15,,
31,2,in,09/24/1955,0.02,0.01,0.02,0.05,,
31,2,in,09/27/1955,0.20,0.20,,
31,2,in,09/29/1955,1.26,0.09,0.06,0.63,2.04,,
31,2,in,10/01/1955,0.00,0.00,,
31,2,in,10/05/1955,0.03,0.02,0.05,0.10,,
31,2,in,10/06/1955,0.05,0.02,0.08,0.05,0.20,,
31,2,in,10/07/1955,0.02,0.13,0.24,0.08,0.01,0.02,0.04,0.03,0.03,0.02,0.62,,
31,2,in,10/12/1955,0.05,0.01,0.05,0.39,0.15,0.06,0.15,0.08,0.94,,
31,2,in,10/15/1955,0.05,0.05,,
31,2,in,10/17/1955,0.10,0.10,,
31,2,in,10/24/1955,0.10,0.10,0.07,0.01,0.28,,
31,2,in,10/28/1955,0.10,0.02,0.01,0.19,0.32,,
31,2,in,10/29/1955,0.03,0.01,0.04,0.08,,
31,2,in,11/01/1955,0.00,0.00,,
31,2,in,11/02/1955,0.35,0.02,0.16,0.09,0.25,0.12,0.23,0.03,0.12,0.23,0.11,1.83,,
31,2,in,11/15/1955,0.05,0.08,0.07,0.01,0.21,,
31,2,in,11/16/1955,0.27,0.15,0.02,0.01,0.45,,
31,2,in,11/18/1955,0.03,0.05,0.02,0.13,0.09,0.11,0.02,0.45,,
31,2,in,11/19/1955,0.01,0.02,0.02,0.05,,
31,2,in,11/23/1955,0.02,0.08,0.10,,
31,2,in,12/01/1955,0.00,0.01,0.05,0.06,0.05,0.10,0.03,0.07,0.08,0.07,0.52,,
31,2,in,12/02/1955,0.05,0.05,0.01,0.02,0.13,,
31,2,in,12/03/1955,0.11,0.06,0.09,0.06,0.32,,
31,2,in,12/17/1955,0.01,0.01,0.02,,
31,2,in,12/18/1955,0.03,0.02,0.01,0.06,,
31,2,in,12/29/1955,0.03,0.02,0.01,0.06,,
31,2,in,12/30/1955,0.02,0.02,0.03,0.07,,
31,2,in,01/01/1956,0.00,0.00,,
31,2,in,01/16/1956,0.01,0.03,0.01,0.05,,
31,2,in,01/18/1956,0.00,0.00,,
31,2,in,01/19/1956,1.00,A,1.00,I,
31,2,in,01/25/1956,0.05,0.05,0.02,0.03,0.03,0.18,,
31,2,in,01/28/1956,0.04,0.06,0.03,0.02,0.05,0.02,0.24,0.46,,
31,2,in,01/29/1956,0.27,0.09,0.01,0.02,0.02,0.06,0.09,0.13,0.02,0.01,0.02,0.03,0.20,0.13,0.05,1.17,,
31,2,in,01/30/1956,0.14,0.01,0.02,0.17,,
31,2,in,02/01/1956,0.00,0.05,0.03,0.12,0.15,0.10,0.01,0.02,0.01,0.23,0.20,0.06,0.03,1.01,,
31,2,in,02/02/1956,0.05,0.09,0.05,0.05,0.22,0.29,0.14,0.05,0.05,0.01,0.01,1.01,,
31,2,in,02/06/1956,0.04,0.03,0.07,,
31,2,in,02/08/1956,0.07,0.05,0.01,0.02,0.15,,

.31,2,in,07/05/1958,.....,0.20,0.10,.....,0.30,,
.31,2,in,07/06/1958,.....,0.05,0.02,.....,0.03,0.07,.....,0.17,,
.31,2,in,07/07/1958,.....,0.24,0.06,0.05,.....,0.50,0.52,0.23,0.02,0.02,.....,0.01,0.01,0.38,2.04,,
.31,2,in,07/08/1958,0.02,.....,0.05,0.39,0.30,0.13,.....,0.25,0.06,0.55,0.07,.....,0.02,.....,1.82,,
.31,2,in,07/11/1958,.....,0.02,.....,0.02,.....,0.02,.....,0.02,,
.31,2,in,07/13/1958,.....,0.03,0.04,.....,0.04,0.05,.....,0.16,,
.31,2,in,07/15/1958,.....,0.08,0.02,0.02,.....,0.12,,
.31,2,in,07/17/1958,0.02,0.45,0.70,0.09,0.01,.....,0.01,.....,1.28,,
.31,2,in,07/18/1958,0.02,0.45,0.70,0.09,0.01,.....,0.01,.....,1.28,,
.31,2,in,07/19/1958,.....,0.98,0.87,0.02,0.01,.....,0.05,0.02,0.03,0.19,0.11,0.01,0.41,,
.31,2,in,07/21/1958,.....,0.02,0.01,0.04,0.01,.....,0.02,0.52,.....,1.29,,
.31,2,in,07/22/1958,0.01,0.01,0.18,0.24,.....,0.01,0.09,0.10,.....,0.07,0.03,0.01,.....,0.08,,
.31,2,in,07/25/1958,.....,0.06,0.01,.....,0.07,,
.31,2,in,07/30/1958,.....,0.03,.....,0.03,,
.31,2,in,07/31/1958,0.00,.....,0.05,.....,0.01,0.01,.....,0.17,0.05,0.02,.....,0.31,,
.31,2,in,08/01/1958,.....,0.02,0.03,.....,0.02,.....,0.07,,
.31,2,in,08/02/1958,.....,a,.....,1.85,A,.....,1.85,I,
.31,2,in,08/12/1958,.....,0.32,0.20,.....,0.52,,
.31,2,in,08/15/1958,.....,0.36,0.06,.....,0.05,.....,0.47,,
.31,2,in,08/16/1958,.....,0.02,.....,0.02,,
.31,2,in,08/21/1958,.....,a,.....,0.85,A,.....,0.85,I,
.31,2,in,08/24/1958,0.00,.....,0.00,,
.31,2,in,09/01/1958,.....,0.08,0.02,0.04,0.01,.....,0.15,,
.31,2,in,09/07/1958,.....,0.09,0.01,.....,0.16,0.07,.....,0.02,0.02,0.37,,
.31,2,in,09/15/1958,0.13,.....,0.15,0.04,0.01,0.01,.....,0.47,0.23,0.05,0.88,,
.31,2,in,09/16/1958,.....,0.25,A,0.06,0.16,0.35,0.28,0.05,0.06,0.04,.....,1.25,I,
.31,2,in,09/17/1958,.....,0.03,0.03,.....,0.38,0.02,.....,0.46,,
.31,2,in,09/20/1958,.....,0.06,0.03,.....,0.09,,
.31,2,in,09/26/1958,.....,0.00,,
.31,2,in,09/30/1958,.....,m,.....,M,.....,0.04,0.04,I,
.31,2,in,10/01/1958,.....,0.02,0.02,.....,0.05,0.01,0.01,0.47,0.01,.....,0.15,0.74,,
.31,2,in,10/07/1958,0.24,0.08,0.07,0.01,.....,0.40,,
.31,2,in,10/09/1958,.....,m,.....,M,.....,m,.....,M,.....,0.01,0.09,0.05,0.15,I,
.31,2,in,10/10/1958,0.03,0.02,0.08,.....,0.13,,
.31,2,in,10/22/1958,.....,0.02,0.01,.....,0.02,.....,0.05,,
.31,2,in,10/23/1958,.....,0.12,A,.....,a,.....,0.00,I,
.31,2,in,10/26/1958,.....,0.01,0.01,0.03,.....,0.01,.....,0.01,0.14,I,
.31,2,in,10/31/1958,.....,0.01,.....,0.02,.....,0.01,0.01,.....,0.19,0.24,,
.31,2,in,11/01/1958,0.31,0.01,0.25,.....,0.57,,
.31,2,in,11/02/1958,.....,0.10,0.04,.....,0.14,,
.31,2,in,11/08/1958,.....,0.01,0.10,0.09,0.15,0.10,0.10,0.07,0.02,0.05,0.03,0.17,0.14,0.03,0.04,.....,1.10,,
.31,2,in,11/14/1958,.....,0.04,0.01,.....,0.05,,
.31,2,in,11/15/1958,.....,0.01,0.01,0.02,.....,0.00,I,
.31,2,in,11/16/1958,.....,m,.....,M,.....,0.00,I,
.31,2,in,11/18/1958,0.00,.....,0.01,0.01,.....,0.01,0.01,0.01,.....,0.05,,
.31,2,in,11/24/1958,.....,0.01,.....,0.03,0.05,0.04,0.03,0.16,,
.31,2,in,11/25/1958,.....,0.03,0.08,0.03,0.03,.....,0.17,,
.31,2,in,11/28/1958,.....,0.07,0.09,0.06,0.08,0.05,0.05,.....,0.40,,
.31,2,in,12/01/1958,.....,0.00,,
.31,2,in,12/03/1958,.....,0.01,0.01,.....,0.01,0.01,0.01,.....,0.05,,
.31,2,in,12/04/1958,.....,0.01,.....,0.03,0.05,0.04,0.03,0.16,,
.31,2,in,12/05/1958,0.03,0.08,0.03,0.03,.....,0.17,,
.31,2,in,12/23/1958,.....,0.07,0.09,0.06,0.08,0.05,0.05,.....,0.40,,

.31,2,in,12/31/1958,.....,0.02,,0.01,,0.03,,0.05,,0.09,,0.06,,0.09,,0.05,,0.40,,
.31,2,in,01/01/1959,0.04,,0.02,,.....,0.01,,.....,0.03,,.....,0.10,,
.31,2,in,01/03/1959,.....,0.02,,0.01,,0.03,,
.31,2,in,01/04/1959,0.01,,.....,0.01,,
.31,2,in,01/07/1959,.....,0.01,,0.03,,.....,0.01,,.....,0.05,,
.31,2,in,01/14/1959,.....,0.08,,0.04,,0.03,,.....,0.05,,.....,0.04,,.....,0.06,,0.30,,
.31,2,in,01/15/1959,0.10,,0.18,,0.29,,0.07,,0.06,,0.05,,0.01,,0.07,,0.02,,.....,0.05,,.....,0.90,,
.31,2,in,01/19/1959,.....,0.02,,0.08,,0.06,,0.10,,0.05,,0.05,,0.03,,0.39,,
.31,2,in,01/20/1959,0.04,,0.03,,0.05,,0.04,,0.11,,0.19,,0.26,,0.22,,0.19,,0.18,,0.06,,0.10,,.....,0.01,,0.01,,.....,0.01,,0.01,,0.14,,0.10,,0.05,,0.06,,0.01,,0.19,,2.
.31,2,in,01/21/1959,0.05,,0.02,,0.03,,0.05,,0.15,,0.35,,0.60,,.....,0.05,,0.22,,0.63,,0.26,,0.04,,.....,0.01,,.....,2.46,,
.31,2,in,01/27/1959,0.05,,0.01,,0.01,,0.04,,0.01,,0.05,,0.04,,.....,0.21,,
.31,2,in,02/01/1959,0.00,,.....,0.00,,
.31,2,in,02/03/1959,.....,0.01,,0.01,,.....,0.04,,0.03,,.....,0.01,,0.06,,0.04,,0.05,,0.02,,0.01,,.....,0.28,,
.31,2,in,02/09/1959,.....,0.10,,.....,0.02,,.....,0.12,,0.01,,.....,0.25,,
.31,2,in,02/12/1959,.....,0.01,,.....,0.01,,0.06,,0.06,,0.01,,0.01,,.....,0.01,,.....,0.17,,
.31,2,in,02/13/1959,.....,0.01,,0.01,,.....,0.01,,0.01,,0.04,,0.05,,0.05,,.....,0.18,,
.31,2,in,02/14/1959,.....,0.01,,0.02,,0.02,,0.04,,0.04,,0.07,,0.03,,0.15,,0.03,,0.07,,.....,0.02,,0.01,,0.01,,0.01,,.....,0.53,,
.31,2,in,02/22/1959,.....,0.01,,.....,0.01,,.....,0.11,,0.07,,0.21,,0.08,,0.49,,
.31,2,in,02/23/1959,0.15,,0.06,,0.01,,.....,0.22,,
.31,2,in,02/28/1959,.....,0.01,,0.03,,0.08,,0.08,,0.10,,0.03,,.....,0.33,,
.31,2,in,03/01/1959,0.00,,.....,0.00,,
.31,2,in,03/02/1959,.....,0.02,,0.02,,0.02,,0.06,,
.31,2,in,03/03/1959,0.03,,0.01,,.....,0.04,,
.31,2,in,03/05/1959,.....,0.03,,0.02,,0.02,,0.03,,0.05,,0.04,,.....,0.01,,0.18,,0.11,,0.01,,.....,0.01,,0.04,,0.04,,.....,0.59,,
.31,2,in,03/09/1959,0.01,,0.06,,0.08,,0.05,,0.02,,0.01,,0.01,,.....,0.01,,0.01,,.....,0.26,,
.31,2,in,03/11/1959,.....,0.05,,0.04,,.....,0.01,,.....,0.01,,.....,0.11,,
.31,2,in,03/12/1959,.....,0.01,,0.01,,.....,0.01,,0.01,,.....,0.04,,
.31,2,in,03/15/1959,.....,0.03,,0.03,,0.01,,.....,0.07,,
.31,2,in,03/20/1959,.....,a,.....,0.30,A,.....,0.30,I,
.31,2,in,03/26/1959,.....,a,.....,0.48,A,.....,0.48,I,
.31,2,in,03/29/1959,.....,0.02,,0.01,,0.03,,0.05,,0.07,,0.06,,0.05,,0.01,,0.02,,0.01,,.....,0.33,,
.31,2,in,04/01/1959,0.00,,.....,0.11,,0.18,,0.03,,.....,0.04,,0.04,,0.13,,.....,0.53,,
.31,2,in,04/08/1959,.....,m,.....,0.00,I,
.31,2,in,04/12/1959,.....,M,.....,0.00,I,
.31,2,in,04/18/1959,.....,m,.....,M,.....,0.00,I,
.31,2,in,04/19/1959,.....,m,.....,M,0.00,I,
.31,2,in,04/28/1959,.....,0.23,,.....,0.03,,.....,0.02,,.....,0.28,,
.31,2,in,05/01/1959,0.00,,.....,0.00,,
.31,2,in,05/05/1959,.....,0.05,,0.01,,.....,0.06,,
.31,2,in,05/09/1959,.....,0.04,,0.02,,.....,0.06,,
.31,2,in,05/10/1959,.....,0.25,,0.45,,0.09,,.....,0.01,,0.03,,.....,0.83,,
.31,2,in,05/11/1959,.....,0.19,,0.06,,0.03,,0.28,,
.31,2,in,05/12/1959,0.01,,0.01,,.....,0.03,,0.07,,0.39,,0.16,,0.01,,0.02,,0.02,,0.01,,.....,0.02,,0.03,,0.14,,0.08,,0.02,,0.03,,0.01,,.....,1.06,,
.31,2,in,05/13/1959,.....,0.01,,.....,0.01,,.....,m,.....,0.02,I,
.31,2,in,05/31/1959,.....,M,.....,0.00,I,
.31,2,in,06/01/1959,0.00,,.....,0.05,,0.05,,0.03,,0.03,,0.16,,
.31,2,in,06/02/1959,0.13,,0.01,,.....,0.14,,
.31,2,in,06/10/1959,.....,0.04,,.....,0.01,,0.01,,.....,0.01,,0.01,,0.02,,.....,0.10,,
.31,2,in,06/11/1959,.....,0.02,,.....,0.02,,
.31,2,in,06/22/1959,.....,0.02,,0.03,,0.01,,.....,0.05,,0.11,,
.31,2,in,06/23/1959,0.05,,.....,0.05,,
.31,2,in,06/24/1959,.....,0.06,,0.11,,0.09,,0.09,,0.68,,0.14,,0.03,,.....,0.01,,0.01,,.....,1.22,,
.31,2,in,06/25/1959,.....,0.02,,0.02,,.....,0.04,,

.31,2,in,06/26/1959,0.21,0.02,0.01,0.24,,
.31,2,in,07/01/1959,0.00,,m,,M,,0.05,,0.05,I,
.31,2,in,07/05/1959,0.01,0.13,0.14,0.11,0.01,,0.40,,
.31,2,in,07/11/1959,0.03,,0.03,,
.31,2,in,07/16/1959,0.18,0.23,,0.41,,
.31,2,in,07/17/1959,0.03,0.01,0.15,0.05,0.80,0.11,0.03,0.01,,0.90,,2.09,,
.31,2,in,07/18/1959,0.01,0.01,0.03,,0.15,0.02,0.03,,0.25,,
.31,2,in,07/19/1959,0.10,0.07,0.01,0.01,,0.19,,
.31,2,in,07/22/1959,0.04,0.16,0.05,,0.25,,
.31,2,in,07/23/1959,0.02,0.01,0.01,,0.01,0.05,0.55,0.05,,0.10,0.05,0.05,0.01,0.91,,
.31,2,in,07/24/1959,0.02,,0.02,,
.31,2,in,07/25/1959,0.05,,0.03,0.02,,0.10,,
.31,2,in,07/27/1959,,a,,1.24,A,,1.24,I,
.31,2,in,07/28/1959,0.01,,0.03,,0.04,,
.31,2,in,08/01/1959,0.00,,0.00,,
.31,2,in,08/04/1959,0.20,0.05,,0.25,,
.31,2,in,08/07/1959,0.01,0.02,,0.03,,
.31,2,in,08/15/1959,0.23,0.02,,0.25,,
.31,2,in,08/16/1959,0.10,0.03,0.02,0.01,0.67,0.62,0.10,1.55,,
.31,2,in,08/17/1959,0.02,0.02,0.48,0.23,0.04,0.51,0.10,0.15,0.05,,1.60,,
.31,2,in,08/20/1959,0.05,,0.05,,
.31,2,in,08/28/1959,0.35,0.22,0.14,0.05,,0.04,,0.80,,
.31,2,in,08/30/1959,0.04,0.31,,0.35,,
.31,2,in,09/01/1959,0.45,0.25,0.01,0.02,,0.44,0.01,0.58,0.04,0.03,,0.45,,2.28,,
.31,2,in,09/09/1959,0.04,0.03,,0.07,,
.31,2,in,09/10/1959,0.01,0.01,0.02,0.01,,0.05,,
.31,2,in,09/26/1959,0.01,0.01,,0.01,0.01,,0.04,,
.31,2,in,09/29/1959,0.02,0.02,0.08,,0.12,,
.31,2,in,10/01/1959,0.00,,0.00,,
.31,2,in,10/05/1959,,a,,0.00,I,
.31,2,in,10/06/1959,,0.55,A,,0.55,I,
.31,2,in,10/11/1959,,a,,1.39,A,,1.39,I,
.31,2,in,10/13/1959,,m,,M,,0.00,I,
.31,2,in,10/23/1959,,m,,0.00,I,
.31,2,in,10/30/1959,,M,,0.00,I,
.31,2,in,11/01/1959,,m,,0.00,I,
.31,2,in,01/31/1960,,M,0.00,I,
.31,2,in,02/01/1960,0.00,,0.00,,
.31,2,in,02/04/1960,,m,,0.00,I,
.31,2,in,02/25/1960,,M,,0.00,I,
.31,2,in,02/27/1960,,a,,0.00,I,
.31,2,in,02/28/1960,,0.25,A,,0.25,I,
.31,2,in,03/01/1960,0.00,,0.00,,
.31,2,in,03/02/1960,,a,,0.76,A,0.76,I,
.31,2,in,03/08/1960,,a,,0.00,I,
.31,2,in,03/11/1960,,1.06,A,,1.06,I,
.31,2,in,03/15/1960,,m,,0.00,I,
.31,2,in,03/21/1960,,M,,0.00,I,
.31,2,in,03/29/1960,,0.03,,0.03,,
.31,2,in,03/30/1960,0.42,0.15,,0.01,0.02,0.05,0.11,0.04,,0.80,,
.31,2,in,04/01/1960,0.00,,0.00,,
.31,2,in,04/02/1960,0.02,0.01,,0.03,,
.31,2,in,04/03/1960,0.01,0.04,0.07,0.06,0.02,,0.01,0.01,0.01,,0.23,,

31,2,in,04/15/1960a.....0.06,A.....0.06,I,
31,2,in,04/17/19600.02,,0.02,,0.06,,0.03,,0.13,,
31,2,in,04/21/19600.30,,0.45,,0.13,,0.02,,0.05,,0.95,,
31,2,in,04/26/19600.07,,0.07,,
31,2,in,04/29/19600.01,,0.01,,0.05,,0.11,,0.05,,0.13,,0.10,,0.01,,0.47,,
31,2,in,04/30/19600.01,,0.05,,0.05,,0.03,,0.01,,0.01,,0.23,,0.39,,
31,2,in,05/01/1960	0.000.00,,
31,2,in,05/06/19600.07,,0.05,,0.01,,0.01,,0.13,,0.17,,0.44,,
31,2,in,05/07/1960	0.09,,0.01,,0.10,,
31,2,in,05/09/19600.01,,0.01,,0.01,,0.01,,0.04,,
31,2,in,05/19/19600.03,,0.01,,0.04,,
31,2,in,05/20/19601.03,,0.51,,0.11,,0.02,,0.06,,1.73,,
31,2,in,05/24/19600.10,,0.26,,0.02,,0.15,,0.01,,0.02,,0.02,,0.58,,
31,2,in,05/26/19600.23,,0.01,,0.06,,0.18,,0.05,,0.05,,0.02,,0.60,,
31,2,in,05/27/1960	0.03,,0.03,,0.01,,0.07,,0.06,,0.01,,0.21,,
31,2,in,05/28/19600.02,,0.01,,0.05,,0.02,,0.03,,0.01,,0.14,,
31,2,in,05/29/19600.03,,0.01,,0.01,,0.05,,
31,2,in,06/01/1960	0.000.00,,
31,2,in,06/02/19600.02,,0.21,,0.02,,0.25,,
31,2,in,06/11/19600.04,,0.04,,
31,2,in,06/12/19600.06,,0.01,,0.04,,0.12,,0.03,,0.26,,
31,2,in,06/13/19600.02,,0.01,,0.01,,0.03,,0.07,,
31,2,in,06/14/19600.02,,0.01,,0.03,,
31,2,in,06/16/1960a.....0.00,I,
31,2,in,06/17/19600.11,A.....0.11,I,
31,2,in,06/21/1960	0.03,,0.04,,0.02,,0.01,,0.10,,
31,2,in,06/23/19601.25,,0.30,,0.02,,0.03,,0.01,,0.02,,0.12,,1.75,,
31,2,in,06/24/1960	0.71,,0.01,,0.02,,0.01,,0.75,,
31,2,in,06/27/19600.06,,0.06,,
31,2,in,06/28/1960	0.19,,0.18,,0.46,,0.04,,0.02,,0.02,,0.02,,0.01,,0.04,,0.02,,1.00,,
31,2,in,06/29/1960	0.16,,0.06,,0.04,,0.01,,0.01,,0.28,,
31,2,in,06/30/19600.03,,0.15,,0.18,,
31,2,in,07/01/1960	0.000.00,,
31,2,in,07/03/19600.18,,0.06,,0.01,,0.25,,
31,2,in,07/10/19600.17,,0.03,,0.02,,0.02,,0.01,,0.05,,0.01,,0.31,,
31,2,in,07/13/19600.19,,0.19,,
31,2,in,07/26/19600.14,,0.06,,0.01,,0.15,,0.36,,
31,2,in,08/01/1960	0.000.00,,
31,2,in,08/04/19600.05,,0.02,,0.18,,0.05,,0.30,,
31,2,in,08/06/19600.04,,0.02,,0.02,,0.08,,
31,2,in,08/08/19600.05,,0.01,,0.07,,0.02,,0.06,,0.03,,0.24,,
31,2,in,08/09/19600.03,,0.06,,0.02,,0.11,,
31,2,in,08/20/19600.10,,0.14,,0.01,,0.25,,
31,2,in,08/21/19600.03,,0.03,,
31,2,in,08/22/1960	0.07,,0.15,,0.23,,0.02,,0.03,,0.15,,0.02,,0.67,,
31,2,in,08/29/19600.25,,0.05,,0.30,,
31,2,in,08/30/19600.03,,0.01,,0.01,,0.05,,
31,2,in,09/01/1960	0.000.00,,
31,2,in,09/09/19600.30,,0.03,,0.67,,0.20,,0.04,,0.31,,0.08,,0.01,,0.01,,1.65,,
31,2,in,09/10/19600.07,,0.01,,0.14,,0.19,,0.01,,0.04,,0.01,,0.05,,0.02,,0.03,,0.04,,0.01,,0.01,,0.01,,0.64,,
31,2,in,09/11/1960	0.02,,0.01,,0.03,,
31,2,in,09/17/19600.01,,0.01,,0.05,,0.01,,0.01,,0.01,,0.10,,
31,2,in,09/27/19600.01,,0.02,,0.03,,

.31,2,in,10/01/1960,0.00,0.00,,
.31,2,in,10/15/1960,0.27,0.12,0.11,0.00,,
.31,2,in,10/19/1960,0.02,0.02,0.21,0.10,0.50,,
.31,2,in,10/26/1960,0.04,0.01,0.01,0.35,,
.31,2,in,10/29/1960,0.03,0.01,0.06,,
.31,2,in,10/31/1960,0.07,0.12,0.01,0.02,0.01,0.01,0.04,,
.31,2,in,11/01/1960,0.00,0.24,,
.31,2,in,11/02/1960,0.01,0.04,0.00,,
.31,2,in,11/05/1960,0.02,0.01,0.02,0.05,,
.31,2,in,11/08/1960,0.03,0.02,0.01,0.01,0.02,0.05,0.14,0.02,0.30,,
.31,2,in,11/09/1960,0.01,0.03,0.01,0.05,0.09,0.11,0.17,0.13,0.09,0.06,0.04,0.02,0.01,0.08,0.01,0.02,0.02,0.04,0.99,,
.31,2,in,11/15/1960,0.47,0.47,,
.31,2,in,11/16/1960,0.20,0.18,0.38,,
.31,2,in,11/22/1960,0.04,0.04,0.15,0.12,0.10,0.09,0.01,0.04,0.06,0.02,0.67,,
.31,2,in,11/23/1960,0.03,0.03,,
.31,2,in,11/28/1960,0.23,0.17,0.10,0.50,,
.31,2,in,12/01/1960,0.00,0.00,,
.31,2,in,12/05/1960,0.01,0.02,0.02,0.04,0.01,0.02,0.01,0.01,0.01,0.15,,
.31,2,in,12/06/1960,0.01,0.02,0.08,0.37,0.14,0.09,0.02,0.08,0.02,0.01,0.01,0.01,0.01,0.01,0.87,,
.31,2,in,12/11/1960,0.05,0.05,0.01,0.13,0.10,0.04,0.02,0.01,0.01,0.01,0.01,0.01,0.01,0.45,,
.31,2,in,12/20/1960,0.02,0.02,0.01,0.04,0.10,0.01,0.09,0.06,0.05,0.01,0.41,,
.31,2,in,12/23/1960,0.03,0.07,0.05,0.15,,
.31,2,in,12/28/1960,0.01,0.01,0.01,0.02,0.05,,
.31,2,in,12/29/1960,0.01,0.02,0.05,0.05,0.05,0.04,0.05,0.02,0.29,,
.31,2,in,12/31/1960,0.11,0.24,0.05,0.05,0.05,0.05,0.06,0.04,0.02,0.03,0.70,,
.31,2,in,01/01/1961,0.01,0.02,0.03,0.06,,
.31,2,in,01/14/1961,0.01,0.01,0.01,0.01,0.01,0.03,0.02,0.03,0.01,0.01,0.02,0.03,0.01,0.01,0.04,0.04,0.01,0.03,0.06,0.40,,
.31,2,in,01/15/1961,0.10,0.06,0.09,0.05,0.01,0.02,0.02,0.02,0.01,0.01,0.01,0.01,0.01,0.01,0.03,0.01,0.44,,
.31,2,in,01/16/1961,0.04,0.01,0.05,,
.31,2,in,01/19/1961,0.01,0.01,0.01,0.01,0.01,0.05,,
.31,2,in,01/20/1961,0.01,0.01,0.03,0.05,,
.31,2,in,01/26/1961,0.01,0.05,0.02,0.03,0.04,0.01,0.16,,
.31,2,in,02/01/1961,0.00,0.00,,
.31,2,in,02/02/1961,a,0.00,I,
.31,2,in,02/03/1961,0.45,A,0.45,I,
.31,2,in,02/07/1961,0.05,0.08,0.07,0.09,0.06,0.01,0.04,0.02,0.42,,
.31,2,in,02/08/1961,0.02,0.01,0.03,,
.31,2,in,02/17/1961,0.05,0.09,0.04,0.07,0.03,0.09,0.02,0.01,0.01,0.01,0.42,,
.31,2,in,02/18/1961,0.10,0.15,0.25,,
.31,2,in,02/21/1961,0.01,0.01,0.01,0.02,0.02,0.01,0.02,0.01,0.01,0.01,0.13,,
.31,2,in,02/22/1961,0.02,0.01,0.01,0.15,0.38,0.07,0.08,0.06,0.04,0.05,0.05,0.04,0.01,0.97,,
.31,2,in,02/24/1961,0.03,0.03,,
.31,2,in,02/25/1961,0.06,0.16,0.15,0.06,0.02,0.04,0.08,0.10,0.08,0.06,0.04,0.06,0.06,0.08,0.02,0.05,1.12,,
.31,2,in,02/27/1961,0.02,0.02,,
.31,2,in,02/28/1961,0.01,0.02,0.06,0.12,0.05,0.09,0.03,0.38,,
.31,2,in,03/01/1961,0.00,0.00,,
.31,2,in,03/04/1961,0.02,0.01,0.10,0.21,0.12,0.04,0.02,0.52,,
.31,2,in,03/05/1961,0.15,0.15,0.05,0.20,0.28,0.17,0.10,0.33,1.43,,
.31,2,in,03/06/1961,0.03,0.05,0.02,0.01,0.60,0.15,0.05,0.01,0.92,,
.31,2,in,03/07/1961,0.13,0.07,0.04,0.24,,
.31,2,in,03/08/1961,0.06,0.02,0.01,0.04,0.03,0.16,,
.31,2,in,03/09/1961,0.01,0.01,0.02,,
.31,2,in,03/12/1961,a,0.00,I,

31.2, in, 03/13/1961,, 0.55, A,, 0.01,, 0.55, I,
31.2, in, 03/15/1961,, 0.01,, 0.01,, 0.01,, 0.01,
31.2, in, 03/18/1961,, 0.02,, 0.01, 0.01,, 0.02, 0.25,, 0.31,,
31.2, in, 03/19/1961, 0.01, 0.02,, 0.03,, 0.03,,
31.2, in, 03/20/1961,, 0.04, 0.06, 0.06, 0.07, 0.37, 0.32, 0.28, 1.20,,
31.2, in, 03/21/1961, 0.14, 0.01,, 0.15,, 0.02, 0.05, 0.02, 0.02,, 0.71,,
31.2, in, 03/22/1961,, 0.15, 0.20, 0.10, 0.15,, 0.02, 0.05, 0.02, 0.02,, 0.03,,
31.2, in, 03/23/1961,, 0.01, 0.01,, 0.01,, 0.03,,
31.2, in, 03/28/1961,, 0.10, 0.10,, 0.03,, 0.23,,
31.2, in, 03/31/1961,, 0.02, 0.03, 0.05, 0.02, 0.03, 0.03, 0.01,, 0.02, 0.17, 0.13, 0.09, 0.09, 0.01, 0.70,,
31.2, in, 04/01/1961, 0.01, 0.01,, 0.02,, 0.02,,
31.2, in, 04/02/1961,, 0.10, 0.13, 0.23,,
31.2, in, 04/03/1961, 0.07, 0.06, 0.02, 0.02, 0.03, 0.02, 0.02, 0.03, 0.05,, 0.32,,
31.2, in, 04/08/1961,, 0.03, 0.14, 0.07, 0.06, 0.30,,
31.2, in, 04/09/1961, 0.01, 0.04, 0.03,, 0.02,, 0.02, 0.01, 0.02, 0.09, 0.05, 0.05, 0.06, 0.04, 0.01, 0.01,, 0.01,, 0.01, 0.48,,
31.2, in, 04/10/1961,, 0.01, 0.01,, 0.02,,
31.2, in, 04/12/1961,, 0.19, 0.10, 0.07, 0.11, 0.09, 0.06, 0.10, 0.05, 0.04, 0.02, 0.02, 0.01,, 0.86,,
31.2, in, 04/15/1961, 0.02, 0.04, 0.01,, 0.03, 0.15, 0.07, 0.01, 0.08, 0.08, 0.04, 0.01, 0.03, 0.01, 0.03, 0.61,,
31.2, in, 04/16/1961, 0.02, 0.04, 0.01,, 0.07,,
31.2, in, 04/17/1961,, 0.01, 0.01,, 0.02,,
31.2, in, 04/21/1961,, 0.01, 0.04, 0.08, 0.09, 0.06, 0.07, 0.03,, 0.01, 0.01,, 0.40,,
31.2, in, 04/22/1961,, 0.13, 0.13, 0.01,, 0.27,,
31.2, in, 04/25/1961,, 0.35, 0.04, 0.01,, 0.40,,
31.2, in, 04/28/1961,, 0.02, 0.01,, 0.03,,
31.2, in, 04/30/1961,, 0.01, 0.01,, 0.01,, 0.03,, 0.02, 0.01, 0.01, 0.10,,
31.2, in, 05/01/1961, 0.01, 0.02,, 0.03,,
31.2, in, 05/05/1961,, 0.18, 0.22, 0.19, 0.14, 0.01, 0.14, 0.19, 0.02, 0.01,, 1.10,,
31.2, in, 05/06/1961,, 0.03, 0.01, 0.26, 0.03,, 0.33,,
31.2, in, 05/07/1961, 0.29, 0.21, 0.13, 0.30, 0.02,, 0.02, 0.07, 0.49, 0.76, 0.81, 0.38, 0.10, 0.01, 0.01, 0.02, 0.01,, 0.02, 0.20, 0.78, 0.02, 0.22, 0.03, 4.,
31.2, in, 05/08/1961, 0.02, 0.01, 0.01, 0.01, 0.02, 0.13, 0.37, 0.11, 0.17,, a, 0.30, A, 0.06, 0.05, 0.04, 0.20, 0.35, 0.27, 0.20, 0.07, 0.01,, 2.40, I,
31.2, in, 05/09/1961,, 0.05,, 0.01, 0.01,, 0.07,,
31.2, in, 05/17/1961,, 0.01, 0.02, 0.02, 0.10,, 0.15,,
31.2, in, 05/18/1961, 0.14, 0.16, 0.11, 0.04,, 0.04,, 0.02,, 0.51,,
31.2, in, 05/26/1961, 0.02, 0.11,, 0.13,,
31.2, in, 06/01/1961, 0.00,, 0.00,,
31.2, in, 06/02/1961,, 0.26,, 0.01, 0.27,,
31.2, in, 06/03/1961, 0.03, 0.02, 0.21, 0.59, 0.20,, 1.05,,
31.2, in, 06/05/1961,, 0.09, 0.03,, 0.02,, 0.14,,
31.2, in, 06/07/1961,, 0.09,, 0.09,,
31.2, in, 06/08/1961,, 0.21, 0.05, 0.02,, 0.01, 0.01,, 0.30,,
31.2, in, 06/09/1961,, 0.02, 0.06, 0.21, 0.09, 0.01, 0.01, 0.01,, 0.41,,
31.2, in, 06/12/1961,, 0.80,, 0.80,,
31.2, in, 06/14/1961,, 0.02, 0.02, 0.01, 0.01,, 0.05,, 0.03, 0.14,,
31.2, in, 06/15/1961, 0.21, 0.21, 0.05,, 0.04, 0.16, 0.21, 0.12, 0.02, 0.02,, 1.04,,
31.2, in, 07/01/1961, 0.00,, 0.00,,
31.2, in, 07/03/1961, 0.01, 0.01,, 0.02,,
31.2, in, 07/08/1961,, m,, M,, 0.00, I,
31.2, in, 07/12/1961,, 0.05, 0.08, 0.10, 0.30, 0.20, 0.02, 0.03, 0.01, 0.01, 0.04,, 0.09,, 0.01,, 0.95,,
31.2, in, 07/13/1961,, 0.25, 0.57, 0.08,, 0.90,,
31.2, in, 07/14/1961,, 0.11, 0.01, 0.38, 0.11,, 0.61,,
31.2, in, 07/15/1961,, 0.12,, 0.05,, 0.28, 0.42,, 0.01,, 0.88,,
31.2, in, 07/16/1961,, 0.02, 0.03, 0.05,,
31.2, in, 07/17/1961, 0.01, 0.01,, 0.02,,

.31,2,in,07/19/1961,.....,0.24,0.43,0.02,.....,0.02,0.71,,
.31,2,in,07/21/1961,.....,0.01,0.24,0.01,.....,0.26,,
.31,2,in,07/24/1961,.....,0.49,.....,0.01,.....,0.01,0.51,,
.31,2,in,07/25/1961,0.01,0.02,.....,.....,.....,0.03,,
.31,2,in,07/28/1961,.....,0.17,.....,0.01,0.02,.....,0.20,,
.31,2,in,08/01/1961,0.00,.....,.....,.....,.....,0.00,,
.31,2,in,08/04/1961,.....,0.01,0.01,0.01,.....,0.03,,
.31,2,in,08/08/1961,.....,0.74,0.01,.....,0.75,,
.31,2,in,08/10/1961,.....,0.07,0.16,0.09,0.04,0.03,0.01,.....,0.40,,
.31,2,in,08/11/1961,.....,0.04,.....,0.96,0.13,1.13,,
.31,2,in,08/12/1961,0.15,0.01,0.01,.....,0.17,,
.31,2,in,08/20/1961,.....,0.02,0.02,0.02,.....,0.06,,
.31,2,in,08/23/1961,.....,0.09,0.16,0.01,0.01,.....,0.02,0.33,,
.31,2,in,08/24/1961,0.04,.....,0.12,0.02,0.03,.....,0.21,,
.31,2,in,08/25/1961,0.30,0.52,0.03,.....,0.22,0.27,0.01,.....,1.35,,
.31,2,in,08/31/1961,.....,.....,0.03,.....,0.03,,
.31,2,in,09/01/1961,0.01,.....,0.01,0.02,.....,0.06,0.04,.....,0.14,,
.31,2,in,09/14/1961,.....,0.01,0.01,0.01,0.01,.....,0.04,,
.31,2,in,09/25/1961,.....,0.27,.....,0.27,,
.31,2,in,09/30/1961,.....,.....,0.23,0.42,0.12,0.77,,
.31,2,in,10/01/1961,0.03,0.14,0.09,0.27,0.16,0.08,0.06,0.03,.....,0.86,,
.31,2,in,10/19/1961,.....,0.09,0.05,0.01,.....,0.15,,
.31,2,in,10/20/1961,0.02,0.03,.....,.....,0.05,,
.31,2,in,10/30/1961,.....,0.01,0.02,0.03,.....,0.06,,
.31,2,in,10/31/1961,.....,0.04,0.01,.....,0.03,0.02,.....,0.10,,
.31,2,in,11/01/1961,0.00,.....,.....,0.00,,
.31,2,in,11/03/1961,.....,0.07,0.11,0.07,0.08,0.08,0.18,0.06,0.04,0.06,0.11,0.07,0.02,.....,0.95,,
.31,2,in,11/12/1961,.....,0.01,0.02,0.02,0.01,0.05,.....,0.03,0.02,0.16,,
.31,2,in,11/13/1961,0.12,0.03,.....,0.03,0.07,0.04,.....,0.01,0.20,0.02,0.03,0.09,0.01,.....,0.10,0.10,.....,0.05,.....,0.90,,
.31,2,in,11/14/1961,0.08,0.08,0.04,0.02,0.03,.....,0.25,,
.31,2,in,11/15/1961,.....,0.01,0.01,.....,0.03,0.03,0.25,0.09,0.42,,
.31,2,in,11/16/1961,0.06,0.02,0.17,0.35,0.01,.....,0.61,,
.31,2,in,11/22/1961,.....,0.02,0.02,0.03,0.02,0.01,0.03,.....,0.13,0.15,0.12,0.10,0.17,0.80,,
.31,2,in,11/23/1961,0.07,0.01,.....,0.04,0.01,0.03,0.02,.....,0.18,,
.31,2,in,11/27/1961,0.01,0.02,.....,.....,0.03,,
.31,2,in,12/01/1961,0.00,.....,.....,0.00,,
.31,2,in,12/04/1961,.....,a,.....,0.85,A,.....,0.85,I,,
.31,2,in,12/09/1961,0.05,0.05,0.14,0.10,0.16,0.06,0.08,0.17,0.07,0.14,0.16,0.17,0.06,0.04,0.03,.....,0.01,0.01,.....,0.01,1.51,,
.31,2,in,12/10/1961,.....,0.04,0.01,0.02,0.02,.....,0.09,,
.31,2,in,12/11/1961,.....,0.01,0.04,0.05,0.03,0.01,0.01,0.01,.....,0.16,,
.31,2,in,12/16/1961,.....,0.02,0.08,0.05,0.01,0.08,0.09,0.06,0.01,.....,0.01,0.02,0.43,,
.31,2,in,12/17/1961,0.03,0.01,.....,.....,0.04,,
.31,2,in,12/18/1961,.....,0.20,0.04,.....,0.24,,
.31,2,in,12/19/1961,0.05,0.08,.....,.....,0.13,,
.31,2,in,12/22/1961,.....,.....,0.02,0.04,.....,0.02,0.02,0.10,,
.31,2,in,12/23/1961,.....,0.01,.....,0.02,0.03,.....,0.01,0.01,.....,0.08,,
.31,2,in,12/26/1961,.....,.....,0.03,0.03,,
.31,2,in,12/27/1961,0.02,0.02,0.03,0.06,0.03,.....,0.16,,
.31,2,in,12/31/1961,0.01,.....,0.01,0.02,0.01,.....,0.05,,
.31,2,in,01/01/1962,0.00,.....,.....,0.00,,
.31,2,in,01/05/1962,.....,0.03,0.04,0.13,0.07,0.03,.....,0.03,0.03,0.02,0.38,,
.31,2,in,01/06/1962,0.02,0.03,0.04,0.02,0.01,0.01,0.02,0.02,0.02,.....,0.01,0.02,0.02,0.04,0.01,0.03,0.01,0.01,0.34,,
.31,2,in,01/07/1962,.....,0.01,0.02,0.01,.....,0.01,0.01,.....,0.02,0.08,,

.31,2,in,01/08/1962,0.01,,0.01,,,,,0.01,,,,,0.03,,
.31,2,in,01/14/1962,,,,,0.02,0.03,0.08,,0.07,,0.15,,0.35,,
.31,2,in,01/15/1962,0.15,,0.14,,0.06,,0.02,,0.07,,0.11,,,,,0.55,,
.31,2,in,01/19/1962,,,,,0.03,0.02,0.02,,0.02,,,,,0.09,,
.31,2,in,01/21/1962,,,,,a,,,,,0.17,A,0.03,0.05,0.08,0.11,0.06,,,,,0.03,0.02,0.05,,,,,0.02,,0.01,,0.63,I,
.31,2,in,01/22/1962,0.02,0.28,0.23,0.14,0.10,0.05,0.05,,,,,a,,,,,0.10,A,,,,,0.97,I,
.31,2,in,01/25/1962,,,,,0.01,0.02,0.01,,,,,0.04,,
.31,2,in,01/26/1962,0.01,,0.01,0.01,,,,,0.07,0.09,0.01,,,,,0.20,,
.31,2,in,02/01/1962,0.00,,,,,0.00,,
.31,2,in,02/05/1962,,,,,0.03,0.02,,,,,0.05,,
.31,2,in,02/08/1962,,,,,0.03,0.03,0.07,,0.03,,0.02,,,,,0.18,,
.31,2,in,02/09/1962,0.04,0.30,0.26,0.19,0.01,0.03,0.02,0.09,0.06,0.02,,,,,1.02,,
.31,2,in,02/15/1962,,,,,0.04,0.01,,0.05,,
.31,2,in,02/16/1962,0.02,,0.01,,,,,0.03,,
.31,2,in,02/18/1962,,,,,0.17,0.18,,,,,0.35,,
.31,2,in,02/21/1962,,,,,a,,,,,0.23,A,,,,,0.23,I,
.31,2,in,02/23/1962,,,,,0.05,0.04,0.01,0.04,0.11,0.08,0.12,0.35,0.48,0.02,,,,,1.30,,
.31,2,in,02/25/1962,,,,,0.02,0.10,0.07,0.10,0.14,0.12,0.55,,
.31,2,in,02/26/1962,0.02,,0.02,0.07,0.28,0.05,0.01,,,,,0.03,0.03,0.02,,,,,0.10,0.23,0.28,1.14,,
.31,2,in,02/27/1962,0.09,0.03,0.07,0.13,0.02,,,,,0.04,0.11,0.75,0.51,0.27,0.25,0.07,0.07,0.06,,,,,2.47,,
.31,2,in,02/28/1962,0.01,,0.01,,,,,0.02,,
.31,2,in,03/01/1962,0.00,,,,,0.00,,
.31,2,in,03/04/1962,,,,,0.01,0.01,,,,,0.01,0.01,,,,,0.04,,
.31,2,in,03/05/1962,0.01,,0.01,,,,,0.01,0.01,0.01,0.01,0.02,0.01,0.09,,
.31,2,in,03/06/1962,0.01,,,,,0.01,0.01,,,,,0.03,,
.31,2,in,03/08/1962,,,,,0.10,0.18,0.09,0.11,0.08,0.03,0.01,0.04,0.02,0.66,,
.31,2,in,03/09/1962,0.06,0.03,0.04,0.01,,,,,0.02,0.02,,,,,0.18,,
.31,2,in,03/11/1962,,,,,0.03,,,,,0.02,,0.05,,
.31,2,in,03/19/1962,,,,,0.02,0.02,0.02,0.01,,,,,0.07,,
.31,2,in,03/20/1962,,,,,0.04,0.03,0.08,0.11,0.24,0.11,0.08,0.17,0.12,,,,,0.98,,
.31,2,in,03/21/1962,,,,,0.02,0.01,,,,,0.03,,
.31,2,in,03/25/1962,,,,,0.01,0.04,0.01,0.01,0.01,0.01,0.01,,,,,0.10,,
.31,2,in,03/30/1962,0.03,0.07,0.09,0.02,0.13,0.25,0.01,0.01,0.02,0.01,0.05,0.06,0.04,0.01,0.01,0.02,,,,,0.01,0.02,0.02,0.05,0.93,,
.31,2,in,03/31/1962,0.01,0.06,0.08,0.01,0.01,,,,,0.17,,
.31,2,in,04/01/1962,0.00,,,,,0.05,,0.01,0.01,,0.13,0.01,0.01,,,,,0.22,,
.31,2,in,04/06/1962,,,,,0.01,,0.01,0.01,,,,,0.03,,
.31,2,in,04/08/1962,,,,,0.04,0.09,0.16,0.05,0.01,,,,,0.35,,
.31,2,in,04/10/1962,,,,,0.04,0.18,0.16,0.04,0.12,0.01,0.55,,
.31,2,in,04/11/1962,0.02,0.01,0.01,0.01,0.03,0.02,,,,,0.10,,
.31,2,in,04/12/1962,,,,,0.05,,0.05,,
.31,2,in,04/13/1962,,,,,0.04,0.01,,,,,0.05,,
.31,2,in,04/30/1962,,,,,0.61,0.09,0.70,,
.31,2,in,05/01/1962,0.00,0.01,0.01,0.01,0.14,0.18,,,,,a,,,,,0.14,A,,,,,0.49,I,
.31,2,in,05/10/1962,,,,,0.37,0.37,,
.31,2,in,05/11/1962,0.39,0.13,0.05,0.01,,,,,0.58,,
.31,2,in,05/20/1962,,,,,0.02,,0.08,,a,,,,,1.00,A,,,,,1.10,I,
.31,2,in,05/25/1962,,,,,0.19,0.01,,,,,0.20,,
.31,2,in,05/26/1962,,,,,a,,,,,0.07,A,,,,,0.07,I,
.31,2,in,05/27/1962,,,,,a,,,,,0.15,A,,,,,0.15,I,
.31,2,in,05/29/1962,,,,,0.01,,0.06,0.09,0.16,,
.31,2,in,05/30/1962,,0.01,,0.03,0.02,,,,,0.06,,
.31,2,in,06/01/1962,0.00,,,,,0.00,,
.31,2,in,06/02/1962,,,,,0.22,0.10,,,,,0.32,,

.31,2,in,06/03/1962,.....,0.17,,0.06,,0.02,,.....,0.25,,
.31,2,in,06/04/1962,.....,0.01,,0.03,,0.02,,.....,0.02,,.....,0.08,,
.31,2,in,06/06/1962,0.03,,.....,0.02,,.....,0.31,,.....,0.36,,
.31,2,in,06/09/1962,.....,a,-----,0.60,A,-----,0.60,I,
.31,2,in,06/11/1962,.....,0.89,,0.81,,0.73,,0.17,,0.14,,.....,0.01,,.....,2.75,,
.31,2,in,06/18/1962,.....,0.05,,.....,0.05,,
.31,2,in,06/19/1962,.....,0.02,,.....,0.03,,.....,0.05,,
.31,2,in,06/23/1962,.....,0.15,,0.10,,0.03,,.....,0.36,,0.22,,0.01,,0.01,,0.88,,
.31,2,in,06/24/1962,0.01,,.....,0.01,,
.31,2,in,06/25/1962,.....,0.01,,0.01,,.....,0.02,,
.31,2,in,06/26/1962,.....,0.01,,0.01,,0.01,,.....,0.03,,
.31,2,in,07/01/1962,0.00,,.....,0.37,,.....,0.37,,
.31,2,in,07/03/1962,.....,0.11,,.....,0.11,,
.31,2,in,07/04/1962,.....,a,-----,0.12,A,-----,0.12,I,
.31,2,in,07/05/1962,.....,a,-----,0.36,A,-----,0.36,I,
.31,2,in,07/07/1962,.....,0.39,,0.02,,.....,0.41,,
.31,2,in,07/08/1962,.....,0.15,,0.08,,0.02,,.....,0.25,,
.31,2,in,07/13/1962,.....,0.18,,0.05,,.....,0.23,,
.31,2,in,07/15/1962,.....,0.24,,0.02,,.....,0.26,,
.31,2,in,07/16/1962,.....,0.01,,0.01,,.....,0.02,,
.31,2,in,07/22/1962,.....,0.05,,.....,0.05,,
.31,2,in,07/23/1962,---,a,0.80,A,-----,0.80,I,
.31,2,in,07/25/1962,.....,0.01,,0.01,,.....,0.04,,0.16,,.....,0.22,,
.31,2,in,07/30/1962,0.03,,0.01,,.....,0.04,,
.31,2,in,08/01/1962,0.00,,.....,0.00,,
.31,2,in,08/07/1962,.....,0.11,,0.01,,.....,0.12,,
.31,2,in,08/09/1962,.....,0.07,,0.10,,0.01,,.....,0.18,,
.31,2,in,08/25/1962,.....,0.27,,0.08,,0.15,,0.21,,0.14,,0.13,,0.05,,0.22,,0.38,,0.21,,1.84,,
.31,2,in,08/26/1962,0.09,,0.02,,0.02,,0.03,,.....,0.16,,
.31,2,in,08/31/1962,.....,0.06,,0.04,,.....,0.06,,0.09,,0.11,,0.04,,.....,0.40,,
.31,2,in,09/01/1962,0.00,,.....,0.10,,0.02,,.....,0.03,,.....,0.03,,0.37,,0.03,,.....,0.02,,0.60,,
.31,2,in,09/02/1962,.....,0.10,,.....,0.02,,.....,0.03,,.....,0.15,,
.31,2,in,09/03/1962,.....,0.03,,0.06,,0.66,,0.65,,.....,0.06,,0.15,,0.44,,0.10,,.....,0.01,,2.16,,
.31,2,in,09/04/1962,.....,0.07,,.....,0.03,,0.17,,0.27,,
.31,2,in,09/05/1962,0.03,,.....,0.03,,
.31,2,in,09/09/1962,.....,a,-----,0.20,A,-----,0.20,I,
.31,2,in,09/10/1962,.....,a,-----,0.07,A,-----,0.07,I,
.31,2,in,09/14/1962,.....,0.30,,0.17,,0.13,,0.02,,.....,0.01,,0.11,,0.03,,.....,0.77,,
.31,2,in,09/16/1962,.....,0.01,,0.01,,.....,0.02,,
.31,2,in,09/24/1962,.....,0.04,,0.04,,0.19,,0.18,,0.01,,0.03,,0.11,,.....,0.05,,0.65,,
.31,2,in,09/25/1962,.....,0.05,,0.15,,0.02,,0.02,,.....,0.24,,
.31,2,in,10/01/1962,0.00,,.....,0.05,,0.08,,0.07,,0.27,,0.08,,0.08,,0.08,,0.71,,
.31,2,in,10/02/1962,0.13,,0.06,,0.04,,0.03,,0.08,,0.13,,0.05,,0.07,,0.05,,.....,0.64,,
.31,2,in,10/05/1962,.....,0.02,,0.01,,.....,0.03,,
.31,2,in,10/06/1962,.....,0.02,,0.18,,0.20,,0.02,,0.03,,.....,0.02,,0.05,,0.03,,0.01,,0.02,,.....,0.58,,
.31,2,in,10/13/1962,.....,0.11,,.....,0.11,,
.31,2,in,10/16/1962,.....,0.93,,0.02,,.....,0.95,,
.31,2,in,10/25/1962,.....,0.03,,0.04,,0.03,,.....,0.10,,
.31,2,in,10/28/1962,.....,a,-----,0.00,I,
.31,2,in,10/30/1962,---,0.11,A,0.05,-----,0.16,I,
.31,2,in,11/01/1962,0.00,,.....,0.00,,
.31,2,in,11/04/1962,.....,0.02,,0.02,,0.04,,0.02,,0.01,,.....,0.11,,
.31,2,in,11/07/1962,.....,0.05,,0.01,,0.04,,0.03,,0.01,,0.02,,0.04,,0.01,,.....,0.02,,0.01,,0.01,,.....,0.25,,

[illegible]

.31,2,in,05/19/1963,.....,0.07,,0.12,,0.23,,0.42,,
.31,2,in,05/20/1963,0.23,,0.12,,0.02,,0.01,,.....,0.03,,.....,0.01,,.....,0.01,,.....,0.43,,
.31,2,in,05/26/1963,.....,0.02,,.....,0.02,,
.31,2,in,05/27/1963,.....,0.15,,0.03,,0.01,,.....,0.19,,
.31,2,in,05/28/1963,.....,0.74,,0.04,,0.02,,.....,0.15,,0.95,,
.31,2,in,06/01/1963,0.00,.....,0.00,,
.31,2,in,06/10/1963,.....,a,.....,0.00,I,
.31,2,in,06/11/1963,---,---,0.20,A,.....,0.20,I,
.31,2,in,06/13/1963,.....,0.08,,0.62,,0.03,,.....,0.73,,
.31,2,in,06/15/1963,.....,0.01,,0.02,,0.02,,.....,0.01,,0.03,,0.03,,0.12,,
.31,2,in,06/16/1963,0.04,,0.04,,0.05,,.....,0.13,,
.31,2,in,06/20/1963,.....,0.28,,0.66,,0.04,,0.02,,0.01,,0.25,,0.34,,0.08,,0.03,,0.03,,0.01,,0.01,,.....,1.76,,
.31,2,in,06/29/1963,.....,0.05,,.....,0.05,,
.31,2,in,07/01/1963,0.00,.....,0.00,,
.31,2,in,07/02/1963,.....,0.66,,0.05,,0.14,,0.49,,0.22,,0.05,,.....,0.04,,0.51,,.....,2.16,,
.31,2,in,07/06/1963,.....,0.55,,1.65,,0.43,,0.12,,0.01,,0.01,,0.02,,0.01,,.....,0.11,,2.91,,
.31,2,in,07/07/1963,0.10,,0.03,,0.02,,0.02,,0.18,,0.55,,0.09,,0.06,,.....,0.02,,.....,1.07,,
.31,2,in,07/13/1963,.....,0.14,,0.34,,0.52,,0.35,,0.22,,0.02,,0.02,,0.02,,0.37,,0.38,,0.32,,0.02,,0.01,,2.71,,
.31,2,in,07/14/1963,0.03,,0.01,,.....,0.04,,
.31,2,in,07/18/1963,.....,0.04,,.....,0.04,,
.31,2,in,07/20/1963,.....,0.41,,0.35,,0.04,,0.01,,.....,0.81,,
.31,2,in,07/26/1963,.....,0.16,,0.02,,.....,0.18,,
.31,2,in,07/28/1963,.....,0.07,,0.17,,0.01,,.....,0.25,,
.31,2,in,07/29/1963,.....,0.07,,0.02,,.....,0.09,,
.31,2,in,08/01/1963,0.00,.....,0.00,,
.31,2,in,08/09/1963,.....,0.19,,.....,0.19,,
.31,2,in,08/12/1963,.....,0.05,,0.05,,0.60,,.....,0.70,,
.31,2,in,08/19/1963,.....,0.07,,.....,0.07,,
.31,2,in,08/28/1963,.....,0.49,,0.01,,.....,0.20,,0.30,,0.25,,0.02,,0.03,,1.30,,
.31,2,in,08/29/1963,.....,0.01,,0.02,,0.03,,.....,0.06,,
.31,2,in,09/01/1963,0.00,.....,0.00,,
.31,2,in,09/03/1963,.....,0.01,,0.01,,0.02,,0.10,,.....,0.02,,0.16,,
.31,2,in,09/11/1963,.....,0.50,,.....,0.50,,
.31,2,in,09/21/1963,.....,0.15,,.....,0.15,,
.31,2,in,09/29/1963,.....,0.05,,0.04,,.....,0.09,,
.31,2,in,10/01/1963,0.00,.....,0.00,,
.31,2,in,10/31/1963,.....,0.03,,0.01,,0.04,,
.31,2,in,11/01/1963,0.01,,0.01,,.....,0.02,,
.31,2,in,11/03/1963,.....,0.03,,.....,0.03,,
.31,2,in,11/04/1963,.....,0.03,,0.03,,.....,0.01,,.....,0.07,,
.31,2,in,11/05/1963,.....,0.02,,0.13,,0.02,,0.03,,0.23,,0.08,,0.02,,0.02,,0.08,,0.04,,.....,0.03,,.....,0.70,,
.31,2,in,11/14/1963,0.01,,0.02,,.....,0.03,,
.31,2,in,11/18/1963,.....,0.05,,0.02,,.....,0.07,,
.31,2,in,11/20/1963,.....,a,.....,0.05,A,.....,0.05,I,
.31,2,in,11/22/1963,.....,0.10,,0.01,,0.01,,0.21,,0.09,,.....,0.42,,
.31,2,in,12/01/1963,0.00,.....,0.00,,
.31,2,in,12/08/1963,0.07,,0.08,,.....,a,.....,0.15,I,
.31,2,in,12/09/1963,---,---,0.05,A,.....,0.05,I,
.31,2,in,12/11/1963,.....,0.02,,0.02,,0.01,,.....,0.03,,0.01,,0.01,,0.08,,0.03,,0.08,,0.04,,0.02,,.....,0.35,,
.31,2,in,12/17/1963,.....,0.03,,0.01,,0.04,,
.31,2,in,12/18/1963,0.01,,0.05,,.....,0.06,,
.31,2,in,12/22/1963,.....,a,.....,0.00,I,
.31,2,in,12/23/1963,---,---,---,---,0.35,A,.....,0.35,I,

.31,2,in,01/01/1964,0.00,,0.04,,0.12,,0.11,,0.09,,0.06,,0.05,,0.01,,0.03,,0.01,,0.02,,.....,0.54,,
.31,2,in,01/06/1964,.....,0.03,,0.01,,0.05,,.....,0.02,,.....,0.07,,0.18,,.....,0.25,,
.31,2,in,01/08/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.25,,
.31,2,in,01/09/1964,.....,0.05,,0.05,,0.02,,.....,0.02,,0.01,,.....,0.01,,0.04,,0.04,,0.01,,.....,0.01,,.....,0.35,,
.31,2,in,01/12/1964,.....,0.03,,0.06,,0.01,,0.05,,.....,0.02,,0.03,,0.03,,0.02,,0.04,,0.02,,0.02,,0.01,,.....,0.18,,0.18,,
.31,2,in,01/19/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.07,,
.31,2,in,01/20/1964,.....,0.04,,.....,0.02,,0.01,,.....,.....,.....,.....,.....,.....,.....,0.20,,
.31,2,in,01/24/1964,.....,.....,.....,0.05,,0.02,,0.02,,.....,.....,.....,.....,.....,.....,0.00,,
.31,2,in,02/01/1964,0.00,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.00,I,
.31,2,in,02/05/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.44,I,
.31,2,in,02/06/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.02,,0.01,,0.02,,0.01,,0.06,,
.31,2,in,02/09/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.27,,
.31,2,in,02/10/1964,.....,.....,.....,0.02,,0.04,,0.06,,0.04,,0.04,,0.01,,0.03,,0.02,,0.01,,.....,0.04,,0.04,,
.31,2,in,02/12/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.39,,
.31,2,in,02/13/1964,0.09,,0.06,,0.05,,0.05,,0.05,,0.01,,0.03,,0.06,,0.07,,0.03,,.....,0.04,,0.01,,.....,0.27,,
.31,2,in,02/15/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.24,,
.31,2,in,02/18/1964,.....,.....,.....,0.06,,0.07,,0.03,,0.03,,0.01,,0.02,,0.01,,.....,.....,.....,0.05,,
.31,2,in,02/19/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.05,,
.31,2,in,02/20/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.02,,
.31,2,in,02/26/1964,.....,.....,.....,0.01,,0.01,,.....,.....,.....,.....,.....,.....,.....,.....,0.00,,
.31,2,in,03/01/1964,0.00,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.43,,
.31,2,in,03/02/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.05,,0.05,,
.31,2,in,03/03/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,5.54,,
.31,2,in,03/04/1964,0.10,,0.23,,0.42,,0.24,,0.26,,0.14,,0.22,,0.19,,0.22,,0.29,,0.19,,0.19,,1.16,,0.05,,0.64,,0.36,,0.62,,0.02,,.....,0.05,,0.17,,1.86,,
.31,2,in,03/08/1964,.....,0.03,,0.12,,0.19,,0.10,,0.31,,0.20,,0.10,,0.05,,0.05,,0.15,,0.08,,0.18,,0.04,,0.04,,.....,0.33,,0.24,,0.33,,0.10,,0.10,,0.05,,.....,a,,
.31,2,in,03/09/1964,0.51,,0.21,,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.40,I,
.31,2,in,03/10/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.53,A,0.53,I,
.31,2,in,03/14/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.03,,0.13,,0.16,,
.31,2,in,03/19/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.17,,
.31,2,in,03/20/1964,0.02,,0.05,,0.09,,0.01,,.....,.....,.....,.....,.....,.....,.....,1.10,,
.31,2,in,03/25/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.00,,
.31,2,in,04/01/1964,0.00,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.03,,
.31,2,in,04/02/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.12,,
.31,2,in,04/03/1964,.....,.....,.....,0.05,,0.07,,.....,.....,.....,.....,.....,.....,.....,.....,0.65,,
.31,2,in,04/05/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.03,,
.31,2,in,04/12/1964,.....,.....,.....,0.01,,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.21,,
.31,2,in,04/13/1964,0.06,,.....,.....,0.05,,0.08,,0.02,,.....,.....,.....,.....,.....,.....,0.10,,
.31,2,in,04/18/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,1.68,,
.31,2,in,04/19/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.66,,
.31,2,in,04/21/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.19,,
.31,2,in,04/22/1964,0.02,,0.02,,0.02,,0.13,,.....,.....,.....,.....,.....,.....,.....,0.85,,
.31,2,in,04/26/1964,.....,.....,.....,0.45,,0.25,,0.05,,0.05,,0.05,,.....,.....,.....,.....,.....,0.05,,0.15,,0.70,,
.31,2,in,04/27/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.05,,
.31,2,in,04/28/1964,0.05,,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.09,,
.31,2,in,04/29/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.00,,
.31,2,in,05/01/1964,0.00,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.15,,
.31,2,in,05/07/1964,.....,.....,.....,0.05,,0.02,,.....,.....,.....,.....,.....,.....,.....,.....,0.04,,0.05,,0.01,,0.10,,
.31,2,in,05/11/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.01,,0.02,,0.03,,0.01,,0.10,,
.31,2,in,05/12/1964,0.01,,0.02,,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.17,,
.31,2,in,05/13/1964,0.03,,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.11,,
.31,2,in,05/23/1964,.....,.....,.....,0.09,,0.02,,.....,.....,.....,.....,.....,.....,.....,.....,0.02,,0.02,,0.10,,0.23,,0.05,,0.30,,0.78,,1.50,,
.31,2,in,05/26/1964,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,0.04,,0.16,,
.31,2,in,05/27/1964,0.11,,0.01,,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....,.....

.31,2,in,05/28/1964,,0.03,,0.02,,0.05,,0.05,,0.02,,0.18,,0.40,,0.30,,0.14,,0.08,,0.03,,0.04,,1.34,,
.31,2,in,06/01/1964,0.00,,0.05,,0.18,,0.22,,0.22,,0.03,,0.05,,0.75,,
.31,2,in,06/13/1964,,0.05,,0.18,,0.22,,0.22,,0.03,,0.05,,0.56,,
.31,2,in,06/14/1964,0.09,,0.02,,0.20,,0.23,,0.02,,0.01,,0.03,,0.01,,0.05,,
.31,2,in,06/15/1964,,0.06,,0.14,,0.45,,0.02,,1.00,,1.67,,
.31,2,in,06/18/1964,0.00,,0.07,,0.01,,0.02,,0.61,,0.02,,0.73,,
.31,2,in,07/01/1964,,0.07,,0.01,,0.02,,0.48,,0.19,,0.01,,0.75,,
.31,2,in,07/03/1964,,0.10,,0.03,,0.13,,0.02,,0.02,,0.01,,0.05,,
.31,2,in,07/07/1964,,0.05,,0.17,,0.20,,0.13,,0.23,,0.02,,0.80,,
.31,2,in,07/08/1964,,0.05,,0.05,,0.05,,
.31,2,in,07/11/1964,,0.08,,0.08,,0.08,,
.31,2,in,07/12/1964,,0.05,,0.05,,0.05,,
.31,2,in,07/18/1964,,0.08,,0.08,,0.08,,
.31,2,in,07/25/1964,,0.05,,0.05,,0.05,,
.31,2,in,07/28/1964,0.00,,0.13,,0.02,,0.15,,
.31,2,in,08/01/1964,,0.02,,0.02,,0.01,,0.04,,0.01,,0.10,,
.31,2,in,08/11/1964,,0.05,,0.08,,0.01,,0.01,,0.06,,0.10,,0.02,,0.21,,0.01,,0.55,,
.31,2,in,08/21/1964,,0.02,,0.15,,0.08,,0.05,,0.03,,0.02,,0.35,,
.31,2,in,08/22/1964,,0.30,,0.30,,
.31,2,in,08/25/1964,0.00,,0.05,,0.05,,
.31,2,in,08/28/1964,,0.16,,0.05,,0.04,,0.01,,0.04,,0.09,,0.02,,0.25,,0.66,,
.31,2,in,09/01/1964,0.15,,0.03,,0.62,,0.28,,0.02,,0.02,,0.02,,0.99,,
.31,2,in,09/17/1964,,0.01,,0.07,,0.27,,0.06,,0.41,,
.31,2,in,09/18/1964,,0.04,,0.05,,0.42,,0.30,,0.13,,0.06,,0.01,,0.03,,0.02,,0.05,,0.03,,0.02,,0.03,,0.09,,0.02,,0.01,,0.05,,1.36,,
.31,2,in,09/21/1964,0.02,,0.07,,0.13,,0.10,,0.09,,0.11,,0.08,,0.08,,0.02,,0.70,,
.31,2,in,09/27/1964,0.00,,0.03,,0.16,,0.02,,0.21,,
.31,2,in,09/28/1964,0.00,,0.15,,0.10,,0.25,,
.31,2,in,10/01/1964,,0.02,,0.01,,0.01,,0.02,,0.01,,0.05,,0.03,,0.03,,0.18,,
.31,2,in,10/02/1964,,0.02,,0.01,,0.01,,0.02,,0.01,,0.05,,0.03,,0.03,,0.45,I,,0.45,I,
.31,2,in,10/17/1964,,0.03,,0.02,,0.03,,0.02,,0.10,,
.31,2,in,10/18/1964,,0.09,,0.06,,0.38,,0.40,,0.13,,0.09,,0.10,,0.13,A,,0.13,A,,0.90,I,
.31,2,in,10/19/1964,0.10,,0.06,,0.08,,0.02,,0.08,,0.06,,0.10,,0.10,,0.13,,0.02,,0.02,,a,,1.25,,
.31,2,in,10/24/1964,0.01,,0.01,,0.02,,
.31,2,in,10/25/1964,0.00,,0.03,,0.15,,0.25,,0.07,,0.05,,0.04,,0.01,,0.04,,0.03,,0.03,,0.70,,
.31,2,in,10/28/1964,,0.01,,0.02,,0.07,,0.03,,0.02,,0.04,,0.01,,0.07,,0.16,,a,,0.43,I,
.31,2,in,10/30/1964,,0.47,A,,0.47,I,
.31,2,in,11/01/1964,,0.03,,0.07,,0.11,,0.15,,0.07,,0.03,,0.23,,0.14,,0.03,,0.86,,
.31,2,in,11/02/1964,0.07,,0.23,,0.23,,0.24,,0.10,,0.03,,0.05,,0.09,,0.01,,0.02,,0.02,,0.01,,0.05,,0.08,,0.06,,0.16,,0.10,,0.01,,1.56,,
.31,2,in,11/03/1964,0.01,,0.01,,0.01,,0.03,,
.31,2,in,11/04/1964,0.04,,0.08,,0.02,,0.01,,0.23,,0.12,,0.05,,0.55,,
.31,2,in,11/05/1964,,0.04,,0.01,,a,,0.05,I,
.31,2,in,11/06/1964,,0.20,A,,0.20,I,
.31,2,in,11/07/1964,,a,,0.16,A,,0.16,I,
.31,2,in,11/08/1965,0.00,,0.02,,0.02,,0.01,,0.05,,
.31,2,in,11/09/1965,,0.20,,0.25,,0.13,,0.02,,0.01,,0.01,,0.62,,

31,2,in,01/08/1965,0.10,0.10,,0.03,0.02,0.04,0.39,,
31,2,in,01/09/1965,0.10,0.03,0.02,0.05,0.09,0.01,,0.06,,
31,2,in,01/10/1965,0.01,0.03,0.02,,a,,0.00,I,
31,2,in,01/15/1965,,0.57,A,,0.57,I,
31,2,in,01/16/1965,,0.15,,
31,2,in,01/24/1965,0.10,,0.02,0.01,0.02,,0.20,,
31,2,in,01/26/1965,,0.17,0.03,,0.03,0.01,0.01,0.04,0.01,0.10,,
31,2,in,01/29/1965,,0.05,,
31,2,in,01/30/1965,0.04,0.01,,0.03,0.04,0.03,0.05,0.04,0.01,,0.20,,
31,2,in,02/01/1965,0.00,,0.03,0.04,0.03,0.05,0.04,0.01,,0.05,0.02,0.07,0.06,0.20,,
31,2,in,02/06/1965,,0.60,,
31,2,in,02/07/1965,0.24,0.11,0.09,0.05,0.08,0.02,0.01,,0.01,0.01,0.24,,
31,2,in,02/09/1965,,0.02,,0.18,0.01,0.01,,0.46,,
31,2,in,02/10/1965,0.08,0.30,0.08,,0.02,0.05,0.10,0.06,0.02,0.03,0.04,0.13,0.05,0.03,0.07,0.07,0.03,0.01,,0.02,0.01,0.74,,
31,2,in,02/11/1965,,0.03,,
31,2,in,02/21/1965,,0.02,0.01,,0.07,0.02,0.01,0.03,0.02,0.02,0.08,0.05,0.05,0.18,0.07,0.20,0.19,0.04,0.02,0.07,0.05,0.03,0.05,1.25,,
31,2,in,02/24/1965,,0.01,0.02,0.01,,0.02,0.04,0.03,0.07,0.06,0.10,0.04,0.40,,
31,2,in,03/01/1965,0.00,,0.01,0.02,0.01,,0.23,,
31,2,in,03/02/1965,0.08,0.05,0.07,0.03,,a,,0.00,I,
31,2,in,03/03/1965,,0.60,I,
31,2,in,03/04/1965,,0.10,A,,0.10,I,
31,2,in,03/05/1965,,a,,0.02,0.01,,0.07,,
31,2,in,03/06/1965,0.01,0.03,,0.01,0.02,,0.01,,0.04,,
31,2,in,03/07/1965,,0.05,,0.05,,
31,2,in,03/14/1965,,0.80,,
31,2,in,03/17/1965,,0.07,0.26,0.07,0.10,0.25,0.03,0.02,,0.02,0.03,,0.02,0.03,,0.10,,
31,2,in,03/23/1965,,0.01,0.02,0.02,0.08,0.17,0.15,,0.45,,
31,2,in,03/24/1965,,0.01,0.14,0.10,0.10,0.05,,0.40,,
31,2,in,03/25/1965,,0.01,0.01,0.02,0.04,,
31,2,in,03/28/1965,,1.23,,
31,2,in,03/29/1965,0.20,0.62,0.20,0.20,,0.01,,0.00,,
31,2,in,04/01/1965,0.00,,0.05,0.01,0.02,0.07,0.03,0.05,0.07,,0.30,,
31,2,in,04/03/1965,,0.38,0.02,,0.40,,
31,2,in,04/05/1965,,0.01,0.46,,
31,2,in,04/06/1965,,0.39,0.04,,0.02,,0.11,,
31,2,in,04/08/1965,,0.04,0.07,,0.06,,0.86,,
31,2,in,04/15/1965,,0.13,0.24,0.28,0.15,,0.08,0.05,0.12,0.10,0.35,,
31,2,in,04/18/1965,,0.11,,
31,2,in,04/19/1965,0.10,0.01,,0.40,0.13,0.02,,0.55,,
31,2,in,04/25/1965,,0.07,0.03,,0.01,0.09,0.01,,0.21,,
31,2,in,04/28/1965,,0.00,,
31,2,in,05/01/1965,0.00,,0.05,0.05,0.05,0.02,,0.17,,
31,2,in,05/10/1965,,0.08,0.12,0.03,0.23,,
31,2,in,05/17/1965,,0.09,0.03,0.12,0.02,,0.27,,
31,2,in,05/18/1965,,0.14,,0.14,,
31,2,in,05/21/1965,,0.01,,0.04,,0.05,,
31,2,in,05/22/1965,,0.02,0.03,0.15,0.10,0.30,,
31,2,in,05/26/1965,,0.00,,
31,2,in,06/01/1965,0.00,,0.17,0.03,,0.05,0.18,0.12,,0.55,,
31,2,in,06/02/1965,,0.22,0.52,,0.02,,0.01,,0.77,,
31,2,in,06/03/1965,,0.28,0.02,,0.30,,
31,2,in,06/05/1965,,0.07,0.13,,0.55,0.25,0.15,0.10,0.09,0.06,,1.40,,
31,2,in,06/06/1965,,0.07,0.13,,0.55,0.25,0.15,0.10,0.09,0.06,,1.40,,

31,2,in,06/07/1965,0.07,0.03,0.01,0.02,0.97,0.20,0.03,1.33,
31,2,in,06/08/1965,0.19,0.05,0.11,0.07,0.42,
31,2,in,06/23/1965,0.04,0.02,1.47,0.10,0.17,1.80,
31,2,in,06/29/1965,0.07,0.20,
31,2,in,06/30/1965,0.05,0.03,0.10,0.02,0.00,
31,2,in,07/01/1965,0.00,0.30,
31,2,in,07/05/1965,0.27,0.03,0.45,
31,2,in,07/07/1965,0.01,0.32,0.10,0.02,0.03,0.02,0.05,0.30,
31,2,in,07/09/1965,0.15,0.05,0.01,0.01,0.95,
31,2,in,07/10/1965,0.55,0.10,0.09,0.16,0.03,0.01,0.10,0.10,
31,2,in,07/14/1965,0.03,0.01,0.01,0.05,
31,2,in,07/17/1965,0.03,0.01,0.01,0.15,0.42,0.33,0.90,
31,2,in,07/24/1965,0.25,0.03,0.82,1.10,
31,2,in,07/25/1965,0.00,0.00,
31,2,in,08/01/1965,0.00,0.00,I,
31,2,in,08/08/1965,m,M,0.26,
31,2,in,08/19/1965,0.13,0.03,0.01,0.05,0.02,0.01,0.01,0.25,
31,2,in,08/26/1965,0.14,0.06,0.05,0.50,0.25,0.10,0.03,0.04,0.03,0.05,0.02,1.26,2.33,
31,2,in,08/31/1965,0.05,0.02,0.02,0.06,
31,2,in,09/01/1965,0.42,0.32,0.16,0.02,0.04,0.02,0.02,0.98,
31,2,in,09/05/1965,0.03,0.01,0.02,0.06,
31,2,in,09/11/1965,0.03,0.03,0.22,0.15,0.15,0.15,0.15,0.25,0.13,0.15,0.19,0.20,0.13,0.13,2.06,
31,2,in,09/12/1965,0.02,0.03,0.02,0.01,0.02,0.10,
31,2,in,09/16/1965,0.04,0.06,0.07,0.07,0.24,
31,2,in,09/21/1965,0.07,0.02,0.09,
31,2,in,09/22/1965,0.02,0.07,
31,2,in,09/23/1965,0.07,0.01,0.02,0.43,
31,2,in,09/30/1965,0.05,0.02,0.03,0.23,0.02,0.05,0.00,
31,2,in,10/01/1965,0.00,0.01,0.02,0.02,0.12,0.13,0.13,0.14,0.27,0.84,
31,2,in,10/06/1965,0.01,0.02,0.02,0.12,0.13,0.13,0.14,0.27,0.84,
31,2,in,10/07/1965,0.06,0.05,0.02,0.03,0.01,0.24,0.01,0.42,
31,2,in,10/08/1965,0.03,0.03,0.03,
31,2,in,10/14/1965,0.05,0.05,0.05,
31,2,in,10/20/1965,0.03,0.04,0.02,0.02,0.01,0.05,0.05,0.03,0.01,0.01,0.01,0.01,0.30,
31,2,in,11/01/1965,0.00,0.00,
31,2,in,11/08/1965,0.05,0.10,0.05,0.14,0.06,0.40,
31,2,in,11/12/1965,0.17,0.17,
31,2,in,11/21/1965,0.01,0.06,0.03,0.13,0.01,0.01,0.25,
31,2,in,11/26/1965,0.54,0.11,0.65,
31,2,in,12/01/1965,0.00,0.00,
31,2,in,12/10/1965,0.05,0.02,0.07,
31,2,in,12/12/1965,0.01,0.10,0.25,0.20,0.04,0.01,0.19,0.80,
31,2,in,12/24/1965,0.03,0.02,0.06,0.09,0.20,
31,2,in,12/31/1965,0.04,0.06,0.13,a,0.23,I,
31,2,in,01/02/1966,4.17,A,0.04,0.01,0.05,0.10,0.10,4.47,I,
31,2,in,01/05/1966,0.04,0.01,0.03,0.04,0.06,0.04,a,0.22,I,
31,2,in,01/06/1966,1.17,A,1.17,I,
31,2,in,01/13/1966,0.05,0.02,0.07,0.01,0.01,0.01,0.01,0.02,a,0.06,A,0.35,I,
31,2,in,01/22/1966,0.05,0.02,0.04,0.03,0.02,0.07,0.01,0.01,0.01,0.01,0.02,0.04,0.01,0.05,
31,2,in,01/31/1966,0.04,0.06,0.06,0.04,0.04,0.05,0.01,1.48,
31,2,in,02/01/1966,0.08,0.12,0.10,0.12,0.18,0.20,0.16,0.16,0.03,0.01,0.06,0.06,0.06,0.04,0.04,0.05,0.01,1.48,
31,2,in,02/07/1966,0.05,0.05,
31,2,in,02/10/1966,a,1.87,A,0.04,0.01,1.92,I,

[illegible]

[illegible]

31,2,in,02/16/1967,.....,0.06,,0.14,,0.06,,0.05,,0.05,,0.09,,0.02,,0.01,,0.48,,
31,2,in,02/17/1967,0.01,,0.01,,0.01,,.....,0.03,,
31,2,in,02/20/1967,.....,0.06,,0.03,,0.03,,0.04,,0.03,,0.01,,.....,0.20,,
31,2,in,02/22/1967,.....,0.01,,0.05,,0.03,,0.02,,0.02,,0.03,,.....,0.16,,
31,2,in,02/23/1967,.....,0.07,,0.01,,0.01,,.....,0.09,,
31,2,in,02/27/1967,0.07,,0.09,,0.10,,0.03,,0.05,,0.06,,0.06,,0.04,,0.04,,0.06,,0.03,,0.01,,0.01,,0.01,,0.04,,0.01,,0.01,,.....,0.73,,
31,2,in,03/01/1967,0.00,,.....,0.04,,0.03,,0.01,,0.01,,0.01,,0.02,,.....,0.12,I,
31,2,in,03/07/1967,.....,1.65,A,.....,1.65,I,
31,2,in,03/12/1967,.....,0.62,,0.07,,0.01,,0.60,,0.18,,0.01,,.....,1.49,,
31,2,in,03/14/1967,.....,0.28,,.....,0.01,,0.21,,0.71,,0.40,,1.61,,
31,2,in,03/15/1967,.....,0.01,,.....,0.01,,
31,2,in,03/19/1967,.....,0.02,,0.01,,.....,0.03,,
31,2,in,03/20/1967,.....,0.02,,.....,0.02,,0.01,,0.05,,0.09,,0.01,,0.05,,0.04,,0.01,,0.04,,0.01,,0.04,,0.01,,.....,0.05,,0.02,,0.01,,0.48,,
31,2,in,03/28/1967,.....,0.03,,0.03,,0.19,,0.05,,0.09,,0.01,,.....,0.01,,0.01,,.....,0.42,,
31,2,in,04/01/1967,0.00,,.....,0.03,,
31,2,in,04/03/1967,.....,0.03,,
31,2,in,04/10/1967,0.03,,0.01,,0.08,,0.30,,0.08,,0.02,,.....,0.52,,
31,2,in,04/12/1967,.....,0.03,,0.02,,.....,0.05,,
31,2,in,04/21/1967,.....,0.25,,0.07,,0.12,,0.09,,0.10,,0.20,,0.12,,.....,0.05,,0.04,,0.01,,0.01,,.....,1.06,,
31,2,in,04/22/1967,.....,0.03,,0.01,,.....,0.04,,
31,2,in,04/23/1967,.....,0.06,,0.02,,.....,0.08,,
31,2,in,04/25/1967,.....,0.06,,0.06,,0.12,,0.06,,0.01,,0.31,,
31,2,in,04/26/1967,0.01,,0.10,,0.53,,0.01,,.....,0.10,,0.09,,.....,0.84,,
31,2,in,04/29/1967,.....,0.02,,0.08,,0.03,,0.13,,
31,2,in,04/30/1967,.....,0.01,,.....,0.12,,0.17,,0.85,,1.04,,0.35,,0.22,,0.27,,0.18,,0.01,,.....,3.22,,
31,2,in,05/01/1967,0.02,,0.02,,.....,0.65,,0.42,,0.32,,0.02,,.....,0.01,,0.02,,0.02,,0.14,,0.05,,1.69,,
31,2,in,05/02/1967,0.06,,0.04,,.....,0.04,,
31,2,in,05/06/1967,.....,0.05,,0.04,,0.01,,0.09,,0.10,,0.09,,0.02,,0.01,,0.08,,.....,0.57,,
31,2,in,05/07/1967,0.01,,0.02,,0.01,,.....,0.01,,0.01,,.....,0.06,,
31,2,in,05/08/1967,0.02,,0.01,,.....,0.10,,.....,0.13,,
31,2,in,05/13/1967,.....,0.03,,0.01,,0.04,,
31,2,in,05/14/1967,0.11,,.....,0.01,,0.01,,0.93,,0.29,,0.16,,0.22,,0.17,,0.01,,.....,0.05,,0.02,,.....,0.03,,0.05,,0.05,,2.11,,
31,2,in,05/15/1967,0.01,,0.01,,0.03,,.....,0.03,,.....,0.08,,
31,2,in,05/16/1967,.....,0.12,,0.11,,0.03,,0.02,,0.28,,
31,2,in,05/17/1967,0.02,,0.10,,.....,0.12,,
31,2,in,05/30/1967,.....,0.02,,0.09,,.....,0.11,,
31,2,in,05/31/1967,.....,0.02,,0.04,,0.04,,0.03,,0.13,,
31,2,in,06/01/1967,0.02,,.....,0.02,,
31,2,in,06/17/1967,.....,m,.....,0.00,I,
31,2,in,06/22/1967,.....,M,.....,0.00,I,
31,2,in,06/24/1967,.....,0.03,,.....,0.03,,
31,2,in,06/25/1967,.....,0.02,,0.05,,0.05,,0.01,,.....,0.13,,
31,2,in,06/28/1967,.....,0.04,,0.02,,0.21,,0.41,,0.03,,.....,0.01,,0.02,,.....,0.74,,
31,2,in,06/29/1967,.....,0.05,,0.01,,.....,0.06,,
31,2,in,07/01/1967,0.00,,.....,0.10,,0.05,,.....,0.15,,
31,2,in,07/02/1967,.....,0.01,,.....,0.01,,
31,2,in,07/05/1967,.....,0.03,,0.03,,0.04,,0.03,,0.04,,0.17,,
31,2,in,07/06/1967,0.10,,0.14,,0.11,,0.19,,0.09,,0.05,,0.13,,0.02,,.....,0.01,,0.03,,.....,0.87,,
31,2,in,07/09/1967,.....,0.01,,0.01,,
31,2,in,07/10/1967,0.01,,1.12,,0.11,,0.16,,0.05,,0.06,,0.04,,.....,a,.....,1.55,I,
31,2,in,07/11/1967,.....,0.25,A,.....,0.25,I,
31,2,in,07/19/1967,.....,0.04,,.....,0.04,,

31,2,in,12/22/1968,0.01,,0.04,,0.03,,0.09,,0.09,,0.19,,0.20,,0.03,,0.05,,0.02,,0.07,,0.05,,0.04,,0.04,,0.02,,0.97,,
31,2,in,12/27/1968,,0.01,,0.05,,0.03,,0.01,,0.01,,0.01,,0.02,,0.01,,0.11,,0.03,,0.03,,0.21,,0.12,,0.66,,
31,2,in,12/28/1968,0.05,,0.09,,0.14,,
31,2,in,01/01/1969,0.00,,0.00,,
31,2,in,01/06/1969,,0.09,,0.16,,0.04,,0.01,,0.02,,0.32,,
31,2,in,01/08/1969,,0.12,,0.08,,0.01,,0.21,,
31,2,in,01/16/1969,,0.01,,0.02,,0.02,,0.01,,0.05,,0.05,,0.03,,0.19,,
31,2,in,01/17/1969,0.02,,0.01,,0.08,,0.02,,0.03,,0.01,,0.05,,0.14,,0.09,,0.27,,0.05,,0.05,,0.06,,0.06,,0.08,,0.05,,0.05,,0.03,,0.12,,0.05,,0.06,,0.05,,1.
31,2,in,01/18/1969,0.08,,0.04,,0.01,,0.01,,0.07,,0.01,,0.01,,0.03,,0.26,,
31,2,in,01/21/1969,,a,0.00,I,
31,2,in,01/30/1969,,4.56A,0.01,,0.05,,0.03,,0.02,,0.07,,0.02,,4.76,I,
31,2,in,02/01/1969,0.00,,0.01,,0.01,,
31,2,in,02/05/1969,,0.01,,0.01,,
31,2,in,02/06/1969,0.05,,0.07,,0.02,,0.05,,0.03,,0.01,,0.01,,0.01,,0.01,,0.01,,0.27,,
31,2,in,02/08/1969,,0.29,,0.01,,0.01,,0.01,,0.01,,0.02,,0.35,,
31,2,in,02/15/1969,,0.02,,0.01,,0.02,,0.01,,0.01,,0.02,,0.09,,
31,2,in,02/16/1969,0.01,,0.02,,0.02,,0.01,,0.01,,0.01,,0.02,,0.01,,0.11,,
31,2,in,02/22/1969,,0.02,,0.01,,0.03,,0.05,,0.02,,0.01,,0.01,,0.01,,0.03,,0.04,,0.02,,0.25,,
31,2,in,02/28/1969,,0.05,,0.10,,0.05,,0.03,,0.02,,0.04,,0.04,,0.03,,0.04,,0.01,,0.01,,0.42,,
31,2,in,03/01/1969,0.00,,0.00,,
31,2,in,03/06/1969,,0.01,,0.04,,0.03,,0.02,,0.01,,0.01,,0.12,,
31,2,in,03/08/1969,,0.02,,0.01,,0.03,,0.03,,0.02,,0.01,,0.02,,0.01,,0.15,,
31,2,in,03/23/1969,,0.03,,0.13,,0.12,,0.25,,0.32,,0.04,,0.89,,
31,2,in,03/24/1969,,0.02,,0.01,,0.03,,0.11,,0.12,,0.08,,0.02,,0.03,,0.05,,0.01,,0.01,,0.03,,0.02,,0.54,,
31,2,in,03/28/1969,,0.03,,0.13,,0.16,,
31,2,in,03/29/1969,0.10,,0.05,,0.03,,0.01,,0.19,,
31,2,in,04/01/1969,0.00,,0.02,,0.03,,0.04,,0.01,,0.03,,0.13,,
31,2,in,04/02/1969,,0.05,,0.02,,0.01,,0.01,,0.09,,
31,2,in,04/05/1969,0.03,,0.01,,0.01,,0.06,,0.01,,0.01,,0.13,,
31,2,in,04/09/1969,,0.03,,0.01,,0.01,,0.05,,0.09,,0.14,,0.07,,0.09,,0.01,,0.50,,
31,2,in,04/13/1969,,0.03,,0.02,,0.02,,0.02,,0.01,,0.01,,0.01,,0.01,,0.02,,0.02,,0.01,,0.17,,
31,2,in,04/14/1969,0.03,,0.11,,0.14,,0.02,,0.12,,0.21,,0.08,,0.02,,0.01,,0.31,,0.01,,0.06,,0.01,,0.83,,
31,2,in,04/17/1969,,0.09,,0.54,,0.12,,0.13,,0.88,,
31,2,in,04/18/1969,0.04,,0.02,,0.04,,0.02,,0.07,,0.03,,0.01,,0.09,,0.38,,0.05,,0.01,,0.76,,
31,2,in,04/27/1969,,0.02,,0.15,,0.17,,
31,2,in,04/28/1969,0.15,,0.15,,
31,2,in,05/01/1969,0.00,,0.00,,
31,2,in,05/07/1969,,a,,0.00,I,
31,2,in,05/09/1969,,1.12,A,,1.12,I,
31,2,in,05/10/1969,,0.05,,0.05,,
31,2,in,05/13/1969,,0.16,,0.03,,0.42,,0.06,,0.01,,0.68,,
31,2,in,05/16/1969,,0.04,,0.04,,0.04,,0.03,,0.01,,0.01,,0.02,,0.21,,0.40,,
31,2,in,05/17/1969,0.02,,0.01,,0.01,,0.13,,0.02,,0.28,,0.47,,
31,2,in,05/18/1969,0.28,,0.02,,0.01,,0.39,,0.05,,0.01,,0.02,,0.04,,0.37,,0.03,,0.04,,1.26,,
31,2,in,05/22/1969,,0.18,,0.04,,0.22,,
31,2,in,06/01/1969,0.00,,0.14,,0.01,,0.05,,0.03,,0.02,,0.25,,
31,2,in,06/02/1969,,0.08,,0.05,,0.02,,0.02,,0.01,,0.02,,0.20,,
31,2,in,06/12/1969,,0.10,,0.05,,0.01,,0.03,,0.09,,0.10,,0.03,,0.41,,
31,2,in,06/13/1969,0.07,,0.13,,0.04,,0.01,,0.25,,
31,2,in,06/14/1969,0.01,,0.19,,0.19,,1.01,,0.09,,0.04,,0.01,,0.01,,0.01,,1.56,,
31,2,in,06/15/1969,0.01,,0.01,,
31,2,in,06/22/1969,,0.09,,0.46,,0.17,,0.01,,0.27,,0.32,,0.03,,1.35,,
31,2,in,06/24/1969,,0.27,,0.31,,0.03,,0.61,,

,31,2,in,06/29/1969,0.03,,0.05,,,,,,0.08,,
,31,2,in,07/01/1969,0.00,,0.05,,0.07,,0.01,,,,,,0.13,,
,31,2,in,07/03/1969,,,,,,0.02,,0.05,,,,,,0.07,,
,31,2,in,07/08/1969,,,,,,0.19,,0.13,,0.01,,,,,,0.33,,
,31,2,in,07/10/1969,,,,,,0.02,,0.40,,0.02,,0.02,,,,,,0.46,,
,31,2,in,07/12/1969,,,,,,0.28,,,,,,0.28,,
,31,2,in,07/13/1969,,,,,0.01,,0.02,,0.04,,0.09,,0.05,,0.01,,0.01,,,,,,0.23,,
,31,2,in,07/22/1969,,,,,,0.14,,0.01,,,,,,0.15,,
,31,2,in,07/24/1969,,,,,,0.05,,,,,0.01,,,,,0.01,,0.07,,
,31,2,in,08/01/1969,0.00,,,,,,0.08,,0.18,,0.06,,,,,,0.32,,
,31,2,in,08/09/1969,,,,,,0.05,,0.01,,,,,,0.06,,
,31,2,in,08/14/1969,,,,,,0.04,,0.03,,,,,,0.07,,
,31,2,in,08/17/1969,,,,,0.01,,0.05,,0.09,,0.05,,0.01,,0.02,,,,,,0.08,,0.39,,0.70,,
,31,2,in,08/19/1969,0.01,,0.07,,0.46,,0.12,,0.28,,0.20,,0.17,,0.20,,0.07,,0.22,,0.01,,,,,,1.81,,
,31,2,in,08/21/1969,,,,,,0.14,,0.10,,0.01,,0.01,,0.02,,0.27,,0.21,,0.10,,0.12,,0.04,,0.03,,,,,0.01,,,,,1.06,,
,31,2,in,09/01/1969,0.00,,,,,,0.25,,0.01,,0.01,,,,,,0.27,,
,31,2,in,09/02/1969,0.01,,0.02,,,,,,0.03,,
,31,2,in,09/03/1969,,,,,,0.09,,1.79,,0.06,,0.05,,0.01,,,,,2.00,,
,31,2,in,10/01/1969,0.00,,,,,,0.02,,0.03,,0.14,,0.10,,0.01,,0.06,,0.01,,0.03,,0.09,,0.01,,0.50,,
,31,2,in,10/02/1969,0.01,,,,,,0.14,,0.01,,0.01,,,,,,0.17,,
,31,2,in,10/07/1969,,,,,0.01,,0.10,,0.05,,,,,,0.16,,
,31,2,in,10/10/1969,,,,,,0.12,,,,,,0.12,,
,31,2,in,10/11/1969,,,,,,0.05,,0.23,,0.10,,0.03,,0.02,,,,,,0.43,,
,31,2,in,10/13/1969,,,,,,0.03,,0.01,,0.02,,0.01,,0.03,,0.01,,,,,,0.11,,
,31,2,in,10/20/1969,,,,,,0.39,,0.16,,,,,,0.55,,
,31,2,in,10/31/1969,,,,,,0.07,,0.04,,0.05,,0.04,,0.05,,0.10,,0.07,,0.02,,0.44,,
,31,2,in,11/01/1969,0.05,,0.01,,0.05,,,,,0.01,,0.01,,,,,,0.13,,
,31,2,in,11/11/1969,0.01,,0.01,,,,,0.01,,0.24,,0.02,,,,,,0.29,,
,31,2,in,11/13/1969,,,,,,0.01,,0.01,,0.05,,0.08,,0.07,,0.06,,0.02,,,,,,0.30,,
,31,2,in,11/17/1969,,,,,,0.05,,0.03,,,,,0.01,,0.01,,,,,,0.10,,
,31,2,in,11/18/1969,0.01,,0.05,,0.09,,0.06,,0.01,,0.02,,0.04,,0.10,,0.08,,0.08,,0.03,,0.05,,0.05,,0.07,,0.03,,0.10,,0.05,,0.08,,0.19,,0.13,,0.10,,,,,0.18,,1.
,31,2,in,11/19/1969,0.07,,0.09,,0.12,,0.04,,0.02,,,,,0.01,,0.01,,,,,,0.36,,
,31,2,in,12/01/1969,0.00,,,,,,0.00,,
,31,2,in,12/06/1969,,,,,,0.01,,0.04,,0.10,,0.07,,0.17,,0.39,,
,31,2,in,12/07/1969,0.13,,0.12,,0.13,,0.01,,0.02,,0.25,,0.21,,0.07,,0.05,,0.02,,,,,0.01,,,,,,1.02,,
,31,2,in,12/11/1969,,,,,,0.06,,,,,,0.06,,
,31,2,in,12/15/1969,,,,,0.02,,0.02,,0.01,,,,,,0.05,,
,31,2,in,12/21/1969,,,,,,0.01,,0.05,,0.06,,0.05,,0.03,,0.02,,,,,0.02,,0.01,,0.01,,,,,0.26,,
,31,2,in,12/22/1969,,,,,0.05,,0.01,,,,,,0.06,,
,31,2,in,12/23/1969,,,,,,0.04,,0.03,,0.01,,,,,,0.08,,
,31,2,in,12/24/1969,,,,,0.01,,0.02,,0.02,,0.01,,0.01,,0.03,,0.02,,0.01,,0.01,,0.01,,,,,0.02,,,,,0.17,,
,31,2,in,12/25/1969,,,,,0.02,,0.01,,,,,,0.03,,
,31,2,in,12/28/1969,,,,,,m,,,,,,0.00,I,
,31,2,in,12/30/1969,,,,,,M,,,,,0.00,I,
,31,2,in,01/01/1970,0.00,,,,,,0.00,,
,31,2,in,01/06/1970,,,,,,0.02,,0.01,,0.01,,,,,,0.04,,
,31,2,in,01/11/1970,0.01,,0.02,,0.04,,0.07,,0.01,,0.02,,0.01,,0.02,,0.04,,0.01,,0.01,,,,,,0.26,,
,31,2,in,01/23/1970,,,,,,0.05,,0.05,,0.06,,0.01,,0.01,,0.05,,,,,,0.23,,
,31,2,in,01/28/1970,,,,,,m,,,,,0.00,I,
,31,2,in,01/29/1970,,,,,,M,,,,,0.00,I,
,31,2,in,02/01/1970,0.00,,,,,,0.01,,0.13,,0.11,,0.01,,0.02,,0.28,,
,31,2,in,02/02/1970,0.06,,0.07,,0.07,,,,,0.03,,0.04,,0.03,,0.01,,,,,,0.31,,

[illegible]

31,2,in,07/26/1970,0.06,0.15,0.21,0.14,,
31,2,in,07/31/1970,0.08,0.04,0.02,0.00,,
31,2,in,08/01/1970,0.00,0.23,0.50,0.39,0.21,0.27,0.03,0.13,0.01,0.01,1.78,,
31,2,in,08/08/1970,0.03,0.03,,0.12,,
31,2,in,08/09/1970,0.03,0.09,,0.20,0.13,0.02,0.35,,
31,2,in,08/10/1970,0.03,0.09,,0.20,0.13,0.02,0.35,,
31,2,in,08/19/1970,m,0.06,0.02,0.03,0.01,0.12,,M,0.00,I,
31,2,in,08/22/1970,0.06,0.02,0.03,0.01,0.12,,
31,2,in,08/31/1970,0.00,0.00,,0.05,,
31,2,in,09/01/1970,0.04,0.01,0.03,0.01,0.01,0.05,,
31,2,in,09/03/1970,0.03,0.01,0.01,0.13,0.13,,
31,2,in,09/04/1970,0.01,0.02,0.02,0.20,0.01,0.01,0.04,0.02,0.03,0.33,,
31,2,in,09/08/1970,0.02,0.02,0.72,0.01,0.05,0.03,0.02,0.01,0.01,0.01,1.40,,
31,2,in,09/13/1970,0.60,0.02,0.72,0.01,0.05,0.03,0.02,0.01,0.01,0.01,0.08,,
31,2,in,09/18/1970,0.19,0.12,0.01,0.32,,0.00,I,
31,2,in,09/22/1970,m,0.00,I,
31,2,in,09/24/1970,M,0.00,I,
31,2,in,09/25/1970,0.00,,0.03,,
31,2,in,09/27/1970,0.02,0.01,0.04,0.01,0.05,,
31,2,in,10/01/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/02/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.85,,
31,2,in,10/07/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/08/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/09/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/11/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/12/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/13/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/14/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/19/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/20/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/28/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,10/29/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,11/01/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,11/02/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,11/09/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,11/14/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,11/22/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/01/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/11/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/12/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/15/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/16/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/21/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/22/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,12/23/1970,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/01/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/03/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/04/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/13/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/14/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/22/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,
31,2,in,01/30/1971,0.01,0.02,0.01,0.01,0.04,0.01,0.09,0.07,0.02,0.14,0.05,0.06,0.02,0.55,,

.31,2,in,02/01/1971,0.00,0.00,,
.31,2,in,02/03/1971,0.05,0.05,0.10,0.04,0.01,0.07,0.06,0.06,0.02,0.02,0.01,0.01,0.06,0.02,0.07,0.08,0.01,0.74,,
.31,2,in,02/04/1971,0.01,0.03,0.06,0.21,0.13,0.02,0.46,,
.31,2,in,02/05/1971,0.02,0.02,0.01,0.05,,
.31,2,in,02/07/1971,0.01,0.02,0.01,0.01,0.05,,
.31,2,in,02/08/1971,0.02,0.01,0.03,0.02,0.02,0.10,,
.31,2,in,02/12/1971,0.17,0.11,0.02,0.05,0.04,0.06,0.11,0.07,0.07,0.06,0.07,0.02,0.04,0.04,0.02,0.95,,
.31,2,in,02/17/1971,a,0.05,A,0.05,I,
.31,2,in,02/19/1971,0.01,0.02,0.01,0.34,0.17,0.04,0.01,0.60,,
.31,2,in,02/21/1971,0.02,0.21,0.32,0.33,0.40,0.39,0.50,0.11,2.28,,
.31,2,in,02/22/1971,0.11,0.34,0.10,0.05,0.02,0.01,0.01,0.03,0.67,,
.31,2,in,02/26/1971,0.04,0.04,0.01,0.05,0.14,0.02,0.01,0.01,0.01,0.01,0.34,,
.31,2,in,03/01/1971,0.00,0.00,,
.31,2,in,03/02/1971,0.04,0.01,0.05,0.02,0.12,,
.31,2,in,03/03/1971,0.01,0.02,0.02,0.01,0.02,0.08,,
.31,2,in,03/06/1971,0.03,0.14,0.11,0.06,0.06,0.05,0.03,0.02,0.50,,
.31,2,in,03/10/1971,0.01,0.02,0.10,0.08,0.09,0.11,0.11,0.07,0.06,0.03,0.05,0.73,,
.31,2,in,03/15/1971,0.31,0.01,0.32,,
.31,2,in,03/18/1971,0.03,0.03,0.12,0.02,0.01,0.01,0.22,,
.31,2,in,03/20/1971,0.01,0.01,0.01,0.03,,
.31,2,in,03/25/1971,0.02,0.02,0.01,0.01,0.06,,
.31,2,in,03/26/1971,0.02,0.01,0.01,0.04,,
.31,2,in,04/01/1971,0.00,0.03,0.02,0.01,0.08,0.08,0.10,0.10,0.08,0.09,0.03,0.08,0.16,0.01,0.03,0.90,,
.31,2,in,04/06/1971,0.04,0.01,0.02,0.13,0.10,0.12,0.03,0.05,0.03,0.05,0.05,0.05,0.02,0.01,0.01,0.01,0.73,,
.31,2,in,04/13/1971,0.04,0.06,0.02,0.01,0.13,,
.31,2,in,04/21/1971,a,0.10,A,0.10,I,
.31,2,in,04/27/1971,0.38,0.17,0.01,0.49,1.05,,
.31,2,in,05/01/1971,0.00,0.00,,
.31,2,in,08/31/1971,M,0.00,I,
.31,2,in,05/02/1971,0.01,0.01,0.01,0.01,0.01,0.01,0.03,0.09,,
.31,2,in,05/03/1971,0.02,0.01,0.03,,
.31,2,in,05/05/1971,0.01,0.01,0.02,0.01,0.01,0.01,0.02,0.01,0.02,0.01,0.13,,
.31,2,in,05/06/1971,0.01,0.48,0.03,0.12,0.01,0.01,0.01,0.02,0.26,0.12,0.05,1.12,,
.31,2,in,05/07/1971,0.02,0.03,0.01,0.01,0.13,0.04,0.01,0.01,0.01,0.01,0.02,0.08,0.01,0.01,0.40,,
.31,2,in,05/11/1971,0.01,0.02,0.03,,
.31,2,in,05/12/1971,0.01,0.02,0.02,0.03,0.01,0.01,0.03,0.02,0.01,0.02,0.18,,
.31,2,in,05/13/1971,0.02,0.02,,
.31,2,in,05/19/1971,0.03,0.01,0.01,1.05,1.10,,
.31,2,in,05/24/1971,a,0.00,I,
.31,2,in,05/27/1971,0.75,A,0.75,I,
.31,2,in,06/01/1971,0.00,0.05,0.12,0.13,0.02,0.02,0.01,0.35,,
.31,2,in,06/03/1971,0.13,0.01,0.01,0.15,,

APPENDIX B: Perl Programs Used to Analyze NCDC Data


```
#!/usr/local/bin/perl
```

```
# Jason Swank  
# 21 08 1998  
# 15 minute data
```

```
open(FILELIST,"filelist");  
while ($file=<FILELIST>) {  
    chop($file);  
    push(@files,$file);  
}  
close(FILELIST);  
  
foreach $file (@files) {  
    # print "opening $file...";  
    open(ASCIFILE,"$file") || die "couldn't open $file--\n";  
    undef(%max);  
  
    $line_number = 1;  
    while ($line=<ASCIFILE>) {  
        # print "analyzing lines...\n";  
        chop($line);  
        ($junk0, $junk1, $junk2, $junk3,$longdate,@data) = split(",",$lin  
  
        pop(@data); # shorten array 1  
        pop(@data); # shorten array 1  
        pop(@data); # shorten array 1  
  
        print "longdate=$longdate\n";  
        ($mo,$day,$yr) = split(/\//, $longdate);  
  
        $line_max = 0;  
        foreach $data ( @data) {  
            if ($data > $line_max) {  
                $old_max = $line_max;  
                $line_max = $data;  
            }  
            if ($data =~ /A/) {  
                $line_max = $old_max;  
            }  
            if ($data =~ /Q/) {  
                $line_max = $old_max;  
            }  
        }  
  
        print "line=$line_number. file=$file. year=$yr. max=$line_max\n";  
  
        if ($max{"$yr"} < $line_max) {  
            $max{"$yr"} = $line_max;  
            print "NEW YEAR MAX! line:$line_number $yr:$max{"$yr"}\n"  
        }  
        $line_number++;  
    }  
  
    foreach $key (sort keys(%max)) {  
        $print_line="$file,$key,$max{"$key"}\n";  
        $print_line =~ s/\\.asc//;  
        print "$print_line";  
    }  
    close(ASCIFILE);  
    print "closed $file\n";  
}
```


```
#!/usr/local/bin/perl
```

```
# Jason Swank  
# 21 08 1998  
# 24 hour data
```


```
open(FILELIST,"filelist");  
  
while ($file=<FILELIST>) {  
    chop($file);  
    push(@files,$file);  
}  
close(FILELIST);  
  
foreach $file (@files) {  
    open(ASCIFILE,"$file");  
    while ($line=<ASCIFILE>) {  
        chop($line);  
        (@data) = split(",",$line);  
  
        $max=$data[398];  
  
        if ( ($data[398] eq '') || ($data[398] == 0) ) {  
            $n=386;  
            $max = 0;  
            while ($n < 398) {  
                next if ($data[$n] =~ /A/);  
                $max = $data[$n] if ($data[$n]>$max);  
                $n++;  
            }  
        }  
  
        $real_data="$data[5],$max,";  
        $print_line="$file,$real_data";  
        $print_line =~ s/\\.asc//;  
        print "$print_line\n";  
    }  
    close(ASCIFILE);  
}
```

APPENDIX C: Double Mass Diagrams


DOUBLE MASS CURVE ANALYSIS
BRISTOL, TN 1961-1997




DOUBLE MASS CURVE ANALYSIS
CAIRO, IL 1961-1983




DOUBLE MASS CURVE ANALYSIS
HEBRON, KY (Cincinnati Airport) 1961-1997




DOUBLE MASS CURVE ANALYSIS EVANSVILLE, IN 1961-1997




DOUBLE MASS CURVE ANALYSIS
HUNTINGTON, WV 1961-1997




DOUBLE MASS CURVE ANALYSIS
KNOXVILLE, TN 1961-1977




DOUBLE MASS CURVE ANALYSIS
LEXINGTON, KY 1961-1997



DOUBLE MASS CURVE ANALYSIS
LOUISVILLE, KY 1961-1997



DOUBLE MASS CURVE ANALYSIS
NASHVILLE, TN 1961-1997



APPENDIX D: Calculated Values for each Return Period

RAINFALL INTENSITY EQUATION CALCULATIONS

Bristol, TN

11/98

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.0361966	1.4764741	1.7679764	2.136286	2.40952	2.68073
1440	0.0836535	0.1051146	0.1193237	0.137277	0.150595	0.163815

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	3.268	1.184134
60.000	4.094	16.7636574	1.0361966	0.035557
1440.000	7.272	52.8877784	0.0836535	-2.481072

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.1841341
4.094	16.7636574	0.0355569
7.272	52.8877784	-2.4810721

Return Interval	A ₀	A ₁	A ₂
2	33.677735	-0.8831379	0.0080287

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.028796	3.514398	0	#NUM!
Residual	0	1.5E-28	65535		
Total	2	7.028796			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	3.516836936	0	65535	#NUM!	3.51683694	3.516837	3.516837	3.516837
X Variable	-0.883137928	0	65535	#NUM!	-0.8831379	-0.883138	-0.883138	-0.883138
X Variable	0.008028733	0	65535	#NUM!	0.00802873	0.008029	0.008029	0.008029

RAINFALL INTENSITY EQUATION CALCULATIONS

Bristol, TN

11/98

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.0361966	1.47647409	1.7679764	2.136286	2.40952	2.68073
1440	0.0836535	0.10511458	0.1193237	0.137277	0.150595	0.163815

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.150	1.423077
60.000	4.094	16.7636574	1.4764741	0.389657
1440.000	7.272	52.8877784	0.1051146	-2.2527

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.42307679
4.094	16.7636574	0.38965687
7.272	52.8877784	-2.2527043

Return Interval	A ₀	A ₁	A ₂
5	25.353871	-0.6173085	-0.0188384

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.187132	3.593566	0	#NUM!
Residual	0	9.29E-29	65535		
Total	2	7.187132			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.232931426	0	65535	#NUM!	3.232931	3.232931	3.232931	3.232931
X Variable	-0.617308481	0	65535	#NUM!	-0.61731	-0.61731	-0.61731	-0.61731
X Variable	-0.018838427	0	65535	#NUM!	-0.01884	-0.01884	-0.01884	-0.01884

RAINFALL INTENSITY EQUATION CALCULATIONS

Bristol, TN
11/98

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.0361966	1.47647409	1.7679764	2.136286	2.40952	2.68073
1440	0.0836535	0.10511458	0.1193237	0.137277	0.150595	0.163815

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.734	1.554737
60.000	4.094	16.7636574	1.7679764	0.569836
1440.000	7.272	52.8877784	0.1193237	-2.12592

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.55473653
4.094	16.7636574	0.5698356
7.272	52.8877784	-2.1259154

Return Interval	A ₀	A ₁	A ₂
10	23.196076	-0.5051123	-0.0301869

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.261434	3.630717	0	#NUM!
Residual	0	1.25E-29	65535		
Total	2	7.261434			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.143983127	0	65535	#NUM!	3.143983	3.143983	3.143983	3.143983
X Variable	-0.505112341	0	65535	#NUM!	-0.50511	-0.50511	-0.50511	-0.50511
X Variable	-0.030186942	0	65535	#NUM!	-0.03019	-0.03019	-0.03019	-0.03019

RAINFALL INTENSITY EQUATION CALCULATIONS

Bristol, TN

11/98

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.0361966	1.47647409	1.7679764	2.136286	2.40952	2.68073
1440	0.0836535	0.10511458	0.1193237	0.137277	0.150595	0.163815

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.019	1.79493
60.000	4.094	16.7636574	2.4095199	0.879428
1440.000	7.272	52.8877784	0.1505954	-1.89316

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.7949296
4.094	16.7636574	0.87942752
7.272	52.8877784	-1.8931587

Return Interval	A ₀	A ₁	A ₂
50	21.50471	-0.3444131	-0.0464516

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressor	2	7.375791	3.687896	0	#NUM!
Residual	0	1.74E-28	65535		
Total	2	7.375791			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	3.068271995	0	65535	#NUM!	3.068272	3.068272	3.068272	3.068272
X Variable	-0.344413118	0	65535	#NUM!	-0.34441	-0.34441	-0.34441	-0.34441
X Variable	-0.046451587	0	65535	#NUM!	-0.04645	-0.04645	-0.04645	-0.04645

RAINFALL INTENSITY EQUATION CALCULATIONS

Bristol, TN

11/98

Return Period	2	5	10	25	50	100
15	3.268	4.150	4.734	5.472	6.019	6.562
60	1.0361966	1.476474092	1.7679764	2.136286	2.40952	2.68073
1440	0.0836535	0.105114578	0.1193237	0.137277	0.150595	0.163815

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.562	1.881352
60.000	4.094	16.7636574	2.6807297	0.986089
1440.000	7.272	52.8877784	0.1638153	-1.80902

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.881351638
4.094	16.7636574	0.986089045
7.272	52.8877784	-1.809015416

Return Interval	A ₀	A ₁	A ₂
100	21.380507	-0.297495187	-0.0512026

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.410971	3.705486	0	#NUM!
Residual	0	1.98E-30	65535		
Total	2	7.410971			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.062479608	0	65535	#NUM!	3.06248	3.06248	3.06248	3.06248
X Variable	-0.297495187	0	65535	#NUM!	-0.2975	-0.2975	-0.2975	-0.2975
X Variable	-0.051202595	0	65535	#NUM!	-0.0512	-0.0512	-0.0512	-0.0512

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL

11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.6920281	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.1843505	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	3.457	1.240282
60.000	4.094	16.7636574	1.3552116	0.303958
1440.000	7.272	52.8877784	0.1348297	-2.003742

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.2402815
4.094	16.7636574	0.3039576
7.272	52.8877784	-2.0037425

Return Interval	A ₀	A ₁	A ₂
2	19.032102	-0.5998233	-0.0111125

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.575291	2.787646	0	#NUM!
Residual	0	7.14E-29	65535		
Total	2	5.575291			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	2.94612712	0	65535	#NUM!	2.94612712	2.946127	2.946127	2.946127
X Variable	-0.599823338	0	65535	#NUM!	-0.5998233	-0.599823	-0.599823	-0.599823
X Variable	-0.011112498	0	65535	#NUM!	-0.0111125	-0.011112	-0.011112	-0.011112

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL

11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.69202812	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.18435054	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.424	1.690887
60.000	4.094	16.7636574	1.6920281	0.525928
1440.000	7.272	52.8877784	0.1843505	-1.69092

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6908869
4.094	16.7636574	0.52592788
7.272	52.8877784	-1.6909162

Return Interval	A ₀	A ₁	A ₂
5	74.697131	-1.0531487	0.0312843

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.902707	2.951353	0	#NUM!
Residual	0	1.35E-29	65535		
Total	2	5.902707			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.313441682	0	65535	#NUM!	4.313442	4.313442	4.313442	4.313442
X Variable	-1.053148716	0	65535	#NUM!	-1.05315	-1.05315	-1.05315	-1.05315
X Variable	0.031284338	0	65535	#NUM!	0.031284	0.031284	0.031284	0.031284

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL

11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.69202812	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.18435054	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.727	1.906141
60.000	4.094	16.7636574	1.9150302	0.649733
1440.000	7.272	52.8877784	0.2171376	-1.52722

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.90614135
4.094	16.7636574	0.64973339
7.272	52.8877784	-1.5272238

Return Interval	A ₀	A ₁	A ₂
10	134.03088	-1.2361319	0.0484866

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	6.035233	3.017617	0	#NUM!
Residual	0	6.89E-29	65535		
Total	2	6.035233			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.898070239	0	65535	#NUM!	4.89807	4.89807	4.89807	4.89807
X Variable	-1.236131905	0	65535	#NUM!	-1.23613	-1.23613	-1.23613	-1.23613
X Variable	0.04848662	0	65535	#NUM!	0.048487	0.048487	0.048487	0.048487

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL

11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.692028118	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.184350538	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.373	2.125029
60.000	4.094	16.7636574	2.1967908	0.786998
1440.000	7.272	52.8877784	0.2585638	-1.35261

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.125029479
4.094	16.7636574	0.786997583
7.272	52.8877784	-1.352612826

Return Interval	A ₀	A ₁	A ₂
25	232.28892	-1.400274299	0.063961

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.154086	3.077043	0	#NUM!
Residual	0	2.31E-28	65535		
Total	2	6.154086			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.447981924	0	65535	#NUM!	5.447982	5.447982	5.447982	5.447982
X Variable	-1.400274299	0	65535	#NUM!	-1.40027	-1.40027	-1.40027	-1.40027
X Variable	0.06396105	0	65535	#NUM!	0.063961	0.063961	0.063961	0.063961

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL

11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.69202812	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.18435054	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.594	2.261168
60.000	4.094	16.7636574	2.4058172	0.87789
1440.000	7.272	52.8877784	0.2892961	-1.2403

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.26116805
4.094	16.7636574	0.87788964
7.272	52.8877784	-1.2403045

Return Interval	A ₀	A ₁	A ₂
50	319.94917	-1.491598	0.0725882

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.220172	3.110086	0	#NUM!
Residual	0	8.35E-29	65535		
Total	2	6.220172			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.768162132	0	65535	#NUM!	5.768162	5.768162	5.768162	5.768162
X Variable	-1.491597961	0	65535	#NUM!	-1.4916	-1.4916	-1.4916	-1.4916
X Variable	0.072588188	0	65535	#NUM!	0.072588	0.072588	0.072588	0.072588

RAINFALL INTENSITY EQUATION CALCULATIONS

Cairo, IL
11/98

Return Period	2	5	10	25	50	100
15	3.457	5.424	6.727	8.373	9.594	10.806
60	1.3552116	1.692028118	1.9150302	2.196791	2.405817	2.613295
1440	0.1348297	0.184350538	0.2171376	0.258564	0.289296	0.319801

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.806	-2.380138
60.000	4.094	16.7636574	2.6132953	0.960612
1440.000	7.272	52.8877784	0.3198008	-1.14006

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.38013756
4.094	16.7636574	0.960612003
7.272	52.8877784	-1.140056985

Return Interval	A ₀	A ₁	A ₂
100	417.73603	-1.564930478	0.0795248

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.273211	3.136605	0	#NUM!
Residual	0	8.52E-29	65535		
Total	2	6.273211			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.034849715	0	65535	#NUM!	6.03485	6.03485	6.03485	6.03485
X Variable	-1.564930478	0	65535	#NUM!	-1.56493	-1.56493	-1.56493	-1.56493
X Variable	0.079524823	0	65535	#NUM!	0.079525	0.079525	0.079525	0.079525

RAINFALL INTENSITY EQUATION CALCULATIONS
Hebron, KY (Cincinnati Airport)
11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.4724863	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.1580368	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \log_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.323	1.463915
60.000	4.094	16.7636574	1.1001907	0.095484
1440.000	7.272	52.8877784	0.1231941	-2.093995

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.4639148
4.094	16.7636574	0.0954836
7.272	52.8877784	-2.0939945

Return Interval	A ₀	A ₁	A ₂
2	129.20525	-1.4314984	0.0653276

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	6.441712	3.220856	0	#NUM!
Residual	0	1.54E-30	65535		
Total	2	6.441712			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.861402227	0	65535	#NUM!	4.86140223	4.861402	4.861402	4.861402
X Variable	-1.431498369	0	65535	#NUM!	-1.4314984	-1.431498	-1.431498	-1.431498
X Variable	0.065327563	0	65535	#NUM!	0.06532756	0.065328	0.065328	0.065328

RAINFALL INTENSITY EQUATION CALCULATIONS
Hebron, KY (Cincinnati Airport)
11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.47248628	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1} (A_2 \cdot \log_e(T_C))$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.732	1.745993
60.000	4.094	16.7636574	1.4724863	0.386952
1440.000	7.272	52.8877784	0.1580368	-1.84493

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.74599266
4.094	16.7636574	0.38695232
7.272	52.8877784	-1.8449273

Return Interval	A ₀	A ₁	A ₂
5	160.1754	-1.3947446	0.0609203

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	6.574328	3.287164	0	#NUM!
Residual	0	4.56E-30	65535		
Total	2	6.574328			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.076269478	0	65535	#NUM!	5.076269	5.076269	5.076269	5.076269
X Variable	-1.394744572	0	65535	#NUM!	-1.39474	-1.39474	-1.39474	-1.39474
X Variable	0.060920339	0	65535	#NUM!	0.06092	0.06092	0.06092	0.06092

RAINFALL INTENSITY EQUATION CALCULATIONS
Hebron, KY (Cincinnati Airport)
11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.47248628	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.732	1.745993
60.000	4.094	16.7636574	1.4724863	0.386952
1440.000	7.272	52.8877784	0.1580368	-1.84493

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.74599266
4.094	16.7636574	0.38695232
7.272	52.8877784	-1.8449273

Return Interval	A ₀	A ₁	A ₂
5	160.1754	-1.3947446	0.0609203

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	6.574328	3.287164	0	#NUM!
Residual	0	4.56E-30	65535		
Total	2	6.574328			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.076269478	0	65535	#NUM!	5.076269	5.076269	5.076269	5.076269
X Variable	-1.394744572	0	65535	#NUM!	-1.39474	-1.39474	-1.39474	-1.39474
X Variable	0.060920339	0	65535	#NUM!	0.06092	0.06092	0.06092	0.06092

RAINFALL INTENSITY EQUATION CALCULATIONS
Hebron, KY (Cincinnati Airport)
11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.47248628	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.740	1.908126
60.000	4.094	16.7636574	1.7189786	0.54173
1440.000	7.272	52.8877784	0.1811058	-1.70867

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.90812584
4.094	16.7636574	0.54173026
7.272	52.8877784	-1.7086741

Return Interval	A ₀	A ₁	A ₂
10	190.85226	-1.3992704	0.0608057

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	6.670866	3.335433	0	#NUM!
Residual	0	2.77E-29	65535		
Total	2	6.670866			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.251499642	0	65535	#NUM!	5.2515	5.2515	5.2515	5.2515
X Variable	-1.399270436	0	65535	#NUM!	-1.39927	-1.39927	-1.39927	-1.39927
X Variable	0.0608057	0	65535	#NUM!	0.060806	0.060806	0.060806	0.060806

RAINFALL INTENSITY EQUATION CALCULATIONS

Hebron, KY (Cincinnati Airport)

11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.472486284	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \log_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.957	2.074082
60.000	4.094	16.7636574	2.0304189	0.708242
1440.000	7.272	52.8877784	0.2102531	-1.55944

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.074081792
4.094	16.7636574	0.708242103
7.272	52.8877784	-1.559443011

Return Interval	A ₀	A ₁	A ₂
25	221.89111	-1.390168096	0.0595265

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.736805	3.368403	0	#NUM!
Residual	0	4.19E-29	65535		
Total	2	6.736805			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.402186768	0	65535	#NUM!	5.402187	5.402187	5.402187	5.402187
X Variable	-1.390168096	0	65535	#NUM!	-1.39017	-1.39017	-1.39017	-1.39017
X Variable	0.05952654	0	65535	#NUM!	0.059527	0.059527	0.059527	0.059527

RAINFALL INTENSITY EQUATION CALCULATIONS

Hebron, KY (Cincinnati Airport)

11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.47248628	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \log_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.860	2.181538
60.000	4.094	16.7636574	2.2614633	0.816012
1440.000	7.272	52.8877784	0.2318764	-1.461551

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.18153816
4.094	16.7636574	0.81601208
7.272	52.8877784	-1.461551

Return Interval	A ₀	A ₁	A ₂
50	244.91976	-1.3849725	0.058796

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.774685	3.387342	0	#NUM!
Residual	0	2.83E-29	65535		
Total	2	6.774685			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.500930653	0	65535	#NUM!	5.500931	5.500931	5.500931	5.500931
X Variable	-1.384972532	0	65535	#NUM!	-1.38497	-1.38497	-1.38497	-1.38497
X Variable	0.058796011	0	65535	#NUM!	0.058796	0.058796	0.058796	0.058796

RAINFALL INTENSITY EQUATION CALCULATIONS
Hebron, KY (Cincinnati Airport)
11/98

Return Period	2	5	10	25	50	100
15	4.323	5.732	6.740	7.957	8.860	9.756
60	1.1001907	1.472486284	1.7189786	2.030419	2.261463	2.490796
1440	0.1231941	0.15803681	0.1811058	0.210253	0.231876	0.253339

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.756	2.277875
60.000	4.094	16.7636574	2.4907964	0.912603
1440.000	7.272	52.8877784	0.2533394	-1.37303

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.277874772
4.094	16.7636574	0.912602501
7.272	52.8877784	-1.373025145

Return Interval	A ₀	A ₁	A ₂
100	267.7791	-1.38073473	0.0581999

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	6.805711	3.402855	0	#NUM!
Residual	0	4.74E-29	65535		
Total	2	6.805711			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.590162392	0	65535	#NUM!	5.590162	5.590162	5.590162	5.590162
X Variable	-1.38073473	0	65535	#NUM!	-1.38073	-1.38073	-1.38073	-1.38073
X Variable	0.058199939	0	65535	#NUM!	0.0582	0.0582	0.0582	0.0582

RAINFALL INTENSITY EQUATION CALCULATIONS
Evansville, IN
11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.6266954	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.1475057	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.728	1.553579
60.000	4.094	16.7636574	1.1735176	0.160006
1440.000	7.272	52.8877784	0.1118363	-2.190719

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.5535793
4.094	16.7636574	0.1600057
7.272	52.8877784	-2.1907188

Return Interval	A ₀	A ₁	A ₂
2	137.13784	-1.4010483	0.058185

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.162574	3.581287	0	#NUM!
Residual	0	1.9E-28	65535		
Total	2	7.162574			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.920986532	0	65535	#NUM!	4.92098653	4.920987	4.920987	4.920987
X Variable	-1.40104828	0	65535	#NUM!	-1.4010483	-1.401048	-1.401048	-1.401048
X Variable	0.05818501	0	65535	#NUM!	0.05818501	0.058185	0.058185	0.058185

RAINFALL INTENSITY EQUATION CALCULATIONS

Evansville, IN

11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.62669539	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.1475057	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \text{LOG}_e(T_C))}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.557	1.880549
60.000	4.094	16.7636574	1.6266954	0.486551
1440.000	7.272	52.8877784	0.1475057	-1.91389

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.88054915
4.094	16.7636574	0.48655059
7.272	52.8877784	-1.9138884

Return Interval	A ₀	A ₁	A ₂
5	183.37459	-1.3784983	0.0548249

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressor	2	7.367699	3.683849	0	#NUM!
Residual	0	1.78E-29	65535		
Total	2	7.367699			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.211531027	0	65535	#NUM!	5.211531	5.211531	5.211531	5.211531
X Variable	-1.378498275	0	65535	#NUM!	-1.3785	-1.3785	-1.3785	-1.3785
X Variable	0.054824938	0	65535	#NUM!	0.054825	0.054825	0.054825	0.054825

RAINFALL INTENSITY EQUATION CALCULATIONS

Evansville, IN

11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.626695386	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.147505702	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	-2.708	7.3335359	9.298	2.229768
60.000	4.094	16.7636574	2.3058404	0.835445
1440.000	7.272	52.8877784	0.2009608	-1.60465

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.229767748
4.094	16.7636574	0.835445206
7.272	52.8877784	-1.604645296

Return Interval	A ₀	A ₁	A ₂
25	252.55827	-1.360485922	0.0521426

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.533633	3.766817	0	#NUM!
Residual	0	4.14E-30	65535		
Total	2	7.533633			

	Coefficients	tandard Err.	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.531642009	0	65535	#NUM!	5.531642	5.531642	5.531642	5.531642
X Variable	-1.360485922	0	65535	#NUM!	-1.36049	-1.36049	-1.36049	-1.36049
X Variable	0.052142639	0	65535	#NUM!	0.052143	0.052143	0.052143	0.052143

RAINFALL INTENSITY EQUATION CALCULATIONS

Evansville, IN

11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.62669539	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.1475057	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.433	2.344937
60.000	4.094	16.7636574	2.5870799	0.95053
1440.000	7.272	52.8877784	0.223097	-1.50015

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.34493667
4.094	16.7636574	0.95052978
7.272	52.8877784	-1.5001485

Return Interval	A ₀	A ₁	A ₂
50	281.18998	-1.3556723	0.0514261

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.578292	3.789146	0	#NUM!
Residual	0	5.86E-29	65535		
Total	2	7.578292			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.639030539	0	65535	#NUM!	5.639031	5.639031	5.639031	5.639031
X Variable	-1.355672344	0	65535	#NUM!	-1.35567	-1.35567	-1.35567	-1.35567
X Variable	0.051426065	0	65535	#NUM!	0.051426	0.051426	0.051426	0.051426

RAINFALL INTENSITY EQUATION CALCULATIONS

Evansville, IN

11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.626695386	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.147505702	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.298	2.229768
60.000	4.094	16.7636574	2.3058404	0.835445
1440.000	7.272	52.8877784	0.2009608	-1.60465

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.229767748
4.094	16.7636574	0.835445206
7.272	52.8877784	-1.604645296

Return Interval	A ₀	A ₁	A ₂
25	252.55827	-1.360485922	0.0521426

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.533633	3.766817	0	#NUM!
Residual	0	4.14E-30	65535		
Total	2	7.533633			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.531642009	0	65535	#NUM!	5.531642	5.531642	5.531642	5.531642
X Variable	-1.360485922	0	65535	#NUM!	-1.36049	-1.36049	-1.36049	-1.36049
X Variable	0.052142639	0	65535	#NUM!	0.052143	0.052143	0.052143	0.052143

RAINFALL INTENSITY EQUATION CALCULATIONS

Evansville, IN

11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.626695386	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.147505702	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.559	2.447474
60.000	4.094	16.7636574	2.8662363	1.053
1440.000	7.272	52.8877784	0.2450693	-1.40621

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.447473998
4.094	16.7636574	1.052999769
7.272	52.8877784	-1.406214377

Return Interval	A ₀	A ₁	A ₂
100	309.60364	-1.351790474	0.0508483

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.614402	3.807201	0	#NUM!
Residual	0	1.86E-28	65535		
Total	2	7.614402			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.735292913	0	65535	#NUM!	5.735293	5.735293	5.735293	5.735293
X Variable	-1.351790474	0	65535	#NUM!	-1.35179	-1.35179	-1.35179	-1.35179
X Variable	0.050848261	0	65535	#NUM!	0.050848	0.050848	0.050848	0.050848

RAINFALL INTENSITY EQUATION CALCULATIONS
Evansville, IN
11/98

Return Period	2	5	10	25	50	100
15	4.728	6.557	7.768	9.298	10.433	11.559
60	1.1735176	1.626695386	1.9267388	2.30584	2.58708	2.866236
1440	0.1118363	0.147505702	0.171122	0.200961	0.223097	0.245069

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.559	2.447474
60.000	4.094	16.7636574	2.8662363	1.053
1440.000	7.272	52.8877784	0.2450693	-1.40621

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.447473998
4.094	16.7636574	1.052999769
7.272	52.8877784	-1.406214377

Return Interval	A ₀	A ₁	A ₂
100	309.60364	-1.351790474	0.0508483

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.614402	3.807201	0	#NUM!
Residual	0	1.86E-28	65535		
Total	2	7.614402			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.735292913	0	65535	#NUM!	5.735293	5.735293	5.735293	5.735293
X Variable	-1.351790474	0	65535	#NUM!	-1.35179	-1.35179	-1.35179	-1.35179
X Variable	0.050848261	0	65535	#NUM!	0.050848	0.050848	0.050848	0.050848

RAINFALL INTENSITY EQUATION CALCULATIONS
Huntington, WV
11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.5702036	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.1147605	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.448	1.69516
60.000	4.094	16.7636574	1.1222045	0.115295
1440.000	7.272	52.8877784	0.0933332	-2.371579

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6951601
4.094	16.7636574	0.1152951
7.272	52.8877784	-2.3715789

Return Interval	A ₀	A ₁	A ₂
2	283.96374	-1.6718546	0.0782405

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	8.406294	4.203147	0	#NUM!
Residual	0	3.86E-28	65535		
Total	2	8.406294			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.64884657	0	65535	#NUM!	5.64884657	5.648847	5.648847	5.648847
X Variable	-1.671854583	0	65535	#NUM!	-1.6718546	-1.671855	-1.671855	-1.671855
X Variable	0.078240516	0	65535	#NUM!	0.07824052	0.078241	0.078241	0.078241

RAINFALL INTENSITY EQUATION CALCULATIONS

Huntington, WV

11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.57020359	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.11476053	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1} (A_2 * \text{LOG}_e(T_C))$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.772	2.050502
60.000	4.094	16.7636574	1.5702036	0.451205
1440.000	7.272	52.8877784	0.1147605	-2.16491

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.05050176
4.094	16.7636574	0.45120529
7.272	52.8877784	-2.1649077

Return Interval	A ₀	A ₁	A ₂
5	394.41766	-1.6461552	0.072402

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	9.057158	4.528579	0	#NUM!
Residual	0	1.44E-28	65535		
Total	2	9.057158			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.977410396	0	65535	#NUM!	5.97741	5.97741	5.97741	5.97741
X Variable	-1.646155213	0	65535	#NUM!	-1.64616	-1.64616	-1.64616	-1.64616
X Variable	0.072401953	0	65535	#NUM!	0.072402	0.072402	0.072402	0.072402

RAINFALL INTENSITY EQUATION CALCULATIONS

Huntington, WV

11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.57020359	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.11476053	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.436	2.244565
60.000	4.094	16.7636574	1.8668182	0.624236
1440.000	7.272	52.8877784	0.1289473	-2.04835

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.24456548
4.094	16.7636574	0.62423551
7.272	52.8877784	-2.0483517

Return Interval	A ₀	A ₁	A ₂
10	495.83924	-1.6574564	0.0718328

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	9.39911	4.699555	0	#NUM!
Residual	0	1.48E-29	65535		
Total	2	9.39911			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	6.20625177	0	65535	#NUM!	6.206252	6.206252	6.206252	6.206252
X Variable	-1.657456355	0	65535	#NUM!	-1.65746	-1.65746	-1.65746	-1.65746
X Variable	0.071832842	0	65535	#NUM!	0.071833	0.071833	0.071833	0.071833

RAINFALL INTENSITY EQUATION CALCULATIONS

Huntington, WV

11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.570203588	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.114760528	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \text{LOG}_e(T_C))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.444	-2.437457
60.000	4.094	16.7636574	2.2415876	0.807184
1440.000	7.272	52.8877784	0.1468721	-1.91819

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.437457168
4.094	16.7636574	0.807184359
7.272	52.8877784	-1.918193425

Return Interval	A ₀	A ₁	A ₂
25	599.22536	-1.650561763	0.0697649

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	9.685722	4.842861	0	#NUM!
Residual	0	1.45E-28	65535		
Total	2	9.685722			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.395637749	0	65535	#NUM!	6.395638	6.395638	6.395638	6.395638
X Variable	-1.650561763	0	65535	#NUM!	-1.65056	-1.65056	-1.65056	-1.65056
X Variable	0.069764918	0	65535	#NUM!	0.069765	0.069765	0.069765	0.069765

RAINFALL INTENSITY EQUATION CALCULATIONS

Huntington, WV

11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.57020359	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.11476053	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	12.933	2.559802
60.000	4.094	16.7636574	2.5196132	0.924105
1440.000	7.272	52.8877784	0.1601697	-1.83152

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.5598015
4.094	16.7636574	0.92410539
7.272	52.8877784	-1.8315214

Return Interval	A ₀	A ₁	A ₂
50	675.16571	-1.6461191	0.0685367

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	9.850899	4.92545	0	#NUM!
Residual	0	1.21E-28	65535		
Total	2	9.850899			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.514958152	0	65535	#NUM!	6.514958	6.514958	6.514958	6.514958
X Variable	-1.646119052	0	65535	#NUM!	-1.64612	-1.64612	-1.64612	-1.64612
X Variable	0.068536704	0	65535	#NUM!	0.068537	0.068537	0.068537	0.068537

RAINFALL INTENSITY EQUATION CALCULATIONS
Huntington, WV
11/98

Return Period	2	5	10	25	50	100
15	5.448	7.772	9.436	11.444	12.933	14.412
60	1.1222045	1.570203588	1.8668182	2.241588	2.519613	2.795579
1440	0.0933332	0.114760528	0.1289473	0.146872	0.16017	0.173369

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	14.412	-2.668031
60.000	4.094	16.7636574	2.7955795	1.028039
1440.000	7.272	52.8877784	0.1733689	-1.75233

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.668030976
4.094	16.7636574	1.028039414
7.272	52.8877784	-1.752333828

Return Interval	A ₀	A ₁	A ₂
100	750.08767	-1.642230642	0.0675096

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	9.986558	4.993279	0	#NUM!
Residual	0	6.83E-29	65535		
Total	2	9.986558			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.620190088	0	65535	#NUM!	6.62019	6.62019	6.62019	6.62019
X Variable	-1.642230642	0	65535	#NUM!	-1.64223	-1.64223	-1.64223	-1.64223
X Variable	0.067509577	0	65535	#NUM!	0.06751	0.06751	0.06751	0.06751

RAINFALL INTENSITY EQUATION CALCULATIONS

Knoxville, TN

11/98

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.0785937	1.48225423	1.7495129	2.087191	2.337701	2.586354
1440	0.1085132	0.14286516	0.1656091	0.194346	0.215665	0.236825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.435	2.006172
60.000	4.094	16.7636574	1.7495129	0.559337
1440.000	7.272	52.8877784	0.1656091	-1.79812

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.00617171
4.094	16.7636574	0.55933739
7.272	52.8877784	-1.7981248

Return Interval	A ₀	A ₁	A ₂
10	261.33397	-1.4935659	0.0661378

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.374543	3.687272	0	#NUM!
Residual	0	3.28E-29	65535		
Total	2	7.374543			

	Coefficients	tandard Ern	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.565799149	0	65535	#NUM!	5.565799	5.565799	5.565799	5.565799
X Variable	-1.493565939	0	65535	#NUM!	-1.49357	-1.49357	-1.49357	-1.49357
X Variable	0.066137824	0	65535	#NUM!	0.066138	0.066138	0.066138	0.066138

RAINFALL INTENSITY EQUATION CALCULATIONS

Knoxville, TN

11/98

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.0785937	1.48225423	1.7495129	2.087191	2.337701	2.586354
1440	0.1085132	0.14286516	0.1656091	0.194346	0.215665	0.236825

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.435	2.006172
60.000	4.094	16.7636574	1.7495129	0.559337
1440.000	7.272	52.8877784	0.1656091	-1.79812

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.00617171
4.094	16.7636574	0.55933739
7.272	52.8877784	-1.7981248

Return Interval	A ₀	A ₁	A ₂
10	261.33397	-1.4935659	0.0661378

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.374543	3.687272	0	#NUM!
Residual	0	3.28E-29	65535		
Total	2	7.374543			

	Coefficients	tandard Ern	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.565799149	0	65535	#NUM!	5.565799	5.565799	5.565799	5.565799
X Variable	-1.493565939	0	65535	#NUM!	-1.49357	-1.49357	-1.49357	-1.49357
X Variable	0.066137824	0	65535	#NUM!	0.066138	0.066138	0.066138	0.066138

RAINFALL INTENSITY EQUATION CALCULATIONS

Knoxville, TN

11/98

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.0785937	1.48225423	1.7495129	2.087191	2.337701	2.586354
1440	0.1085132	0.14286516	0.1656091	0.194346	0.215665	0.236825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.008	2.303401
60.000	4.094	16.7636574	2.3377005	0.849168
1440.000	7.272	52.8877784	0.2156645	-1.53403

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.30340092
4.094	16.7636574	0.84916777
7.272	52.8877784	-1.5340312

Return Interval	A ₀	A ₁	A ₂
50	354.52335	-1.494788	0.0655329

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.506772	3.753386	0	#NUM!
Residual	0	2.91E-29	65535		
Total	2	7.506772			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.870774203	0	65535	#NUM!	5.870774	5.870774	5.870774	5.870774
X Variable	-1.49478804	0	65535	#NUM!	-1.49479	-1.49479	-1.49479	-1.49479
X Variable	0.065532886	0	65535	#NUM!	0.065533	0.065533	0.065533	0.065533

RAINFALL INTENSITY EQUATION CALCULATIONS

Knoxville, TN

11/98

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.0785937	1.48225423	1.7495129	2.087191	2.337701	2.586354
1440	0.1085132	0.14286516	0.1656091	0.194346	0.215665	0.236825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.008	2.303401
60.000	4.094	16.7636574	2.3377005	0.849168
1440.000	7.272	52.8877784	0.2156645	-1.53403

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.30340092
4.094	16.7636574	0.84916777
7.272	52.8877784	-1.5340312

Return Interval	A ₀	A ₁	A ₂
50	354.52335	-1.494788	0.0655329

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.506772	3.753386	0	#NUM!
Residual	0	2.91E-29	65535		
Total	2	7.506772			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.870774203	0	65535	#NUM!	5.870774	5.870774	5.870774	5.870774
X Variable	-1.49478804	0	65535	#NUM!	-1.49479	-1.49479	-1.49479	-1.49479
X Variable	0.065532886	0	65535	#NUM!	0.065533	0.065533	0.065533	0.065533

RAINFALL INTENSITY EQUATION CALCULATIONS

Knoxville, TN

11/98

Return Period	2	5	10	25	50	100
15	4.499	6.266	7.435	8.912	10.008	11.096
60	1.0785937	1.482254231	1.7495129	2.087191	2.337701	2.586354
1440	0.1085132	0.142865155	0.1656091	0.194346	0.215665	0.236825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \text{LOG}_e(T_C))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.096	2.406588
60.000	4.094	16.7636574	2.5863544	0.950249
1440.000	7.272	52.8877784	0.2368252	-1.44043

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.40658822
4.094	16.7636574	0.950249308
7.272	52.8877784	-1.440432836

Return Interval	A ₀	A ₁	A ₂
100	393.87949	-1.49506161	0.0653498

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.545285	3.772643	0	#NUM!
Residual	0	1.86E-29	65535		
Total	2	7.545285			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.976044999	0	65535	#NUM!	5.976045	5.976045	5.976045	5.976045
X Variable	-1.49506161	0	65535	#NUM!	-1.49506	-1.49506	-1.49506	-1.49506
X Variable	0.065349801	0	65535	#NUM!	0.06535	0.06535	0.06535	0.06535

RAINFALL INTENSITY EQUATION CALCULATIONS
Lexington, KY
11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.5199997	1.7463827	2.032415	2.24461	2.455234
1440	0.1101673	0.140597	0.1607441	0.1862	0.205084	0.223829

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.020	1.613508
60.000	4.094	16.7636574	1.1780767	0.163883
1440.000	7.272	52.8877784	0.1101673	-2.20576

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6135079
4.094	16.7636574	0.1638832
7.272	52.8877784	-2.2057552

Return Interval	A ₀	A ₁	A ₂
2	176.64973	-1.4928687	0.0657394

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.434456	3.717228	0	#NUM!
Residual	0	4.72E-29	65535		
Total	2	7.434456			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.174168862	0	65535	#NUM!	5.17416886	5.174169	5.174169	5.174169
X Variable	-1.492868658	0	65535	#NUM!	-1.4928687	-1.49287	-1.49287	-1.49287
X Variable	0.065739413	0	65535	#NUM!	0.06573941	0.065739	0.065739	0.065739

RAINFALL INTENSITY EQUATION CALCULATIONS

Lexington, KY

11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.51999969	1.7463827	2.032415	2.24461	2.455234163
1440	0.1101673	0.14059698	0.1607441	0.1862	0.205084	0.22382886

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.307	1.988816
60.000	4.094	16.7636574	1.5199997	0.41871
1440.000	7.272	52.8877784	0.140597	-1.961858

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.9888161
4.094	16.7636574	0.41871013
7.272	52.8877784	-1.9618578

Return Interval	A ₀	A ₁	A ₂
5	398.45511	-1.7041752	0.0840268

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.913387	3.956693	0	#NUM!
Residual	0	3.36E-29	65535		
Total	2	7.913387			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.987594843	0	65535	#NUM!	5.987595	5.987595	5.987595	5.987595
X Variable 1	-1.704175183	0	65535	#NUM!	-1.704175	-1.704175	-1.704175	-1.704175
X Variable 2	0.084026752	0	65535	#NUM!	0.084027	0.084027	0.084027	0.084027

RAINFALL INTENSITY EQUATION CALCULATIONS
Lexington, KY
11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.51999969	1.7463827	2.032415	2.24461	2.455234
1440	0.1101673	0.14059698	0.1607441	0.1862	0.205084	0.223829

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.821	2.177105
60.000	4.094	16.7636574	1.7463827	0.557547
1440.000	7.272	52.8877784	0.1607441	-1.82794

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.1771049
4.094	16.7636574	0.55754661
7.272	52.8877784	-1.8279416

Return Interval	A ₀	A ₁	A ₂
10	575.58111	-1.7907037	0.091503

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	8.117974	4.058987	0	#NUM!
Residual	0	5.67E-29	65535		
Total	2	8.117974			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.355380165	0	65535	#NUM!	6.35538	6.35538	6.35538	6.35538
X Variable	-1.790703746	0	65535	#NUM!	-1.7907	-1.7907	-1.7907	-1.7907
X Variable	0.091502979	0	65535	#NUM!	0.091503	0.091503	0.091503	0.091503

RAINFALL INTENSITY EQUATION CALCULATIONS

Lexington, KY

11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.51999969	1.7463827	2.032415	2.24461	2.455234
1440	0.1101673	0.140596979	0.1607441	0.1862	0.205084	0.223829

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \text{LOG}_e(T_C))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.733	2.373367
60.000	4.094	16.7636574	2.0324151	0.709225
1440.000	7.272	52.8877784	0.1861998	-1.68094

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.373366959
4.094	16.7636574	0.709224777
7.272	52.8877784	-1.680935183

Return Interval	A ₀	A ₁	A ₂
25	823.27273	-1.86860322	0.0982269

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	8.306533	4.153267	0	#NUM!
Residual	0	3.06E-28	65535		
Total	2	8.306533			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.713287537	0	65535	#NUM!	6.713288	6.713288	6.713288	6.713288
X Variable	-1.86860322	0	65535	#NUM!	-1.8686	-1.8686	-1.8686	-1.8686
X Variable	0.098226934	0	65535	#NUM!	0.098227	0.098227	0.098227	0.098227

RAINFALL INTENSITY EQUATION CALCULATIONS

Lexington, KY

11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.51999969	1.7463827	2.032415	2.24461	2.455234
1440	0.1101673	0.14059698	0.1607441	0.1862	0.205084	0.223829

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	12.152	2.497531
60.000	4.094	16.7636574	2.2446105	0.808532
1440.000	7.272	52.8877784	0.2050842	-1.58433

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.49753085
4.094	16.7636574	0.808532
7.272	52.8877784	-1.5843344

Return Interval	A ₀	A ₁	A ₂
50	1019.9359	-1.9119864	0.1019687

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	8.413384	4.206692	0	#NUM!
Residual	0	2.15E-28	65535		
Total	2	8.413384			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.927495059	0	65535	#NUM!	6.927495	6.927495	6.927495	6.927495
X Variable	-1.911986448	0	65535	#NUM!	-1.91199	-1.91199	-1.91199	-1.91199
X Variable	0.101968694	0	65535	#NUM!	0.101969	0.101969	0.101969	0.101969

RAINFALL INTENSITY EQUATION CALCULATIONS

Lexington, KY

11/98

Return Period	2	5	10	25	50	100
15	5.020	7.307	8.821	10.733	12.152	13.561
60	1.1780767	1.5199969	1.7463827	2.032415	2.24461	2.455234
1440	0.1101673	0.140596979	0.1607441	0.1862	0.205084	0.223829

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	13.561	2.607192
60.000	4.094	16.7636574	2.4552342	0.898222
1440.000	7.272	52.8877784	0.2238289	-1.49687

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.607192164
4.094	16.7636574	0.898222139
7.272	52.8877784	-1.496873537

Return Interval	A ₀	A ₁	A ₂
100	1223.4871	-1.946817151	0.1049712

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	8.500139	4.25007	0	#NUM!
Residual	0	1.93E-28	65535		
Total	2	8.500139			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	7.109460332	0	65535	#NUM!	7.10946	7.10946	7.10946	7.10946
X Variable	-1.946817151	0	65535	#NUM!	-1.94682	-1.94682	-1.94682	-1.94682
X Variable	0.104971247	0	65535	#NUM!	0.104971	0.104971	0.104971	0.104971

RAINFALL INTENSITY EQUATION CALCULATIONS

Louisville, KY

11/98

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.1643649	1.5574798	1.8177563	2.146613	2.390578	2.632735
1440	0.1099527	0.1534513	0.1822512	0.21864	0.245635	0.27243

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.216	1.651788
60.000	4.094	16.7636574	1.1643649	0.152176
1440.000	7.272	52.8877784	0.1099527	-2.207705

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6517876
4.094	16.7636574	0.1521758
7.272	52.8877784	-2.2077047

Return Interval	A ₀	A ₁	A ₂
2	222.54878	-1.5872412	0.074312

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.571184	3.785592	0	#NUM!
Residual	0	3.17E-28	65535		
Total	2	7.571184			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	5.40514633	0	65535	#NUM!	5.40514633	5.405146	5.405146	5.405146
X Variable	-1.58724117	0	65535	#NUM!	-1.5872412	-1.587241	-1.587241	-1.587241
X Variable	0.074312048	0	65535	#NUM!	0.07431205	0.074312	0.074312	0.074312

RAINFALL INTENSITY EQUATION CALCULATIONS
Louisville, KY
11/98

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.1643649	1.55747979	1.8177563	2.146613	2.390578	2.632735348
1440	0.1099527	0.15345134	0.1822512	0.21864	0.245635	0.272429571

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.433	2.005951
60.000	4.094	16.7636574	1.5574798	0.443069
1440.000	7.272	52.8877784	0.1534513	-1.874372

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.00595141
4.094	16.7636574	0.44306899
7.272	52.8877784	-1.8743718

Return Interval	A ₀	A ₁	A ₂
5	414.14402	-1.720802	0.087237

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.623347	3.811674	0	#NUM!
Residual	0	1.31E-28	65535		
Total	2	7.623347			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.026213785	0	65535	#NUM!	6.026214	6.026214	6.026214	6.026214
X Variable 1	-1.72080199	0	65535	#NUM!	-1.720802	-1.720802	-1.720802	-1.720802
X Variable 2	0.087237018	0	65535	#NUM!	0.087237	0.087237	0.087237	0.087237

RAINFALL INTENSITY EQUATION CALCULATIONS

Louisville, KY

11/98

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.1643649	1.55747979	1.8177563	2.146613	2.390578	2.632735
1440	0.1099527	0.15345134	0.1822512	0.21864	0.245635	0.27243

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.901	2.186155
60.000	4.094	16.7636574	1.8177563	0.597603
1440.000	7.272	52.8877784	0.1822512	-1.70237

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.1861549
4.094	16.7636574	0.59760294
7.272	52.8877784	-1.7023692

Return Interval	A ₀	A ₁	A ₂
10	552.74365	-1.7751065	0.0924981

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.644663	3.822331	0	#NUM!
Residual	0	1.94E-28	65535		
Total	2	7.644663			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.314894327	0	65535	#NUM!	6.314894	6.314894	6.314894	6.314894
X Variable	-1.77510646	0	65535	#NUM!	-1.77511	-1.77511	-1.77511	-1.77511
X Variable	0.092498078	0	65535	#NUM!	0.092498	0.092498	0.092498	0.092498

RAINFALL INTENSITY EQUATION CALCULATIONS
Louisville, KY
11/98

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.1643649	1.557479787	1.8177563	2.146613	2.390578	2.632735
1440	0.1099527	0.153451338	0.1822512	0.21864	0.245635	0.27243

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.755	2.37541
60.000	4.094	16.7636574	2.1466128	0.763891
1440.000	7.272	52.8877784	0.2186396	-1.52033

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.375409856
4.094	16.7636574	0.763891152
7.272	52.8877784	-1.520330728

Return Interval	A ₀	A ₁	A ₂
25	736.04921	-1.823749795	0.0972135

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.663819	3.831909	0	#NUM!
Residual	0	1.51E-28	65535		
Total	2	7.663819			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.60129698	0	65535	#NUM!	6.601297	6.601297	6.601297	6.601297
X Variable	-1.823749795	0	65535	#NUM!	-1.82375	-1.82375	-1.82375	-1.82375
X Variable	0.097213525	0	65535	#NUM!	0.097214	0.097214	0.097214	0.097214

RAINFALL INTENSITY EQUATION CALCULATIONS

Louisville, KY

11/98

Return Period	2	5	10	25	50	100
15	5.216	7.433	8.901	10.755	12.131	13.497
60	1.1643649	1.55747979	1.8177563	2.146613	2.390578	2.632735
1440	0.1099527	0.15345134	0.1822512	0.21864	0.245635	0.27243

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \log_e(T_C))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	12.131	2.49578
60.000	4.094	16.7636574	2.3905776	0.871535
1440.000	7.272	52.8877784	0.2456345	-1.40391

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.4957802
4.094	16.7636574	0.871535
7.272	52.8877784	-1.4039104

Return Interval	A ₀	A ₁	A ₂
50	876.14956	-1.8507273	0.0998298

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	7.674471	3.837235	0	#NUM!
Residual	0	2.73E-28	65535		
Total	2	7.674471			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.775536804	0	65535	#NUM!	6.775537	6.775537	6.775537	6.775537
X Variable	-1.850727273	0	65535	#NUM!	-1.85073	-1.85073	-1.85073	-1.85073
X Variable	0.099829846	0	65535	#NUM!	0.09983	0.09983	0.09983	0.09983

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.7335086	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.1614245	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.144	1.637902
60.000	4.094	16.7636574	1.3074551	0.268083
1440.000	7.272	52.8877784	0.1218068	-2.10532

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6379018
4.094	16.7636574	0.2680825
7.272	52.8877784	-2.1053191

Return Interval	A ₀	A ₁	A ₂
2	134.28279	-1.3477417	0.0528676

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.173715	3.586857	0	#NUM!
Residual	0	8.93E-29	65535		
Total	2	7.173715			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	4.899947978	0	65535	#NUM!	4.89994798	4.899948	4.899948	4.899948
X Variable	-1.347741748	0	65535	#NUM!	-1.3477417	-1.34774	-1.34774	-1.34774
X Variable	0.05286756	0	65535	#NUM!	0.05286756	0.052868	0.052868	0.052868

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.7335086	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.1614245	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.144	1.637902
60.000	4.094	16.7636574	1.3074551	0.268083
1440.000	7.272	52.8877784	0.1218068	-2.10532

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.6379018
4.094	16.7636574	0.2680825
7.272	52.8877784	-2.1053191

Return Interval	A ₀	A ₁	A ₂
2	134.28279	-1.3477417	0.0528676

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.173715	3.586857	0	#NUM!
Residual	0	8.93E-29	65535		
Total	2	7.173715			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	4.899947978	0	65535	#NUM!	4.89994798	4.899948	4.899948	4.899948
X Variable	-1.347741748	0	65535	#NUM!	-1.3477417	-1.34774	-1.34774	-1.34774
X Variable	0.05286756	0	65535	#NUM!	0.05286756	0.052868	0.052868	0.052868

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.73350856	2.0155933	2.372004	2.636411	2.898858466
1440	0.1218068	0.16142453	0.1876549	0.220797	0.245383	0.269787736

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.678	2.03832
60.000	4.094	16.7636574	1.7335086	0.550147
1440.000	7.272	52.8877784	0.1614245	-1.823718

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.03831993
4.094	16.7636574	0.55014742
7.272	52.8877784	-1.8237176

Return Interval	A ₀	A ₁	A ₂
5	310.62865	-1.5601336	0.0715401

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.588409	3.794204	0	#NUM!
Residual	0	3.51E-29	.65535		
Total	2	7.588409			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.738598155	0	65535	#NUM!	5.738598	5.738598	5.738598	5.738598
X Variable 1	-1.560133638	0	65535	#NUM!	-1.560134	-1.560134	-1.560134	-1.560134
X Variable 2	0.071540113	0	65535	#NUM!	0.07154	0.07154	0.07154	0.07154

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.73350856	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.161424529	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.474	2.440103
60.000	4.094	16.7636574	2.3720043	0.863735
1440.000	7.272	52.8877784	0.2207968	-1.51051

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.44010311
4.094	16.7636574	0.86373529
7.272	52.8877784	-1.510512556

Return Interval	A ₀	A ₁	A ₂
25	643.49769	-1.718388069	0.0854521

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	7.909785	3.954892	0	#NUM!
Residual	0	2.05E-29	65535		
Total	2	7.909785			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	6.466918437	0	65535	#NUM!	6.466918	6.466918	6.466918	6.466918
X Variable	-1.718388069	0	65535	#NUM!	-1.71839	-1.71839	-1.71839	-1.71839
X Variable	0.085452098	0	65535	#NUM!	0.085452	0.085452	0.085452	0.085452

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.73350856	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.161424529	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.474	2.440103
60.000	4.094	16.7636574	2.3720043	0.863735
1440.000	7.272	52.8877784	0.2207968	-1.51051

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.440103311
4.094	16.7636574	0.86373529
7.272	52.8877784	-1.510512556

Return Interval	A ₀	A ₁	A ₂
25	643.49769	-1.718388069	0.0854521

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	7.909785	3.954892	0	#NUM!
Residual	0	2.05E-29	65535		
Total	2	7.909785			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.466918437	0	65535	#NUM!	6.466918	6.466918	6.466918	6.466918
X Variable	-1.718388069	0	65535	#NUM!	-1.71839	-1.71839	-1.71839	-1.71839
X Variable	0.085452098	0	65535	#NUM!	0.085452	0.085452	0.085452	0.085452

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.73350856	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.16142453	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \log_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	13.046	2.568512
60.000	4.094	16.7636574	2.6364106	0.969418
1440.000	7.272	52.8877784	0.2453833	-1.40493

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.56851215
4.094	16.7636574	0.96941837
7.272	52.8877784	-1.4049338

Return Interval	A ₀	A ₁	A ₂
50	795.89184	-1.7591636	0.0890365

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	7.994307	3.997154	0	#NUM!
Residual	0	8.94E-29	65535		
Total	2	7.994307			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.679463299	0	65535	#NUM!	6.679463	6.679463	6.679463	6.679463
X Variable	-1.759163608	0	65535	#NUM!	-1.75916	-1.75916	-1.75916	-1.75916
X Variable	0.089036478	0	65535	#NUM!	0.089036	0.089036	0.089036	0.089036

RAINFALL INTENSITY EQUATION CALCULATIONS

Nashville, TN

11/98

Return Period	2	5	10	25	50	100
15	5.144	7.678	9.355	11.474	13.046	14.607
60	1.3074551	1.73350856	2.0155933	2.372004	2.636411	2.898858
1440	0.1218068	0.161424529	0.1876549	0.220797	0.245383	0.269788

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	14.607	2.681496
60.000	4.094	16.7636574	2.8988585	1.064317
1440.000	7.272	52.8877784	0.2697877	-1.31012

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.681495851
4.094	16.7636574	1.064317027
7.272	52.8877784	-1.310119794

Return Interval	A ₀	A ₁	A ₂
100	952.7959	-1.791611771	0.0918888

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	8.062071	4.031036	0	#NUM!
Residual	0	5.65E-29	65535		
Total	2	8.062071			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	6.859400716	0	65535	#NUM!	6.859401	6.859401	6.859401	6.859401
X Variable	-1.791611771	0	65535	#NUM!	-1.79161	-1.79161	-1.79161	-1.79161
X Variable	0.091888792	0	65535	#NUM!	0.091889	0.091889	0.091889	0.091889

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.2188236	2.4563466	2.756454	2.979092	3.20008
1440	0.1771331	0.2249731	0.2566474	0.296667	0.326357	0.355826

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \log_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.630	1.532598
60.000	4.094	16.7636574	1.8600749	0.620617
1440.000	7.272	52.8877784	0.1771331	-1.730854

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.5325983
4.094	16.7636574	0.6206167
7.272	52.8877784	-1.7308536

Return Interval	A ₀	A ₁	A ₂
2	22.528497	-0.535569	-0.017977

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.670414	2.835207	0	#NUM!
Residual	0	2.1E-31	65535		
Total	2	5.670414			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.114781023	0	65535	#NUM!	3.11478102	3.114781	3.114781	3.114781
X Variable	-0.535569	0	65535	#NUM!	-0.535569	-0.535569	-0.535569	-0.535569
X Variable	-0.017976999	0	65535	#NUM!	-0.017977	-0.017977	-0.017977	-0.017977

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.21882356	2.4563466	2.756454	2.979092	3.200079987
1440	0.1771331	0.22497313	0.2566474	0.296667	0.326357	0.355826034

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{(A_1 + A_2 * \log_e(T_c))}$$

Tc minutes	In Tc	Square In Tc	Calculated Values 2 year R.P.	In of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.130	1.813256
60.000	4.094	16.7636574	2.2188236	0.796977
1440.000	7.272	52.8877784	0.2249731	-1.491774

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.81325583
4.094	16.7636574	0.79697713
7.272	52.8877784	-1.4917743

Return Interval	A ₀	A ₁	A ₂
5	46.056859	-0.7523396	0.0028298

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.731477	2.865738	0	#NUM!
Residual	0	5.82E-30	65535		
Total	2	5.731477			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.829876706	0	65535	#NUM!	3.829877	3.829877	3.829877	3.829877
X Variable 1	-0.752339585	0	65535	#NUM!	-0.75234	-0.75234	-0.75234	-0.75234
X Variable 2	0.002829807	0	65535	#NUM!	0.00283	0.00283	0.00283	0.00283

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.21882356	2.4563466	2.756454	2.979092	3.20008
1440	0.1771331	0.22497313	0.2566474	0.296667	0.326357	0.355826

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.124	1.963417
60.000	4.094	16.7636574	2.4563466	0.898675
1440.000	7.272	52.8877784	0.2566474	-1.36005

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.96341697
4.094	16.7636574	0.89867514
7.272	52.8877784	-1.3600521

Return Interval	A ₀	A ₁	A ₂
10	65.53465	-0.8534782	0.0125587

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.760324	2.880162	0	#NUM!
Residual	0	1.1E-30	65535		
Total	2	5.760324			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.182579013	0	65535	#NUM!	4.182579	4.182579	4.182579	4.182579
X Variable	-0.853478197	0	65535	#NUM!	-0.85348	-0.85348	-0.85348	-0.85348
X Variable	0.012558712	0	65535	#NUM!	0.012559	0.012559	0.012559	0.012559

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.218823564	2.4563466	2.756454	2.979092	3.20008
1440	0.1771331	0.224973134	0.2566474	0.296667	0.326357	0.355826

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.379	2.12568
60.000	4.094	16.7636574	2.7564544	1.013945
1440.000	7.272	52.8877784	0.2966675	-1.21514

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.125679651
4.094	16.7636574	1.013945214
7.272	52.8877784	-1.215143309

Return Interval	A ₀	A ₁	A ₂
25	93.844467	-0.951794389	0.0220286

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	5.788629	2.894315	0	#NUM!
Residual	0	6.16E-30	65535		
Total	2	5.788629			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	lpper 95.0%
Intercept	4.54163881	0	65535	#NUM!	4.541639	4.541639	4.541639	4.541639
X Variable	-0.951794389	0	65535	#NUM!	-0.95179	-0.95179	-0.95179	-0.95179
X Variable	0.022028641	0	65535	#NUM!	0.022029	0.022029	0.022029	0.022029

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.21882356	2.4563466	2.756454	2.979092	3.20008
1440	0.1771331	0.22497313	0.2566474	0.296667	0.326357	0.355826

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.310	2.231046
60.000	4.094	16.7636574	2.9790917	1.091618
1440.000	7.272	52.8877784	0.3263567	-1.11976

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.23104554
4.094	16.7636574	1.09161846
7.272	52.8877784	-1.1197643

Return Interval	A ₀	A ₁	A ₂
50	117.11544	-1.0098444	0.0276258

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.805478	2.902739	0	#NUM!
Residual	0	1.06E-29	65535		
Total	2	5.805478			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.763160093	0	65535	#NUM!	4.76316	4.76316	4.76316	4.76316
X Variable	-1.00984435	0	65535	#NUM!	-1.00984	-1.00984	-1.00984	-1.00984
X Variable	0.027625779	0	65535	#NUM!	0.027626	0.027626	0.027626	0.027626

RAINFALL INTENSITY EQUATION CALCULATIONS
BLUEGRASS
11/98

Return Period	2	5	10	25	50	100
15	4.630	6.130	7.124	8.379	9.310	10.234
60	1.8600749	2.218823564	2.4563466	2.756454	2.979092	3.20008
1440	0.1771331	0.224973134	0.2566474	0.296667	0.326357	0.355826

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.234	2.325687
60.000	4.094	16.7636574	3.20008	1.163176
1440.000	7.272	52.8877784	0.355826	-1.03331

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.325686504
4.094	16.7636574	1.163175805
7.272	52.8877784	-1.033313336

Return Interval	A ₀	A ₁	A ₂
100	141.84389	-1.058295922	0.0323006

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressor	2	5.819625	2.909813	0	#NUM!
Residual	0	2.22E-30	65535		
Total	2	5.819625			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	4.954727077	0	65535	#NUM!	4.954727	4.954727	4.954727	4.954727
X Variable	-1.058295922	0	65535	#NUM!	-1.0583	-1.0583	-1.0583	-1.0583
X Variable	0.032300641	0	65535	#NUM!	0.032301	0.032301	0.032301	0.032301

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.3616135	2.6460657	3.005468	3.272093	3.536744
1440	0.1970424	0.2621404	0.305241	0.359698	0.400098	0.440198

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.447	1.492211
60.000	4.094	16.7636574	1.9319842	0.658548
1440.000	7.272	52.8877784	0.1970424	-1.62434

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.4922111
4.094	16.7636574	0.6585476
7.272	52.8877784	-1.6243365

Return Interval	A ₀	A ₁	A ₂
2	17.057545	-0.4270421	-0.0256261

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	5.206475	2.603237	0	#NUM!
Residual	0	5.5E-29	65535		
Total	2	5.206475			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	2.83659263	0	65535	#NUM!	2.83659263	2.836593	2.836593	2.836593
X Variable	-0.427042084	0	65535	#NUM!	-0.4270421	-0.42704	-0.42704	-0.42704
X Variable	-0.025626128	0	65535	#NUM!	-0.0256261	-0.02563	-0.02563	-0.02563

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.36161347	2.6460657	3.005468	3.272093	3.536743845
1440	0.1970424	0.26214039	0.305241	0.359698	0.400098	0.440197781

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1} * A_2 * \text{LOG}_e(T_c)$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.033	1.797203
60.000	4.094	16.7636574	2.3616135	0.859345
1440.000	7.272	52.8877784	0.2621404	-1.338875

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.79720276
4.094	16.7636574	0.85934506
7.272	52.8877784	-1.3388751

Return Interval	A ₀	A ₁	A ₂
5	36.321681	-0.6539187	-0.0033227

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.182244	2.591122	0	#NUM!
Residual	0	2.89E-29	65535		
Total	2	5.182244			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.592414841	0	65535	#NUM!	3.592415	3.592415	3.592415	3.592415
X Variable 1	-0.653918669	0	65535	#NUM!	-0.653919	-0.653919	-0.653919	-0.653919
X Variable 2	-0.00332275	0	65535	#NUM!	-0.003323	-0.003323	-0.003323	-0.003323

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.36161347	2.6460657	3.005468	3.272093	3.536744
1440	0.1970424	0.26214039	0.305241	0.359698	0.400098	0.440198

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.083	1.957656
60.000	4.094	16.7636574	2.6460657	0.973074
1440.000	7.272	52.8877784	0.305241	-1.18665

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.95765635
4.094	16.7636574	0.97307389
7.272	52.8877784	-1.1866537

Return Interval	A ₀	A ₁	A ₂
10	52.218696	-0.7559057	0.0067152

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.173504	2.586752	0	#NUM!
Residual	0	1.39E-29	65535		
Total	2	5.173504			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.955440597	0	65535	#NUM!	3.955441	3.955441	3.955441	3.955441
X Variable	-0.755905684	0	65535	#NUM!	-0.75591	-0.75591	-0.75591	-0.75591
X Variable	0.006715219	0	65535	#NUM!	0.006715	0.006715	0.006715	0.006715

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.361613472	2.6460657	3.005468	3.272093	3.536744
1440	0.1970424	0.262140391	0.305241	0.359698	0.400098	0.440198

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	8.409	2.129341
60.000	4.094	16.7636574	3.0054679	1.100433
1440.000	7.272	52.8877784	0.3596981	-1.02249

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.129340661
4.094	16.7636574	1.100433271
7.272	52.8877784	-1.022490172

Return Interval	A ₀	A ₁	A ₂
25	75.152046	-0.852789876	0.0162575

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.166497	2.583249	0	#NUM!
Residual	0	4.23E-29	65535		
Total	2	5.166497			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.319513337	0	65535	#NUM!	4.319513	4.319513	4.319513	4.319513
X Variable	-0.852789876	0	65535	#NUM!	-0.85279	-0.85279	-0.85279	-0.85279
X Variable	0.016257522	0	65535	#NUM!	0.016258	0.016258	0.016258	0.016258

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.36161347	2.6460657	3.005468	3.272093	3.536744
1440	0.1970424	0.26214039	0.305241	0.359698	0.400098	0.440198

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.393	2.240016
60.000	4.094	16.7636574	3.2720933	1.18543
1440.000	7.272	52.8877784	0.4000976	-0.91605

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.24001563
4.094	16.7636574	1.18542994
7.272	52.8877784	-0.9160469

Return Interval	A ₀	A ₁	A ₂
50	93.853821	-0.9089756	0.0217942

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	5.163029	2.581514	0	#NUM!
Residual	0	2.71E-29	65535		
Total	2	5.163029			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	4.541738481	0	65535	#NUM!	4.541738	4.541738	4.541738	4.541738
X Variable	-0.90897555	0	65535	#NUM!	-0.90898	-0.90898	-0.90898	-0.90898
X Variable	0.021794203	0	65535	#NUM!	0.021794	0.021794	0.021794	0.021794

RAINFALL INTENSITY EQUATION CALCULATIONS
CENTRAL
11/98

Return Period	2	5	10	25	50	100
15	4.447	6.033	7.083	8.409	9.393	10.370
60	1.9319842	2.361613472	2.6460657	3.005468	3.272093	3.536744
1440	0.1970424	0.262140391	0.305241	0.359698	0.400098	0.440198

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.370	2.33895
60.000	4.094	16.7636574	3.5367438	1.263206
1440.000	7.272	52.8877784	0.4401978	-0.82053

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.338950418
4.094	16.7636574	1.263206486
7.272	52.8877784	-0.820531152

Return Interval	A ₀	A ₁	A ₂
100	113.59499	-0.955302786	0.0263609

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.160504	2.580252	0	#NUM!
Residual	0	1.94E-29	65535		
Total	2	5.160504			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.732639368	0	65535	#NUM!	4.732639	4.732639	4.732639	4.732639
X Variable	-0.955302786	0	65535	#NUM!	-0.9553	-0.9553	-0.9553	-0.9553
X Variable	0.026360947	0	65535	#NUM!	0.026361	0.026361	0.026361	0.026361

RAINFALL INTENSITY EQUATION CALCULATIONS
EASTERN
11/98

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.9583859	2.3022006	2.5298361	2.817451	3.030821	3.24261
1440	0.1713838	0.2151406	0.2441114	0.280716	0.307871	0.334825

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	4.894	1.587913
60.000	4.094	16.7636574	1.9583859	0.672121
1440.000	7.272	52.8877784	0.1713838	-1.76385

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.587913
4.094	16.7636574	0.6721206
7.272	52.8877784	-1.7638496

Return Interval	A ₀	A ₁	A ₂
2	22.637978	-0.502789	-0.0232

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	6.002313	3.001156	0	#NUM!
Residual	0	3.51E-29	65535		
Total	2	6.002313			

	Coefficients	Standard Err	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.119628918	0	65535	#NUM!	3.11962892	3.119629	3.119629	3.119629
X Variable	-0.50278902	0	65535	#NUM!	-0.502789	-0.502789	-0.502789	-0.502789
X Variable	-0.023199999	0	65535	#NUM!	-0.0232	-0.0232	-0.0232	-0.0232

RAINFALL INTENSITY EQUATION CALCULATIONS
EASTERN
11/98

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.9583859	2.30220063	2.5298361	2.817451	3.030821	3.242609561
1440	0.1713838	0.21514056	0.2441114	0.280716	0.307871	0.334824815

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.592	1.88588
60.000	4.094	16.7636574	2.3022006	0.833865
1440.000	7.272	52.8877784	0.2151406	-1.536464

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	1.8858796
4.094	16.7636574	0.83386546
7.272	52.8877784	-1.5364637

Return Interval	A ₀	A ₁	A ₂
5	53.120954	-0.7782791	0.0028536

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Squa	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.145876	3.072938	0	#NUM!
Residual	0	2.27E-30	65535		
Total	2	6.145876			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.972571456	0	65535	#NUM!	3.972571	3.972571	3.972571	3.972571
X Variable 1	-0.778279077	0	65535	#NUM!	-0.778279	-0.778279	-0.778279	-0.778279
X Variable 2	0.002853597	0	65535	#NUM!	0.002854	0.002854	0.002854	0.002854

RAINFALL INTENSITY EQUATION CALCULATIONS
EASTERN
11/98

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.9583859	2.30220063	2.5298361	2.817451	3.030821	3.24261
1440	0.1713838	0.21514056	0.2441114	0.280716	0.307871	0.334825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.717	2.043398
60.000	4.094	16.7636574	2.5298361	0.928155
1440.000	7.272	52.8877784	0.2441114	-1.41013

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.04339833
4.094	16.7636574	0.92815454
7.272	52.8877784	-1.4101308

Return Interval	A ₀	A ₁	A ₂
10	80.551439	-0.9068913	0.0150554

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.212737	3.106368	0	#NUM!
Residual	0	2.04E-29	65535		
Total	2	6.212737			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.38889598	0	65535	#NUM!	4.388896	4.388896	4.388896	4.388896
X Variable	-0.906891294	0	65535	#NUM!	-0.90689	-0.90689	-0.90689	-0.90689
X Variable	0.015055425	0	65535	#NUM!	0.015055	0.015055	0.015055	0.015055

RAINFALL INTENSITY EQUATION CALCULATIONS
EASTERN
11/98

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.9583859	2.302200633	2.5298361	2.817451	3.030821	3.24261
1440	0.1713838	0.215140565	0.2441114	0.280716	0.307871	0.334825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{(A_1 + A_2 * \text{LOG}_e(T_C))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.138	2.212415
60.000	4.094	16.7636574	2.8174511	1.035833
1440.000	7.272	52.8877784	0.2807156	-1.27041

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.212414983
4.094	16.7636574	1.035832612
7.272	52.8877784	-1.270413155

Return Interval	A ₀	A ₁	A ₂
25	122.6957	-1.032104393	0.0269581

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressior	2	6.277736	3.138868	0	#NUM!
Residual	0	4.44E-30	65535		
Total	2	6.277736			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.809707321	0	65535	#NUM!	4.809707	4.809707	4.809707	4.809707
X Variable	-1.032104393	0	65535	#NUM!	-1.0321	-1.0321	-1.0321	-1.0321
X Variable	0.026958097	0	65535	#NUM!	0.026958	0.026958	0.026958	0.026958

RAINFALL INTENSITY EQUATION CALCULATIONS
EASTERN
11/98

Return Period	2	5	10	25	50	100
15	4.894	6.592	7.717	9.138	10.192	11.238
60	1.9583859	2.30220063	2.5298361	2.817451	3.030821	3.24261
1440	0.1713838	0.21514056	0.2441114	0.280716	0.307871	0.334825

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.192	2.321595
60.000	4.094	16.7636574	3.0308205	1.108833
1440.000	7.272	52.8877784	0.3078708	-1.17808

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.32159466
4.094	16.7636574	1.10883339
7.272	52.8877784	-1.1780751

Return Interval	A ₀	A ₁	A ₂
50	158.81457	-1.1061641	0.0340089

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	6.316143	3.158071	0	#NUM!
Residual	0	3.2E-30	65535		
Total	2	6.316143			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.067737285	0	65535	#NUM!	5.067737	5.067737	5.067737	5.067737
X Variable	-1.106164095	0	65535	#NUM!	-1.10616	-1.10616	-1.10616	-1.10616
X Variable	0.03400887	0	65535	#NUM!	0.034009	0.034009	0.034009	0.034009

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.3432932	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.2618408	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.195	1.647732
60.000	4.094	16.7636574	1.8880912	0.635566
1440.000	7.272	52.8877784	0.2047904	-1.585768

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.6477316
4.094	16.7636574	0.6355664
7.272	52.8877784	-1.5857682

Return Interval	A ₀	A ₁	A ₂
2	10.473208	-0.776565	0.0068273

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.471442	2.735721	0	#NUM!
Residual	0	3.85E-30	65535		
Total	2	5.471442			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.700640221	0	65535	#NUM!	3.70064022	3.70064	3.70064	3.70064
X Variable	-0.776564981	0	65535	#NUM!	-0.776565	-0.776565	-0.776565	-0.776565
X Variable	0.006827315	0	65535	#NUM!	0.00682731	0.006827	0.006827	0.006827

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.3432932	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.2618408	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{A_1 + A_2 * \text{LOG}_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	5.195	1.647732
60.000	4.094	16.7636574	1.8880912	0.635566
1440.000	7.272	52.8877784	0.2047904	-1.585768

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	1.6477316
4.094	16.7636574	0.6355664
7.272	52.8877784	-1.5857682

Return Interval	A ₀	A ₁	A ₂
2	10.473208	-0.776565	0.0068273

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.471442	2.735721	0	#NUM!
Residual	0	3.85E-30	65535		
Total	2	5.471442			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	3.700640221	0	65535	#NUM!	3.70064022	3.70064	3.70064	3.70064
X Variable	-0.776564981	0	65535	#NUM!	-0.776565	-0.776565	-0.776565	-0.776565
X Variable	0.006827315	0	65535	#NUM!	0.00682731	0.006827	0.006827	0.006827

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.34329322	2.6446768	3.025472	3.307967	3.588370685
1440	0.2047904	0.2618408	0.2996131	0.347338	0.382743	0.417886113

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1} (A_2 \cdot \text{LOG}_e(T_c))$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	6.819	1.919748
60.000	4.094	16.7636574	2.3432932	0.851557
1440.000	7.272	52.8877784	0.2618408	-1.340019

First Set X Values	Second Set Y Values	Only Set Y Values
2.708	7.3335359	1.91974818
4.094	16.7636574	0.8515573
7.272	52.8877784	-1.3400186

Return Interval	A ₀	A ₁	A ₂
5	66.888004	-0.8911643	0.0177331

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R Square	65535
Standard Error	0
Observations	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.523372	2.761686	0	#NUM!
Residual	0	2.1E-29	65535		
Total	2	5.523372			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.203019634	0	65535	#NUM!	4.20302	4.20302	4.20302	4.20302
X Variable 1	-0.891164314	0	65535	#NUM!	-0.891164	-0.891164	-0.891164	-0.891164
X Variable 2	0.017733089	0	65535	#NUM!	0.017733	0.017733	0.017733	0.017733

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.34329322	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.2618408	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_C^{A_1 + A_2 \cdot \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	7.895	2.066168
60.000	4.094	16.7636574	2.6446768	0.972549
1440.000	7.272	52.8877784	0.2996131	-1.20526

First Set X Values	Second Set X Values	Only Set Y Values
2.708	7.3335359	2.06616765
4.094	16.7636574	0.97254888
7.272	52.8877784	-1.2052631

Return Interval	A ₀	A ₁	A ₂
10	85.986376	-0.9432973	0.0227006

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regressor	2	5.547042	2.773521	0	#NUM!
Residual	0	5.97E-30	65535		
Total	2	5.547042			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.454188861	0	65535	#NUM!	4.454189	4.454189	4.454189	4.454189
X Variable	-0.943297347	0	65535	#NUM!	-0.9433	-0.9433	-0.9433	-0.9433
X Variable	0.022700558	0	65535	#NUM!	0.022701	0.022701	0.022701	0.022701

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.343293222	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.261840795	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_C^{A_1 + A_2 * \text{LOG}_e(T_C)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	9.253	2.224959
60.000	4.094	16.7636574	3.0254717	1.107067
1440.000	7.272	52.8877784	0.3473381	-1.05746

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.224958814
4.094	16.7636574	1.107067019
7.272	52.8877784	-1.057456638

Return Interval	A ₀	A ₁	A ₂
25	111.39547	-0.993132801	0.0274527

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.569699	2.784849	0	#NUM!
Residual	0	1.11E-29	65535		
Total	2	5.569699			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	4.713086693	0	65535	#NUM!	4.713087	4.713087	4.713087	4.713087
X Variable	-0.993132801	0	65535	#NUM!	-0.99313	-0.99313	-0.99313	-0.99313
X Variable	0.027452733	0	65535	#NUM!	0.027453	0.027453	0.027453	0.027453

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.34329322	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.2618408	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 * T_c^{(A_1 + A_2 * \text{LOG}_e(T_c))}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	10.261	2.328349
60.000	4.094	16.7636574	3.3079674	1.196334
1440.000	7.272	52.8877784	0.3827432	-0.96039

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.32834867
4.094	16.7636574	1.19633392
7.272	52.8877784	-0.9603909

Return Interval	A ₀	A ₁	A ₂
50	130.94451	-1.0221604	0.0302224

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	ignificance F
Regressior	2	5.582909	2.791455	0	#NUM!
Residual	0	5.05E-31	65535		
Total	2	5.582909			

	Coefficients	tandard Err	t Stat	P-value	Lower 95%	Upper 95%	ower 95.0%	pper 95.0%
Intercept	4.874773651	0	65535	#NUM!	4.874774	4.874774	4.874774	4.874774
X Variable	-1.022160403	0	65535	#NUM!	-1.02216	-1.02216	-1.02216	-1.02216
X Variable	0.030222352	0	65535	#NUM!	0.030222	0.030222	0.030222	0.030222

RAINFALL INTENSITY EQUATION CALCULATIONS
WESTERN
11/98

Return Period	2	5	10	25	50	100
15	5.195	6.819	7.895	9.253	10.261	11.261
60	1.8880912	2.343293222	2.6446768	3.025472	3.307967	3.588371
1440	0.2047904	0.261840795	0.2996131	0.347338	0.382743	0.417886

Rainfall Intensity Equation

$$I_{RI} = A_0 \cdot T_c^{A_1 + A_2 \cdot \log_e(T_c)}$$

Tc minutes	ln Tc	Square ln Tc	Calculated Values 2 year R.P.	ln of Cal. Values 2 year R.P.
15.000	2.708	7.3335359	11.261	2.421381
60.000	4.094	16.7636574	3.5883707	1.277698
1440.000	7.272	52.8877784	0.4178861	-0.87255

First Set	Second Set	Only Set
X Values	X Values	Y Values
2.708	7.3335359	2.421380915
4.094	16.7636574	1.277698251
7.272	52.8877784	-0.87254634

Return Interval	A ₀	A ₁	A ₂
100	150.80648	-1.046159482	0.0325131

SUMMARY OUTPUT

Regression Statistics	
Multiple R	1
R Square	1
Adjusted R	65535
Standard E	0
Observatio	3

ANOVA

	df	SS	MS	F	Significance F
Regression	2	5.59384	2.79692	0	#NUM!
Residual	0	3.4E-30	65535		
Total	2	5.59384			

	Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
Intercept	5.015997448	0	65535	#NUM!	5.015997	5.015997	5.015997	5.015997
X Variable	-1.046159482	0	65535	#NUM!	-1.04616	-1.04616	-1.04616	-1.04616
X Variable	0.032513083	0	65535	#NUM!	0.032513	0.032513	0.032513	0.032513

Comparison of Hourly Data for Central Area of Influence

max ctn, no	607 Nashville	max ctn, yes
1.28	0.58	1.28
2.85	1.43	2.85
2.2	1.9	2.2
1.8	2.07	2.07
1.56	1.22	1.56
1.85	1.47	1.85
2.37	1.16	2.37
1.9	0.91	1.9
2.05	0.78	2.05
2.5	1.8	2.5
2.56	1.77	2.56
2.7	1.05	2.7
1.86	1.63	1.86
1.68	0.9	1.68
1.49	1.68	1.68
2.05	1.53	2.05
2.85	0.88	2.85
2.02	1.35	2.02
2.35	0.95	2.35
1.8	1.07	1.8
1.97	1.32	1.97
2.24	1.33	2.24
2.4	1.33	2.4
2.4	1.51	2.4
1.8	0.93	1.8
3.1	1.38	3.1
2.43	1.55	2.43
2.6	2.13	2.6
1.6	1.75	1.75
1.75	1.35	1.75
2.2	2.3	2.3
1.8	1.65	1.8
1.63	0.95	1.63
1.5	1.75	1.75
1.6	1.14	1.6
1.7	1.12	1.7
1.6	2.06	2.06
1.3	0.88	1.3
1.6	0.77	1.6
2.1	0.95	2.1
1.8	0.99	1.8
1.9	1.55	1.9
2.57	1.43	2.57
2	1.29	2
2.3	2.41	2.41
1.97	1.25	1.97
1.66	2.06	2.06
1.3	1.37	1.37
1.5	0.78	1.5

Comparison Values of Hourly Data for Western Area Of Influence

max ctn,no	610 Cairo	611 Evansville	max ctn,yes
1.31	1.2	0.61	1.31
2.78	1.38	1.44	2.78
1.9	1.3	1.3	1.9
1.92	1.16	1	1.92
2.08	2.22	0.85	2.22
1.64	0.74	1.1	1.64
1.95	1.92	0.94	1.95
1.6	2.08	1.1	2.08
1.73	0.91	0.76	1.73
1.94	1.81	0.77	1.94
2.43	1.03	0.86	2.43
2.46	1.25	1.39	2.46
2.11	1.56	1.87	2.11
1.36	2.19	1.07	2.19
2.38	2.35	1.55	2.38
1.5	0.9	1.45	1.5
1.56	1.91	0.8	1.91
2.04	1.36	0.92	2.04
1.84	2.48	0.85	2.48
2.62	1.89	0.9	2.62
2	0.93	1.16	2
3.05	0.85	1.44	3.05
2.5	1.58	1.41	2.5
1.84	1.03	2.62	2.62
3.2	1.34	0.99	3.2
2.15	1.13	1.32	2.15
1.7	1.11	0.99	1.7
1.9	1.83	1.09	1.9
1.3	1.75	1.45	1.75
2.4	1.48	2.99	2.99
1.5	1.5	1.85	1.85
1.6	1.13	0.73	1.6
2.3	1.59	1.25	2.3
2.2	2.09	1.33	2.2
1.6	1.45	1.02	1.6
1.6	0.77	1.41	1.6
1.8	1.33	1.3	1.8
3	1.4	0.98	3
1.7	1.74	1.21	1.74
2	0.95	0.87	2
2.3	1.7	1.96	2.3
2	0.8	1.3	2
2	1.4	0.94	2
2	1	1.47	2
1.5	0.9	1.62	1.62
1.5	0.8	0.69	1.5
1.3		0.96	1.3
1.4		1.29	1.4
1.6	1	1.89	1.89

Comparison Values of Hourly Data for Western Area Of Influence

max ctn,no	610 Cairo	611 Evansville	max ctn,yes
1.31	1.2	0.61	1.31
2.78	1.38	1.44	2.78
1.9	1.3	1.3	1.9
1.92	1.16	1	1.92
2.08	2.22	0.85	2.22
1.64	0.74	1.1	1.64
1.95	1.92	0.94	1.95
1.6	2.08	1.1	2.08
1.73	0.91	0.76	1.73
1.94	1.81	0.77	1.94
2.43	1.03	0.86	2.43
2.46	1.25	1.39	2.46
2.11	1.56	1.87	2.11
1.36	2.19	1.07	2.19
2.38	2.35	1.55	2.38
1.5	0.9	1.45	1.5
1.56	1.91	0.8	1.91
2.04	1.36	0.92	2.04
1.84	2.48	0.85	2.48
2.62	1.89	0.9	2.62
2	0.93	1.16	2
3.05	0.85	1.44	3.05
2.5	1.58	1.41	2.5
1.84	1.03	2.62	2.62
3.2	1.34	0.99	3.2
2.15	1.13	1.32	2.15
1.7	1.11	0.99	1.7
1.9	1.83	1.09	1.9
1.3	1.75	1.45	1.75
2.4	1.48	2.99	2.99
1.5	1.5	1.85	1.85
1.6	1.13	0.73	1.6
2.3	1.59	1.25	2.3
2.2	2.09	1.33	2.2
1.6	1.45	1.02	1.6
1.6	0.77	1.41	1.6
1.8	1.33	1.3	1.8
3	1.4	0.98	3
1.7	1.74	1.21	1.74
2	0.95	0.87	2
2.3	1.7	1.96	2.3
2	0.8	1.3	2
2	1.4	0.94	2
2	1	1.47	2
1.5	0.9	1.62	1.62
1.5	0.8	0.69	1.5
1.3		0.96	1.3
1.4		1.29	1.4
1.6	1	1.89	1.89

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	Allen	Barren	Bell	Boone	Bourbon	Breathitt	Breckinridge	Bullitt	Butler
1948	0.54	1.12	0.6				1.60	1.46	0.74
1949	1.18	0.88	2.1	2.98			2.75	2.30	0.78
1950	1.2	1.16	2.5	1.8			2.40		1.2
1951	1.26	1.52	1.64	0.78			3.09		1.05
1952	1.15	2.4	1.06	0.78			3.65		0.87
1953	1.62	1.3	1.15	2.58			1.46		1.71
1954	1.39	1.7	0.8	0.98			1.35		1.06
1955	1.5	0.72	0.79	0.94			1.26		1.03
1956	2.05	0.97	3.25	1.75			1.02		1.15
1957	2.38	1.42	1.7	1.61			1.01		1.31
1958	1.24	1.3	1.87	0.79			1.85		2.56
1959	1.26	1.8	1.1	1.55			1.39		1.17
1960	1.45	0.88	0.89	1.2			1.25		1.26
1961	1.59	1.24	1.38	1.24			0.96		0.9
1962	0.88	1.29	1.8	1.31			1.00		0.9
1963	2.9	1.43	1.58	1.2			1.65		0.75
1964	1.16	2.35	0.84	0.85			1.16		1.5
1965	1	2.02	2.37	0.97			1.47		1.87
1966	1.4	1.67	1.13	1.58			4.17		1.27
1967	1.13	1.58	2.29	1.34			1.65		1.08
1968	1.02	2.35	2.9	1.15			1.22		1.1
1969	2.24	3.73	1.2	0.74			4.56		2.31
1970	1.17	1.29	1.2	1.23			5.85		1.17
1971	1.42	2.1	1	1	0.4		1.05		2.05
1972	1.33	1.2	1	0.74	1.5		0.00		3.23
1973	1.2	1.6	2	1.52	0.8		0.00		1.9
1974	0.89	3.01	1.4	0.9	1.9		0.00		1.39
1975	3.07	1.71	0.9	0.75	1.8		0.00		1.15
1976	1.78	1.77	0.8	1.11	0.9		0.00		0.8
1977	3.2	0.29	1.1	1.31	1.3		0.00		2.07
1978	2.95		0.8	1.04	1.2		0.00		1.24
1979	0.94		0.7	1.05	1.3		0.00		1.1
1980	0.91		0.7	1.34	1.7		0.00		1.6
1981	1.53		1.1	0.82	1	1.03	0.00		0.9
1982	1.37		1.3	1.82	2	1.30	0.00		2.5
1983	4.3		1.1	0.77	0.8	0.93	0.00		4.2
1984	2.2		7	0.9	3.4	0.82	0.00		6.7
1985	1		1.1	1.51	1.4	1.80	0.00		0.9
1986	1.75		1.2	0.95	1.3	1.00	0.00		1.3
1987	1.2		1.3	0.8	1.8	0.85	0.00		1.9
1988	0.95		3.2	1.45	0.7	1.10	0.00		1.3
1989	1.39		0.6	0.83	1.6	0.80	0.00		1.2
1990	1.22		1.1	1.65	7.6	1.47	0.00		1.1
1991	1.8		1.1	1.13	2.2	1.53	0.00		2
1992	1.67		0	1.02	1.3	0.81	0.00		3.3
1993	1.97		0	0.98	4.3	1.27	0.00		3.8
1994	2.74		0.1	1.1	0.8	1.08	0.00		1.8
1995	2.04		0	0.82	0.9	1.30	0.00		0.8
1996	1.35		0	0.82	1	1.1	0.00		0.9
Max	4.3	3.73	7	2.98	7.6	1.8	5.85	2.3	6.7

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	Carroll	Carter	Casey	Christian	Clark	Crittenden	Daviess	Estill
1948	10.05	10.03	1.23	10.01	0.41	0.92	1.09	
1949	1.20	1.84	1.5	1.84	10.29	1.54	2.78	
1950	1.62	1.05	1.68	2.8	0.95	4.30	3.23	
1951	0.61	1.99	1.68	2.02	2.1	1.23	0.79	
1952	0.94	0.9	0.93	1.65	1.5	0.88	1.27	
1953	0.58	0.99	1.02	1.13	0.81	1.64	0.42	
1954	1.00	1.96	0.75	1.64	1.47	1.62	1.2	
1955	1.21	0.98	1.1	1.8	1.6	0.62	1.33	
1956	2.00	1.68	1.1	1.88	1.89	1.03	1.5	
1957	1.53	0.8	1.2	2.73	1.45	1.64	1.16	
1958	1.05	1.75	1.37	2.43	1.35	0.90	1.11	
1959	0.64	0.77	1.12	1.87	1	1.70	1.45	
1960	1.64	2.12	3.35	7.85	1.05	1.21	0.85	
1961	2.15	1.55	1.01	3.65	1.6	3.50	0.95	
1962	1.54	0.8	0.84	1.04	1.2	1.43	1.2	
1963	0.74	1.54	0.5	2.45	1.02	1.50	1.35	
1964	1.85	1.9	0.9	1.56	1.35	1.20	1.1	
1965	1.32	0.92	0.66	2.82	1.08	2.58	1.25	
1966	1.24	0.83	1.41	2.2	3.35	1.40	1.1	
1967	0.88	0.97	1.64	3.6	1.4	1.20	1.4	
1968	1.50	1.93	1.37	1.9	1.12	0.80	1.2	
1969	1.66	1.05	0.44	1.85	4.1	2.20	1.4	
1970	1.79	1.74	2.4	2.72	2.07	7.30	1.3	
1971	2.80	2.83	1.85	2.5	1.2	1.10	0.8	
1972	1.35	3.5	3.2	2.97	1	1.70	3.6	
1973	1.10	1.93	3.1	2.25	1.1	1.80	0.9	0.90
1974	0.70	3.97	1.1	1.49		1.00	0.5	1.00
1975	1.00	2.35	1.1	1.5		1.20	1	1.60
1976	1.10	1.06	0.9	0.8		1.00	1.3	0.70
1977	1.00	1.66	4.6	4.5		2.70	2.4	0.80
1978	1.30	3.11	13.9	1.2		1.30	1.4	2.50
1979	3.00	2.8	1.2	4.5		3.90	1.7	1.20
1980	1.00	2.89	3.7	1.2		1.80	2.3	1.00
1981	1.10	0.78	2.3	2.2		0.00	1.6	2.20
1982	5.40	1.52	1.6	1.6		0	1.1	0.00
1983	0.70	2.93	0.9	0.9		0	1	0.00
1984	0.80	1.86	4.9	1.7		0	1.1	0
1985	1.00	1.27	1.3	1			1.1	
1986	1.10	1.61	3	1.2			0.8	
1987	0.40	1.5	1.7	1.4			0.8	
1988	1.00	1.22	0.7	1.3			2.3	
1989	0.80	2	1.4	2			2.9	
1990	1.10	2.2	1	0.7			1	
1991	0.90	0.99	0.9	2.9			4.4	
1992	1.70	5.8	0.9	0			1.5	
1993	1.00	1.3	1.7	0			3.6	
1994	1.50	1.6	1.2	0			2	
1995	0.90	0.6	0.8	0.6			1.1	
1996	0.8	1	1.4	1.6			1.2	
Max	10.05	10.03	13.9	10.01	10.29	7.3	4.4	2.5

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	Fayette	Fleming	Floyd	Harlan	Hart	Henry	Hickman	Hopkins	Jefferson
1948	0.78	0.48	0.00	11.25	1.5	0.50	10.01	0.38	1.08
1949	0.82	1.49	0.00	10.03	8.7	1.40	2.11	1.4	1.72
1950	0.85	1.15	0.00	1.04	3.53	1.30	1.51	1.27	2.43
1951	1.27	1.71	0.00	2.44	1.25	1.40	1.20	1.85	1.56
1952	0.97	0.90	0.00	3.65	0.99	1.29	1.10	1.32	2.36
1953	1.28	2.16	0.58	1.35	1.85	0.63	0.70	1.33	1.12
1954	1.65	1.37	1.02	1	1.2	1.30	1.68	1.03	1.69
1955	1.55	1.25	0.98	1.14	1.45	2.49	0.90	1.12	1.30
1956	1.45	0.89	1.14	2.05	1.4	2.80	1.28	2.05	1.07
1957	1.68	0.90	1.50	1.42	2.5	1.33	1.55	1.35	1.89
1958	1.13	1.02	1.37	1.31	1.97	0.84	1.60	1.25	2.05
1959	1.13	1.87	1.91	1.07	2.4	0.85	1.13	2.46	1.10
1960	1.12	1.05	2.10	1.19	1.5	1.56	1.11	1.27	1.86
1961	0.86	1.02	1.30	0.78	1.95	1.67	1.18	1.06	1.68
1962	0.7	0.84	1.16	2.79	1.47	1.85	4.75	1.32	1.43
1963	1.02	1.10	2.15	1.24	0.95	0.82	1.20	1.4	1.85
1964	0.98	3.99	1.90	1.21	2.85	1.50	2.70	1.02	1.20
1965	0.78	1.70	1.67	1	1.61	1.45	1.73	1.38	1.52
1966	0.95	1.57	0.71	1.99	2.23	0.86	2.30	1.84	1.75
1967	1.38	2.45	1.52	2.9	4.2	1.99	2.62	1.6	1.95
1968	1.46	1.15	1.87	2.26	1.97	1.05	2.00	1.33	1.40
1969	0.73	1.10	1.62	2.13	1.4	1.81	3.60	3.05	1.13
1970	1.41	1.00	2.14	1.18	1.54	1.76	1.90	1.42	1.73
1971	1.62	1.20	2.17	1.4	1.66	2.27	1.70	1.18	2.40
1972	1.05	1.20	1.48	3.9	1.8	1.28	1.20	1.75	0.90
1973	1.29	1.10	1.10	4.4	2.95	1.69	1.70	2.15	1.93
1974	1.24	0.90	3.45	2.77	1.05	2.27	0.80	1.35	0.80
1975	1.53	1.10	1.01	0.9	0.96	1.35	1.10	1.6	4.00
1976	1.55	1.00	0.72	1.1	0.83	1.53	0.20	1.15	1.55
1977	1.3	1.30	1.00	4.6	2.5	2.29	3.80	1.73	1.61
1978	1.56	1.10	0.80	1.8	1.9	2.10	6.30	1.49	4.65
1979	1.28	0.00	0.80	1.9	1.55	1.55	1.20	0.85	2.97
1980	1.05		1.10	1.2	1.27	2.76	2.80	0.9	1.87
1981	0.82		0.00	0.8	1.25	1.29	1.80	0.8	1.13
1982	1.03		0.00	1.4		1.00	1.60	1	1.20
1983	1.7		0.00	1	0	1.80	1.60	1	1.20
1984	0.9		0.00	4	0.31	1.27	1.30	3.6	1.45
1985	1.15		0.00	1	2.95	1.40	3.00	0.7	0.93
1986	0.85		0.00	0.8	1.4	0.70	1.00	1.7	1.28
1987	1.25		0.00	2.6	1.1	1.60	2.00	2.5	2.10
1988	2.19		0.00	1	1.3	0.90	1.20	3.5	2.60
1989	1.3		0.00	3.2	5.9	1.20	0.80	2.1	4.00
1990	1.1		0.00	1.7	0.9	1.90	2.00	1.1	2.57
1991	1.36		0.00	5.2	0.1	1.90	1.40	2	1.30
1992	2.15		0.00	5.1		2.40	0.90	0.9	2.30
1993	0.95		0.00	6.7	4.3	1.30	1.20	0.7	2.40
1994	1.17		0.00	3.6	5.2	1.50	3.60	2.1	1.15
1995	1.8		0.00	1	1	2.30	1.00	1.4	1.00
1996	1.68		0.00	0.7	1.3	0.9	0.90	1.1	1.14
Max	2.19	3.99	3.45	11.25	8.7	2.8	10.01	3.6	4.65

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	Jessamine	Johnson	Knox	Larue	Laurel	Lawrence	Lee	Letcher
1948	0.36	0.00	1.39	1.15	0.66	0.51	1.07	0.66
1949	1.39	0.00	2.03	2.05	2.20	1.17	1.18	0.49
1950	1.47	0.00	1.23	1.66	2.23	1.59	0.90	1.68
1951	0.97	0.00	2.58	2.00	1.32	1.66	0.80	0.83
1952	0.96	0.00		1.91	1.05	0.73	0.60	0.00
1953	1.25	0.00		1.32	0.95	1.95	1.43	0.00
1954	1.16	0.00		1.95	2.22	1.55	1.24	0.00
1955	2.23	0.00		0.93	0.87	2.05	1.70	0.00
1956	1.41	0.00		1.25	1.34	1.19	1.05	0.00
1957	2.15	0.00		1.00	1.65	0.98	0.94	0.00
1958	1.21	0.00		1.42	1.30	1.31	1.90	0.00
1959	1.7	0.00		2.70	2.65	1.38	1.02	0.00
1960	1.05	0.00		0.95	2.23	0.71	2.31	0.00
1961	1.29	0.00		0.96	3.01	0.94	1.49	0.00
1962	0.74	0.00		1.37	1.44	0.99	1.68	0.00
1963	1.15	0.00		1.33	0.94	1.15	0.95	0.00
1964	1.35	0.00		1.09	0.45	1.28	0.92	0.00
1965	0.7	0.00		0.98	0.34	1.44	2.13	0.00
1966	1.21	0.00		1.32	2.65	1.15	1.36	0.00
1967	1.9	0.00		1.77	1.40	0.85	1.00	0.00
1968	1.21	0.00		1.20	4.91	0.89	1.03	0.00
1969	0.68	0.00		1.90	1.52	1.16	0.63	0.00
1970	1.21	0.00		1.20	1.95	1.96	0.98	0.00
1971	1.68	0.30		2.40	1.50	0.88	1.34	0.00
1972	1.21	0.90		1.50	1.20	1.88	1.30	0.00
1973	1.99	1.20		1.40	0.80	0.9	1.20	0.00
1974	2.17	0.90		0.80	0.80	1.9	1.10	0.00
1975	1.13	1.00		1.20	1.20	0.9	1.30	0.00
1976	1.31	2.30		1.60	1.30	0.7	0.60	0.00
1977	0.94	3.20		1.40	2.20	1.4	1.60	0.00
1978	2.45	4.60		3.70	0.60	0.8	1.90	0.00
1979	1.3	3.80		3.50	1.30	1.9	1.00	0.00
1980	0.7	2.00		1.60	0.70	0.7	0.90	0.00
1981	1.3	0.00		1.20	0.80	1	1.20	0.00
1982		1.10		1.40	1.10	1.7	0.60	0.00
1983	0	0.80		0.80	1.40	1.1	1.00	0.00
1984	0	4.30		1.60	2.20	0.9	1.20	0.00
1985		1.10		0.90	0.40	0.9	1.10	0.00
1986		2.20		2.00	0.00	1	1.90	0.00
1987		4.40		0.90	0.00	1.2	1.10	0.00
1988		1.80		1.80	0.00	0.7	1.10	0.00
1989	0	0.50		2.10	0.00	0.8	1.90	0.00
1990	0	4.50		1.40	0.00	0.9	1.50	0.00
1991		1.40		0.80	0.00	0.9	3.30	0.00
1992		0.80		2.40	0.00	0.4	2.70	0.00
1993		3.30		1.60	0.30	1	0.50	0.00
1994		0.90		1	0.80	1.3	1.10	0.00
1995		0.70		1.3	1.20	0.9	1.40	0.00
1996		0.90		1	0.60	1.4	1.4	0.00
Max	2.45	4.6	2.58	3.7	4.91	2.05	3.3	1.68

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	McCracken	McCreary	McLean	Metcalfe	Monroe	Muhlenberg	Nicolas
1948	0.64	1.13	0.93	10.01	1.28	0.66	2.27
1949	10.76	1.37	1.03	2.85	2.44	0.57	2.44
1950	1.96	1.58	1.29	1.09	2.2	2.04	1.59
1951	1.92	1.51	1.88	1.11	1.28	1.26	2.65
1952	0.83	2.38	0.96	1.56	4.29	1.12	0.74
1953	0.93	1.54	0.85	1.20	2.45	2.00	1.24
1954	0.99	2.99	1.23	1.44	1.32	2.21	2.15
1955	1.18	2.17	1.47	1.72	1.9	2.10	0.92
1956	2.17	1.26	1.73	0.46	1.85	1.90	1.58
1957	2.4	1.03	1.16	1.80	2.67	1.00	1.32
1958	1.74	1.6	2.00	1.28	2.12		1.15
1959	2	1.52	1.42	1.29	1.85		2.77
1960	1.4	1.47	0.86	3.85	1.03		3.3
1961	1.35	1.83	0.75	1.25	1.4		2.52
1962	2.38	2	0.78	1.75	1.74		1.85
1963	1.29	1.73	2.22	2.05	0.67		2.45
1964	1.4	1.05	0.81	1.00	1.09		2.12
1965	1.75	1.3	1.23	1.80	1.15		0.81
1966	3.7	2.17	1.10	1.75	1.1		0.85
1967	2.1	0.99	2.70	0.99	0.79		2.3
1968	3.4	1.7	6.00	0.74	3.35		1.52
1969	1.9	1.77	1.80	1.66	1.85		1.59
1970	1.2	2.65	3.90	3.00	1.2		3.39
1971	1.8	2.74	1.60	1.50	1.4		1.65
1972	1.2	0	0.80	0.75	0.6		1.18
1973	1.8	0.79	2.00	1.30	1.4		1.7
1974	1.7	0.9	0.80	1.43	0.8		0.6
1975	1.9	0.9	0.90	1.70	1		0.24
1976	1.1	2	1.10	1.35	1.5		1.35
1977	1.9	8.5	0.60	2.50	1.6		1.13
1978	2.6	5.8	2.20		2.2		1.97
1979	4.5	6.6	1.70		1.2		3.42
1980	1.2	1.2	8.40		1		2.04
1981	1.4	0.6	1.10		1.5		1.1
1982	1.1	0.9	3.60		1.2		1.47
1983	8.3	0.9	1.60		1.7		1.32
1984	4.4	1.1	1.30		0.4		0.77
1985	2.6	1	1.70		0		0.13
1986	1.3	1.1	1.10		0		
1987	1.21	1	4.00		0		
1988	1.29	2	1.90		0.3		
1989	1.64	1.3	2.00		0.9		
1990	1.7	1.9	2.00		0.9		
1991	1.43	2	1.40		2.4		
1992	1.19	0.4	1.10		0.7		
1993	1.21	4	1.20		1.3		
1994	0.8	1.6	3.60		1.5		
1995	0.88	0.7	1.30		1.4		
1996	1.47	1.9	0.9		1.2		
Max	10.76	8.5	8.4	10.01	4.29	2.21	3.42

Table . Peak Hourly Rainfall Data for Kentucky Counties (1948-1996).

	McCracken	McCreary	McLean	Metcalf	Monroe	Muhlenberg	Nicolas
1948	0.64	1.13	0.93	10.01	1.28	0.66	2.27
1949	10.76	1.37	1.03	2.85	2.44	0.57	2.44
1950	1.96	1.58	1.29	1.09	2.2	2.04	1.59
1951	1.92	1.51	1.88	1.11	1.28	1.26	2.65
1952	0.83	2.38	0.96	1.56	4.29	1.12	0.74
1953	0.93	1.54	0.85	1.20	2.45	2.00	1.24
1954	0.99	2.99	1.23	1.44	1.32	2.21	2.15
1955	1.18	2.17	1.47	1.72	1.9	2.10	0.92
1956	2.17	1.26	1.73	0.46	1.85	1.90	1.58
1957	2.4	1.03	1.16	1.80	2.67	1.00	1.32
1958	1.74	1.6	2.00	1.28	2.12		1.15
1959	2	1.52	1.42	1.29	1.85		2.77
1960	1.4	1.47	0.86	3.85	1.03		3.3
1961	1.35	1.83	0.75	1.25	1.4		2.52
1962	2.38	2	0.78	1.75	1.74		1.85
1963	1.29	1.73	2.22	2.05	0.67		2.45
1964	1.4	1.05	0.81	1.00	1.09		2.12
1965	1.75	1.3	1.23	1.80	1.15		0.81
1966	3.7	2.17	1.10	1.75	1.1		0.85
1967	2.1	0.99	2.70	0.99	0.79		2.3
1968	3.4	1.7	6.00	0.74	3.35		1.52
1969	1.9	1.77	1.80	1.66	1.85		1.59
1970	1.2	2.65	3.90	3.00	1.2		3.39
1971	1.8	2.74	1.60	1.50	1.4		1.65
1972	1.2	0	0.80	0.75	0.6		1.18
1973	1.8	0.79	2.00	1.30	1.4		1.7
1974	1.7	0.9	0.80	1.43	0.8		0.6
1975	1.9	0.9	0.90	1.70	1		0.24
1976	1.1	2	1.10	1.35	1.5		1.35
1977	1.9	8.5	0.60	2.50	1.6		1.13
1978	2.6	5.8	2.20		2.2		1.97
1979	4.5	6.6	1.70		1.2		3.42
1980	1.2	1.2	8.40		1		2.04
1981	1.4	0.6	1.10		1.5		1.1
1982	1.1	0.9	3.60		1.2		1.47
1983	8.3	0.9	1.60		1.7		1.32
1984	4.4	1.1	1.30		0.4		0.77
1985	2.6	1	1.70		0		0.13
1986	1.3	1.1	1.10		0		
1987	1.21	1	4.00		0		
1988	1.29	2	1.90		0.3		
1989	1.64	1.3	2.00		0.9		
1990	1.7	1.9	2.00		0.9		
1991	1.43	2	1.40		2.4		
1992	1.19	0.4	1.10		0.7		
1993	1.21	4	1.20		1.3		
1994	0.8	1.6	3.60		1.5		
1995	0.88	0.7	1.30		1.4		
1996	1.47	1.9	0.9		1.2		
Max	10.76	8.5	8.4	10.01	4.29	2.21	3.42

Table . Peak Hourly Rainfall Data for the Bluegrass Climatological Area of Influence (1948-1996).

	Boone	Bourbon	Carroll	Clark	Fayette	Fleming	Henry	Jessamine	Madison	Mason	Nicholas	Pendleton	Scott	Shelby	Spencer	Washington	PEAK
1948			10.06	0.41	0.78	0.48	0.60	0.30	10.09	1.27	2.27	1.06	1.02	1.94		0.74	10.09
1949	2.98		1.20	10.20	0.82	1.49	1.40	1.39	2.85	2.33	2.44	1.59	1.23	2.6		1.07	10.20
1950	1.8		1.62	0.96	0.85	1.16	1.30	1.47	1.02	1.07	1.69	4.37	1.19	1.36		1.2	4.37
1951	0.78		0.61	2.1	1.27	1.71	1.40	0.97	1.4	1.36	2.65	0.99	1.9	2.06		1.1	2.65
1952	0.78		0.94	1.6	0.97	0.90	1.29	0.96	0.73	1.33	0.74	2.16	0.97	2.14		1.3	2.16
1953	2.68		0.68	0.81	1.28	2.10	0.03	1.26	1.19	1.93	1.24	0.76	2.16	1.0		0.76	2.68
1954	0.98		1.00	1.47	1.65	1.37	1.30	1.16	1.56	1.1	2.16	1.66	2.2	1.0		1.24	2.2
1955	0.94		1.21	1.0	1.56	1.25	2.49	2.23	1.9	1.17	0.92	1.6	2.51	2.18		1.44	2.51
1956	1.76		2.00	1.89	1.46	0.89	2.80	1.41	1.06	1.62	1.68	1.18	1.68	2.4		2.26	2.8
1957	1.61		1.53	1.46	1.68	0.90	1.33	2.16	3.71	0.97	1.32	1.62	2.16	1.24		0.97	3.71
1958	0.79		1.05	1.35	1.13	1.02	0.84	1.21	1.42	1.3	1.16	1.25	1.12	1.61		1.6	1.61
1959	1.55		0.64	1	1.13	1.87	0.86	1.7	0.77	1.04	2.77	0.83	1.64	1.65		6.72	6.72
1960	1.2		1.64	1.05	1.12	1.05	1.56	1.05	2.36	1.4	3.3	1.9	1.19	1		2.06	3.3
1961	1.24		2.16	1.6	0.86	1.02	1.07	1.29	1.6	0.93	2.62	1.79	0.96	1.07		2.76	2.76
1962	1.31		1.54	1.2	0.7	0.84	1.86	0.74	0.89	1	1.85	1.06	2.91	1.5		2.92	2.92
1963	1.2		0.74	1.02	1.02	1.10	0.82	1.16	1.06	1.14	2.46	2	2.02	0.99		1.61	2.46
1964	0.85		1.86	1.36	0.98	3.99	1.60	1.36	0.80	2.7	2.12	0.90	2.4	4.84		1.66	4.84
1965	0.97		1.32	1.08	0.78	1.70	1.46	0.7	1.13	1.32	0.81	1.6	1.69	2.6		0.93	2.6
1966	1.68		1.24	3.35	0.96	1.67	0.86	1.21	1.12	1.97	0.86	1.83	1.55	1.2		2.16	3.35
1967	1.34		0.88	1.4	1.38	2.46	1.99	1.9	1.16	2.19	2.3	1.3	2.09	2.1		2.3	2.46
1968	1.16		1.50	1.12	1.46	1.16	1.06	1.21	1.3	0.61	1.62	1.36	0.76	1.68		2.36	2.36
1969	0.74		1.66	4.1	0.73	1.10	1.81	0.68	1.07	0.81	1.59	1.16	1.52	1.56		1.6	4.1
1970	1.23		1.79	2.07	1.41	1.00	1.76	1.21	2.33	1.07	3.39	2.6	3.22	1.56		2.19	3.39
1971	1	0.4	2.80	1.2	1.62	1.20	2.27	1.68	2	3.66	1.65	2.28	1.62	1.98	2.1	1.3	3.66
1972	0.74	1.6	1.35	1	1.06	1.20	1.28	1.21	1.27	2.02	1.18	1.01	1.62	1.13	0.9	1.46	2.02
1973	1.62	0.8	1.10	1.1	1.29	1.10	1.69	1.99	1.23	0.66	1.7	1.3	1.42	1.76	1.6	2.5	2.5
1974	0.9	1.9	0.70		1.24	0.90	2.27	2.17	1.81	1.2	0.6	0.19	2.09	1.7	0.8	1.95	2.27
1975	0.75	1.8	1.00		1.53	1.10	1.35	1.13	1.19	1.9	0.24	0.87	4.06	1.33	1.3	2	4.06
1976	1.11	0.9	1.10		1.55	1.00	1.53	1.31	1.13	0.9	1.36	0.83	1.12	1.71	1.1	2	2
1977	1.31	1.3	1.00		1.3	1.30	2.29	0.94	2.24	1.1	1.13	1.48	1.16	1.64	1.1	2.07	2.29
1978	1.04	1.2	1.30		1.56	1.10	2.10	2.46	0.90	3.6	1.97	1.25	1.10	1.79	1.1	2.77	3.6
1979	1.06	1.3	3.00		1.28	0.00	1.66	1.3	2.12	1.3	3.42	1.68	3.08	12.3	1	1.3	12.3
1980	1.34	1.7	1.00		1.06		2.70	0.7	1	0.3	2.04	1.19	1.76	1.1	2.29	1	4.8
1981	0.82	1	1.10		0.82		1.29	1.3	3.46	1.8	1.1	1.6	3.18	0.8	2.9	0.8	3.46
1982	1.82	2	6.40		1.03		1.00		2.23	1	1.47	1.3	1.46	1	0.6	4.4	5.4
1983	0.77	0.8	0.70		1.7		1.80	0	2.13	1.2	1.32	0.9	1.19	0.7	0.8	1	2.13
1984	0.9	3.4	0.80		0.9		1.27	0	6.4	7.3	0.77	3.2	1.11	4.7	1.8	1.4	7.3
1985	1.51	1.4	1.00		1.16		1.40		1.29	0.7	0.13	0.9	1.32	1.1	0.6	1	1.51
1986	0.96	1.3	1.10		0.86		0.70		1.87	0.8		0.9	0.9	0.8	1.6	1.3	1.87
1987	0.8	1.8	0.40		1.25		1.60		2.3	1		0.4	0.76	1.2	1.1	0.5	2.3
1988	1.46	0.7	1.00		2.19		0.90		1.47	1.2		0.6	1.46	1.4	0.9	1.9	2.19
1989	0.83	1.6	0.80		1.3		1.20	0	6	2.4		1	1.35	1.1	1.6	1.6	6
1990	1.65	7.6	1.10		1.1		1.90	0	4.36	1.7		0.9	3.0	0.8	1.5	0.9	7.6
1991	1.13	2.2	0.90		1.36		1.90		2.7	1.3		1.9	0.9	1.1	1.1	3.4	3.4
1992	1.02	1.3	1.70		2.16		2.40		4.8	0.9		0.9	1.56	1.6	2.8	1	4.8
1993	0.98	4.3	1.00		0.96		1.30		1.6	0.8		0.8	0.96	3.6	1.1	0	4.3
1994	1.1	0.8	1.60		1.17		1.60		4.1	1.3		1.1	1.7	1.2	0.8	0.7	4.1
1995	0.82	0.9	0.90		1.8		2.30		6.3	1		0.9	1.35	3.6	0.7	0.6	6.3
1996	0.82	1	0.8		1.68		0.9		2	0.6		1	0.43	1.3	1	4.2	4.2

Table . Peak Hourly Rainfall Data for the Eastern Climatological Area of Influence (1948-1996).

	Bell	Boone	Breathitt	Carter	Estill	Floyd	Harlan	Johnson	Knox	Laurel	Lawrence	Lee	Letcher	Magoffin	Martin	McCreary	Perry	Pike	Pulaski	Rowan	PEAK
1948	0.6			10.03		0.00	11.25	0.00	1.39	0.66	0.51	1.07	0.66	0.51	0.45	1.13	0.50	0.53	0.69	1.42	11.25
1949	2.1	2.98		1.81		0.00	10.03	0.00	2.03	2.20	1.17	1.18	0.49	0.74	2.42	1.37	0.70	10.02	0.70	2.08	10.03
1950	2.5	1.8		1.06		0.00	1.01	0.00	1.23	2.23	1.59	0.90	1.68	1.84	1.21	1.58	1.78	0.83	1.69	4.37	4.37
1951	1.64	0.78		1.99		0.00	2.44	0.00	2.58	1.32	1.66	0.80	0.83	2	0.78	1.51	2.11	1.43	1.33	1.13	2.58
1952	1.06	0.78		0.9		0.00	3.65	0.00		1.05	0.73	0.60	0.00	1.94	0.77	2.38	1.54	0.87	1.10	0.74	3.65
1953	1.15	2.58		0.99		0.58	1.35	0.00		0.95	1.95	1.43	0.00	0.75	1.25	1.54	1.44	1.18	1.60	1.07	2.58
1954	0.8	0.98		1.96		1.02	1	0.00		2.22	1.55	1.24	0.00	1.65	1.69	2.99	1.67	1.7	1.18	1.11	2.99
1955	0.79	0.94		0.98		0.98	1.14	0.00		0.87	2.05	1.70	0.00	1.92	0.94	2.17	1.40	2.35	1.09	0.88	2.35
1956	3.25	1.75		1.68		1.14	2.05	0.00		1.34	1.19	1.05	0.00	1.38	1.35	1.26	2.48	1.59	1.35	1.19	3.25
1957	1.7	1.61		0.8		1.50	1.42	0.00		1.65	0.98	0.94	0.00	1.2	1.75	1.03	0.74	1.95	1.42	1.15	1.95
1958	1.87	0.79		1.75		1.37	1.31	0.00		1.30	1.31	1.90	0.00	1.68	1.55	1.6	1.21	1.92	0.81	0.95	1.92
1959	1.1	1.55		0.77		1.91	1.07	0.00		2.65	1.38	1.02	0.00	1.8	1.83	1.62	2.00	2.3	1.23	0	2.65
1960	0.89	1.2		2.12		2.10	1.19	0.00		2.23	0.71	2.31	0.00	1.39	1.60	1.47	1.22	1.48	1.62	1.56	2.31
1961	1.38	1.24		1.55		1.30	0.78	0.00		3.01	0.94	1.49	0.00	1.65	1.45	1.83	1.04	1.7	2.01	1.85	3.01
1962	1.8	1.31		0.8		1.16	2.79	0.00		1.44	0.99	1.68	0.00	3.45	1.33	2	1.92	2.1	1.08	0.94	3.45
1963	1.58	1.2		1.54		2.15	1.24	0.00		0.94	1.15	0.95	0.00	2.45	1.17	1.73	2.25	2.07	0.76	1.4	2.45
1964	0.84	0.85		1.9		1.90	1.21	0.00		0.45	1.28	0.92	0.00	2.72	1.25	1.05	1.25	2.18	1.47	2.65	2.72
1965	2.37	0.97		0.92		1.67	1	0.00		0.34	1.44	2.13	0.00	1.79	1.45	1.3	2.49	2.25	1.29	1.65	2.49
1966	1.13	1.58		0.83		0.71	1.99	0.00		2.65	1.15	1.36	0.00	1.05	1.26	2.17	2.61	2.07	1.20	1.5	2.65
1967	2.29	1.34		0.97		1.52	2.9	0.00		1.40	0.85	1.00	0.00	1.28	1.40	0.99	1.10	1.42	3.04	0.77	3.04
1968	2.9	1.15		1.93		1.87	2.26	0.00		4.91	0.89	1.03	0.00	0.67	1.55	1.7	1.57	2.05	1.55	1.75	4.91
1969	1.2	0.74		1.05		1.62	2.13	0.00		1.52	1.16	0.63	0.00	2.33	1.55	1.77	3.82	2.07	1.40	0.98	3.82
1970	1.2	1.23		1.74		2.14	1.18	0.00		1.95	1.96	0.98	0.00	1.84	2.63	2.65	1.55	2.71	1.40	1.6	2.71
1971	1	1		2.83		2.17	1.4	0.30		1.50	0.88	1.34	0.00	2.35	2.35	2.74	1.48	1.78	1.30	1.3	2.83
1972	1	0.74		3.5		1.48	3.9	0.90		1.20	1.88	1.30	0.00	0.9	1.70	0	1.64	1.82	1.10	1.6	3.9
1973	2	1.52		1.93	0.90	1.10	4.4	1.20		0.80	0.9	1.20	0.00	1.01	2.65	0.79	1.20	2.85	1.30	1.1	4.4
1974	1.4	0.9		3.97	1.00	3.45	2.77	0.90		0.80	1.9	1.10	0.00	0.83	2.15	0.9	2.75	4.57	1.00	0.9	4.57
1975	0.9	0.75		2.35	1.60	1.01	0.9	1.00		1.20	0.9	1.30	0.00	1.9	3.17	0.9	1.40	2.3	1.10	1.5	3.17
1976	0.8	1.11		1.06	0.70	0.72	1.1	2.30		1.30	0.7	0.60	0.00	2.55	3.10	2	1.49	1.76	1.20	0.7	3.1
1977	1.1	1.31		1.66	0.80	1.00	4.6	3.20		2.20	1.4	1.60	0.00	2.3	2.31	8.5	1.35	1.35	1.20	0.1	8.5
1978	0.8	1.04		3.11	2.50	0.80	1.8	4.60		0.60	0.8	1.90	0.00	1.95	4.95	5.8	2.67	2.5	2.50	1.4	5.8
1979	0.7	1.05		2.8	1.20	0.80	1.9	3.80		1.30	1.9	1.00	0.00	2.22	1.30	6.6	3.60	4.3	1.50	0.9	6.6
1980	0.7	1.34		2.89	1.00	1.10	1.2	2.00		0.70	0.7	0.90	0.00	1.22	1.26	1.2	1.55	3.05	0.70	1	3.05
1981	1.1	0.82	1.03	0.78	2.20	0.00	0.8	0.00		0.80	1	1.20	0.00	2.2	2.45	0.6	1.35	1.1	5.80	5.2	5.8
1982	1.3	1.82	1.30	1.52	0.00	0.00	1.4	1.10		1.10	1.7	0.60	0.00	1.99	4.14	0.9	1.95	1.7	1.10	1.1	4.14
1983	1.1	0.77	0.93	2.93	0.00	0.00	1	0.80		1.40	1.1	1.00	0.00	2.15	1.45	0.9	2.70	2.6	0.90	1.2	2.93
1984	7	0.9	0.82	1.86	0	0.00	4	4.30		2.20	0.9	1.20	0.00	1.6	1.38	1.1	2.75	4	1.60	7.3	7.3
1985	1.1	1.51	1.80	1.27		0.00	1	1.10		0.40	0.9	1.10	0.00	2	1.86	1	2.28	0.9	1.20	1.3	2.28
1986	1.2	0.95	1.00	1.61		0.00	0.8	2.20		0.00	1	1.90	0.00	2.7	1.25	1.1	1.81	2.3	1.00	1.3	2.7
1987	1.3	0.8	0.85	1.5		0.00	2.6	4.40		0.00	1.2	1.10	0.00	3.4	1.25	1	0.90	1.9	3.60	1.3	4.4
1988	3.2	1.45	1.10	1.22		0.00	1	1.80		0.00	0.7	1.10	0.00	0.8	0.76	2	0.90	2.3	5.90	1	5.9
1989	0.6	0.83	0.80	2		0.00	3.2	0.50		0.00	0.8	1.90	0.00	0.5	2.25	1.3	3.30	5.2	5.90	2.1	5.9
1990	1.1	1.65	1.47	2.2		0.00	1.7	4.50		0.00	0.9	1.50	0.00	1.2	2.70	1.9	1.42	3.4	6.80	3.7	6.8
1991	1.1	1.13	1.53	0.99		0.00	5.2	1.40		0.00	0.9	3.30	0.00	1.5	1.10	2	1.59	0.8	0.70	0.9	5.2
1992	0	1.02	0.81	5.8		0.00	5.1	0.80		0.00	0.4	2.70	0.00	4.3	1.82	0.4	0.73	1.9	0.80	1.2	5.8
1993	0	0.98	1.27	1.3		0.00	6.7	3.30		0.30	1	0.50	0.00	2.6	2.33	4	0.94	1.8	1.10	0.6	6.7
1994	0.1	1.1	1.08	1.6		0.00	3.6	0.90		0.80	1.3	1.10	0.00	1.1	0.85	1.6	1.50	1.2	1.40	1	3.6
1995	0	0.82	1.30	0.6		0.00	1	0.70		1.20	0.9	1.40	0.00		0.68	0.7	2.01	2.1	1.50	1.1	2.1
1996	0	0.82	1.1	1		0.00	0.7	0.90		0.60	1.4	1.4	0.00		1.6	1.9	1.15	5.8	2.30	1	5.8

Table . Peak Hourly Rainfall Data for the Eastern Climatological Area of Influence (1948-1996).

	Bell	Boone	Breathitt	Carter	Estill	Floyd	Harlan	Johnson	Knox	Laurel	Lawrence	Lee	Letcher	Magoffin	Martin	McCreary	Perry	Pike	Pulaski	Rowan	PEAK
1948	0.6			10.03		0.00	11.25	0.00	1.39	0.66	0.51	1.07	0.66	0.61	0.46	1.13	0.50	0.53	0.69	1.42	11.25
1949	2.1	2.98		1.81		0.00	10.03	0.00	2.03	2.20	1.17	1.18	0.49	0.74	2.42	1.37	0.70	10.02	0.70	2.08	10.03
1950	2.5	1.8		1.06		0.00	1.01	0.00	1.23	2.23	1.59	0.90	1.68	1.84	1.21	1.68	1.78	0.83	1.69	4.37	4.37
1951	1.64	0.78		1.99		0.00	2.44	0.00	2.58	1.32	1.66	0.80	0.83	2	0.78	1.61	2.11	1.43	1.33	1.13	2.58
1952	1.06	0.78		0.9		0.00	3.65	0.00		1.05	0.73	0.60	0.00	1.94	0.77	2.38	1.54	0.87	1.10	0.74	3.65
1953	1.15	2.58		0.99		0.58	1.35	0.00		0.95	1.95	1.43	0.00	0.75	1.25	1.64	1.44	1.18	1.60	1.07	2.58
1954	0.8	0.98		1.96		1.02	1	0.00		2.22	1.55	1.24	0.00	1.65	1.69	2.99	1.67	1.7	1.18	1.11	2.99
1955	0.79	0.94		0.98		0.98	1.14	0.00		0.87	2.05	1.70	0.00	1.92	0.94	2.17	1.40	2.35	1.09	0.88	2.35
1956	3.25	1.75		1.68		1.14	2.05	0.00		1.34	1.19	1.05	0.00	1.38	1.35	1.26	2.48	1.59	1.35	1.19	3.25
1957	1.7	1.61		0.8		1.50	1.42	0.00		1.65	0.98	0.94	0.00	1.2	1.75	1.03	0.74	1.95	1.42	1.15	1.95
1958	1.87	0.79		1.75		1.37	1.31	0.00		1.30	1.31	1.90	0.00	1.58	1.55	1.6	1.21	1.92	0.81	0.95	1.92
1959	1.1	1.55		0.77		1.91	1.07	0.00		2.65	1.38	1.02	0.00	1.8	1.83	1.62	2.00	2.2	1.23	0	2.65
1960	0.89	1.2		2.12		2.10	1.19	0.00		2.23	0.71	2.31	0.00	1.39	1.60	1.47	1.22	1.48	1.62	1.56	2.31
1961	1.38	1.24		1.55		1.30	0.78	0.00		3.01	0.91	1.49	0.00	1.65	1.45	1.83	1.01	1.7	2.01	1.85	3.01
1962	1.8	1.31		0.8		1.16	2.79	0.00		1.44	0.99	1.68	0.00	3.45	1.33	2	1.92	2.1	1.08	0.94	3.45
1963	1.58	1.2		1.54		2.15	1.24	0.00		0.94	1.15	0.95	0.00	2.45	1.17	1.73	2.25	2.07	0.76	1.1	2.45
1964	0.84	0.86		1.9		1.90	1.21	0.00		0.45	1.28	0.92	0.00	2.72	1.25	1.05	1.25	2.18	1.47	2.65	2.72
1965	2.37	0.97		0.92		1.67	1	0.00		0.34	1.44	2.13	0.00	1.79	1.45	1.3	2.49	2.25	1.29	1.65	2.49
1966	1.13	1.58		0.83		0.71	1.99	0.00		2.65	1.15	1.36	0.00	1.05	1.26	2.17	2.61	2.07	1.20	1.6	2.65
1967	2.29	1.34		0.97		1.52	2.9	0.00		1.40	0.85	1.00	0.00	1.28	1.40	0.99	1.10	1.42	3.04	0.77	3.04
1968	2.9	1.15		1.93		1.87	2.26	0.00		4.91	0.89	1.03	0.00	0.67	1.55	1.7	1.57	2.05	1.55	1.75	4.91
1969	1.2	0.74		1.05		1.62	2.13	0.00		1.52	1.16	0.63	0.00	2.33	1.55	1.77	3.82	2.07	1.40	0.98	3.82
1970	1.2	1.23		1.74		2.14	1.18	0.00		1.95	1.96	0.98	0.00	1.84	2.63	2.65	1.55	2.71	1.40	1.6	2.71
1971	1	1		2.83		2.17	1.4	0.30		1.50	0.88	1.34	0.00	2.35	2.35	2.74	1.48	1.78	1.30	1.3	2.83
1972	1	0.74		3.5		1.48	3.9	0.90		1.20	1.88	1.30	0.00	0.9	1.70	0	1.64	1.82	1.10	1.6	3.9
1973	2	1.52		1.93	0.90	1.10	4.4	1.20		0.80	0.9	1.20	0.00	1.01	2.65	0.79	1.20	2.85	1.30	1.1	4.4
1974	1.4	0.9		3.97	1.00	3.45	2.77	0.90		0.80	1.9	1.10	0.00	0.83	2.15	0.9	2.75	4.57	1.00	0.9	4.57
1975	0.9	0.75		2.35	1.60	1.01	0.9	1.00		1.20	0.9	1.30	0.00	1.9	3.17	0.9	1.40	2.3	1.10	1.5	3.17
1976	0.8	1.11		1.06	0.70	0.72	1.1	2.30		1.30	0.7	0.60	0.00	2.55	3.10	2	1.49	1.76	1.20	0.7	3.1
1977	1.1	1.31		1.66	0.80	1.00	4.6	3.20		2.20	1.4	1.60	0.00	2.3	2.31	8.5	1.35	1.35	1.20	0.1	8.5
1978	0.8	1.04		3.11	2.50	0.80	1.8	4.60		0.60	0.8	1.90	0.00	1.95	4.95	5.8	2.67	2.5	2.50	1.4	5.8
1979	0.7	1.05		2.8	1.20	0.80	1.9	3.80		1.30	1.9	1.00	0.00	2.22	1.30	6.6	3.60	4.3	1.50	0.9	6.6
1980	0.7	1.34		2.89	1.00	1.10	1.2	2.00		0.70	0.7	0.90	0.00	1.22	1.25	1.2	1.55	3.05	0.70	1	3.05
1981	1.1	0.82	1.03	0.78	2.20	0.00	0.8	0.00		0.80	1	1.20	0.00	2.2	2.45	0.6	1.35	1.1	5.80	5.2	5.8
1982	1.3	1.82	1.30	1.52	0.00	0.00	1.4	1.10		1.10	1.7	0.60	0.00	1.99	4.14	0.9	1.95	1.7	1.10	1.1	4.14
1983	1.1	0.77	0.93	2.93	0.00	0.00	1	0.80		1.40	1.1	1.00	0.00	2.15	1.45	0.9	2.70	2.6	0.90	1.2	2.93
1984	7	0.9	0.82	1.86	0	0.00	4	4.30		2.20	0.9	1.20	0.00	1.6	1.38	1.1	2.75	4	1.60	7.3	7.3
1985	1.1	1.51	1.80	1.27		0.00	1	1.10		0.40	0.9	1.10	0.00	2	1.86	1	2.28	0.9	1.20	1.3	2.28
1986	1.2	0.95	1.00	1.61		0.00	0.8	2.20		0.00	1	1.90	0.00	2.7	1.25	1.1	1.81	2.3	1.00	1.3	2.7
1987	1.3	0.8	0.85	1.5		0.00	2.6	4.40		0.00	1.2	1.10	0.00	3.4	1.25	1	0.90	1.9	3.60	1.3	4.4
1988	3.2	1.45	1.10	1.22		0.00	1	1.80		0.00	0.7	1.10	0.00	0.8	0.76	2	0.90	2.3	5.90	1	5.9
1989	0.6	0.83	0.80	2		0.00	3.2	0.50		0.00	0.8	1.90	0.00	0.5	2.25	1.3	3.30	5.2	5.90	2.1	5.9
1990	1.1	1.65	1.47	2.2		0.00	1.7	4.50		0.00	0.9	1.50	0.00	1.2	2.70	1.9	1.42	3.4	6.80	3.7	6.8
1991	1.1	1.13	1.53	0.99		0.00	5.2	1.40		0.00	0.9	3.30	0.00	1.5	1.10	2	1.59	0.8	0.70	0.9	5.2
1992	0	1.02	0.81	5.8		0.00	5.1	0.80		0.00	0.4	2.70	0.00	4.3	1.82	0.4	0.73	1.9	0.80	1.2	5.8
1993	0	0.98	1.27	1.3		0.00	6.7	3.30		0.30	1	0.50	0.00	2.6	2.33	4	0.94	1.8	1.10	0.6	6.7
1994	0.1	1.1	1.08	1.6		0.00	3.6	0.90		0.80	1.3	1.10	0.00	1.1	0.85	1.6	1.50	1.2	1.40	1	3.6
1995	0	0.82	1.30	0.6		0.00	1	0.70		1.20	0.9	1.40	0.00		0.68	0.7	2.01	2.1	1.50	1.1	2.1
1996	0	0.82	1.1	1		0.00	0.7	0.90		0.60	1.4	1.4	0.00		1.6	1.9	1.15	5.8	2.30	1	5.8

